

Seamless, New Foam Technology Palm Coated, 15-Gauge Gloves with Cut, Impact, Abrasion, and Puncture Resistance

DESCRIPTION

These general-purpose gloves have a 15-gauge black seamless nylon/spandex shell. The black and blue TPU impact protection over the fingers and metacarpal bones provide a tough defense. The palm is coated with black New Foam Technology nitrile, providing excellent grip and dexterity. Features touch screen compatible fingertips and a knit wrist cuff for a secure fit.

Each pair is individually hang-tagged for retail sale.



INDUSTRY

Agriculture	General Maintenance	Material Handling
Assembly	General Purpose	Small Parts Handling
Automotive	Landscaping	Warehousing
Construction	Manufacturing	

FEATURES

- 15-gauge nylon/spandex shell offers bare hand sensitivity
- Soft, flexible, TPU impact protection over the fingers and metacarpal bones provides tough protection
- Nitrile-coated palm with New Foam Technology finish allows hands to breathe while providing great grip in wet, oily, or dry conditions
- Touch screen compatible fingertips
- Overcast color on hem for easy size identification
- Knit wrist cuff offers users a secure, comfortable fit and prevents gloves from slipping off during use
- EN 388 Levels: 4131X

SPECIFICATIONS

SHELL	COLOR	COATING	COATING COLOR	COATING TYPE	FINISH	GAUGE	IMPACT PROTECTION	TOUCH SCREEN	CUFF
Nylon/Spandex	Black and Blue	Nitrile	Black	Palm	New Foam Technology	15-Gauge	TPU	Fingertips	Knit Wrist
RETAIL READY	CUT	ASTM F2992-15 RESULTS		ABRASION	PUNCTURE	PUNCTURE RESULTS	IMPACT	EN 388 LEVELS	
Yes	Level A1	296 Grams		Level 6	Level 2	49 Newtons	Level 2	4131X	

PACKAGING

	QUANTITY	8(M)	9(L)	10(XL)
PAIR UPC	1	810033294334	810033294341	810033294358
INNER PACK GTIN	12/PACK	10810033294331	10810033294348	10810033294355
CASE GTIN	6 PK/CASE	20810033294338	20810033294345	20810033294352
CASE WEIGHT (IN POUNDS)		17.35	18.15	19.25
OVERCAST COLOR		Green	Brown	Black

13915 Radium St NW
Ramsey, MN 55303

763-450-0110
Sales@GlobalGlove.com

GlobalGlove.com

ITEM **CIA550NFT** SIZES **8(M)-10(XL)**

Meets ANSI/ISEA 105-2016 standard

- Cut Level A1
- ASTM F2992-15 Results = 296 grams
- Abrasion Level 6
- Puncture Level 2
- ANSI Puncture Results: 49 Newtons

Meets ANSI/ISEA 138-2019 standard

- Impact Level (Overall): 2
- Impact Level (Fingers/Thumb): 2
- Impact Level (Knuckles): 2

