



Global Glove
& Safety Manufacturing, Inc.

Hand and Arm Protection


Protective Clothing



**Independent
Growing
Innovating**

GlobalGlove.com

Your one-stop destination for product information and more.



- Predictive Search
 - Request Samples
 - Find Your Salesperson
 - Up-to-Date Information
 - Newest Products
 - Resources and Testing Data
 - Product Info Downloads
 - Videos
 - and more!




Table of Contents

Looking for something? Find it here.

Hand and Arm Protection

Cut Resistant.....	9
Tuffalene® Platinum.....	10
Tuffalene®	12
Aralene®	18
Aramid Fiber.....	22
Resistance with Alycore® inside	23
Undergloves	26
Arc Flash	25
General Purpose	27
Nitrile Dip.....	28
Rubber Dip	31
PU Dip.....	34
Disposables.....	35
Panther-Guard®	37
Unsupported.....	39
Rubber.....	41
Chemical Handling.....	42
Low Temperature	49
Oil, Gas, Construction.....	59
Anti-Vibration	64
Mechanics/Sport Styles.....	65
Leather.....	71
Deerskin Drivers.....	72
Goatskin Drivers.....	72
Cowhide Drivers	73
High-Visibility.....	75
Welders	76
Leather Palm.....	78
Cotton and Canvas	81
Terrycloth.....	82
Jersey.....	83
Nylon and Cotton Lisle	85
Vend-Pack Gloves.....	87
Utility Clips	88
Sleeves	89
TuffKut®	90
Tuffalene®	91
Aramid Fiber.....	92

Head Protection

Hard Hats	94
Hard Hat Accessories.....	98
Winter Liners/Balaclavas	99

Cooling

Hearing Protection.....

Earmuffs	104
Earplugs	105

Protective Clothing

FrogWear® HV.....	108
Vests.....	108
Shirts	116
Pants and Gaiters.....	117
Jackets and Outerwear	118
Rainwear	120
Hats, Shades, and More	122
Aprons	123
Disposable Clothing	124

Knee Protection.....

Foot Protection.....

Index.....

Back Cover

Guides


ANSI/ISEA Icon and Web Resources Ad.....	2
Puncture and Impact Guides	3
Cut and Abrasion Guides	4
Icons and Hand Measuring	5
Choosing Dip Polymer	6
Glove Finish Guide	7
Choosing Cut Resistant Fibers	8
Disposables Icons and Options	36
Chemical Handling Chart	42
Hearing and Safety Wear Icons	106

Table of Contents

New ANSI/ISEA 105 Icon Designation

All multi-hazard Global Glove hand protection products are using this new ANSI/ISEA 105 designation.

ANSI/ISEA 105



ANSI/ISEA 105 Guides

For more information about the testing methods used to evaluate hand and arm protection, please visit GlobalGlove.com/Resources.


The screenshot shows a desktop browser displaying the Global Glove website. The main content area features three video guides:

- Cut Testing:** A video titled "ANSI ISEA Cut Testing" showing a close-up of a test machine blade cutting through a sample of material. The video player shows 03:47 / 10:00.
- Abrasion Testing:** A video titled "How Abrasion is Tested" showing a close-up of a test machine blade being moved across a sample of material. The video player shows 00:01 / 0:44.
- Puncture Testing:** A video titled "ANSI/ISEA Puncture Test" showing a close-up of a test machine blade being applied to a sample of material. The video player shows 00:00 / 0:00.

On the left side of the screen, there is a smartphone displaying a smaller version of the same content. The top navigation bar includes links for GLOVES, EYE | FACE | HEAD PROTECTION, PROTECTIVE CLOTHING, MORE PPE, FRESH GOODS, and RESOURCES.

Hand and Arm Protection

ANSI/ISEA 105 Puncture Testing Levels



ANSI/ISEA 138 Impact Testing Levels

	Mean force felt by hand	Max force allowed to pass	Percentage of force absorbed by glove
ANSI / ISEA 138  1	≤ 9 kN or 2,023 lbs force	< 11.3	55%
ANSI / ISEA 138  2	≤ 6.5 kN or 1,461 lbs force	≤ 8.1	67.5%
ANSI / ISEA 138  3	≤ 4 kN or 899 lbs force	≤ 5	80%




 % Absorbed by Impact Protection Material  % Absorbed by Hand

Hand and Arm Protection


GlobalGlove.com | 763-450-0110

ANSI/ISEA 105 Cut and Abrasion Testing Levels

Abrasion Levels



Cut Levels



Hand and Arm Protection

Icon and Hand Measuring Guide

Hand and Arm Protection

	Adjustable Fit		Electrostatic (ESD) Compliant		Finish - Xtreme Foam Technology (XFT)		Pattern - Brick
	ANSI/ISEA 105		FDA Compliant		Flame Resistant		Pattern - Chevron
	ANSI/ISEA 105 Abrasion Level		Fingerless		Glove Length		Pattern - Dotted
	ANSI/ISEA 105 Cut Level		Finish - Etched, Wrinkle		High-Visibility		Pattern - Honeycomb
	ANSI/ISEA 105 Heat Level		Finish - Foam		Impact Protection		Retail Hang-Tagged
	ANSI/ISEA 105 Puncture Level		Finish - Mach Finish		Insulated		Reversible
	ANSI/ISEA 105 Needle Level		Finish - New Foam Technology (NFT)		Max Temperature: Based on EN 407 Contact Heat Rating		Touchscreen Compatible
	Anti-Vibration		Finish - Rough		NFPA 70E Arc Flash Level		Waterproof
	Double Coated		Finish - Smooth		Palm Padding		Water Repellent
	Double Palm		Finish - Waffle				



- Wrap a soft cloth measuring tape entirely around your dominant hand, just below the knuckles. For reference, your dominant hand would be your right if you are right-handed and left if you are left-handed.
- If you don't have a soft cloth measuring tape you can wrap a piece of string around your hand and measure the length of the string using a ruler.
- Take the full circumference measurement and compare it to the chart for the recommended glove size*.

This example shows a circumference measurement of 9 inches. The recommended glove size for this user would be Large (9).

Numeric Size	Letter Size	Inches**
5	XXS	5
6	XS	6
7	S	7
8	M	8
9	L	9
10	XL	10
11	2XL	11

Hand and Arm Protection

GlobalGlove.com | 763-450-0110


* Estimate size to the closest fit

** Hand proportions may vary

Choosing The Right Dip Polymer


Nitrile

Nitrile is a synthetic polymer that is unusually resistant to chemicals, oils, and fuels. Due to the superior strength of nitrile, gloves dipped with this polymer also have a higher abrasion resistance compared to other polymers.



Polyurethane

Polyurethane dipped gloves offer a high level of dexterity to the user. The dip also adheres through the entire glove liner, which prevents flakiness and peeling gloves.



Rubber

Rubber dipped gloves have an inherently strong grip ability and are the most elastic polymer. They perform well under extreme temperatures and do not tear easily. Rubber dipped gloves are not recommended for use with petroleum-based organic solvents.



Neoprene

Neoprene was invented to replace natural rubber in chemical handling situations. It is not susceptible to most hazardous chemicals and can be used safely. It also holds up well to UV light.





PVC

PVC is a low cost, liquid resistant polymer that performs well in petrochemical situations because of good abrasion resistance and flexibility at low temperatures.

Hand and Arm Protection

Glove Finish Guide

The finish is what makes the glove unique.



Solid/Smooth




Solid coating resists penetration of liquids and has an excellent dry grip.

Mach Finish

The Mach Finish coating has a higher grip rating, better wear resistance, and more protection than solid or foam dipped gloves.

Dotted

Dotted gloves provide an extra level of grip and extra abrasion resistance when compared to standard coated gloves, ensuring a better user experience.



Rough Finish



Rough finish gloves have an added level of grip and better wear resistance than solid coated gloves.

Etched

The grip factor of etched gloves is not reduced by either wet or cold conditions.

Foam

While the wear resistance of foam may not be as high as other finish types, it offers enhanced dexterity and excellent grip in dry, wet, and oily situations.



New Foam Technology

With a high degree of dexterity and grip in wet or oily conditions, New Foam Technology coated gloves offer the user a comfortable, effective option.

Xtreme Foam Technology

A performance blended foam coating, Xtreme Foam Technology offers excellent dexterity and grip in wet or oily conditions.

Hand and Arm Protection

GlobalGlove.com | 763-450-0110


Choosing The Right Cut Resistant Fiber

Not all cut resistant fibers are created equal, choosing the right fiber is essential for safety and superior performance.




Tuffalene® Platinum

- Free of glass fibers and metal
- Silky smooth feeling
- Typically 20% lighter when comparing to other products of the same ANSI cut level
- Washable and bleachable
- Abrasion resistance
- Monofilament
- Highly dexterous
- Lint-free
- Not recommended for heat applications



Tuffalene® UHMWPE

- Abrasion resistance
- Washable and bleachable
- Often enhanced with glass fiber or metal
- Monofilament
- Highly dexterous
- Lint-free
- Not recommended for heat applications



ARALENE®

Aralene®

- Aramid fiber enhanced with glass fiber or metal
- Heat resistant
- Sensitive to UV light
- Not bleachable



TuffKut®

- Abrasion resistance
- Heat resistance
- Lint-free
- Washable and bleachable

Aramid Fiber

- Nonconductive
- Heat resistant
- Washable/dry clean
- Sensitive to UV light
- Not bleachable

Hand and Arm Protection



Cut Resistant



**FREE from metal
and glass fiber**
**FREE from allergies
and discomfort**



CR921



Ultra-Lightweight Multi-Hazard Touch Screen

- Ultra-lightweight Tuffalene® Platinum UHMWPE shell
- Foam nitrile coating
- Touch screen compatible fingertips



CR918MF



Flexible Multi-Hazard with Grip

- Lightweight Tuffalene® Platinum UHMWPE shell
- Flexible cut resistance
- Abrasion-resistant Mach Finish nitrile coating



PUG-918



Lightweight Multi-Hazard

- Lightweight Tuffalene® Platinum UHMWPE shell
- Smooth finish provides liquid protection
- PU coating adheres to the liner to prevent flakiness

Products	Sizes	Shell	Shell Color	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
CR921	6(XS)-11(2XL)	Tuffalene® Platinum UHMWPE	Salt-and-Pepper	21-Gauge	Nitrile	Foam	Level A4	Level 3	Level 2	3341C
CR918MF	5(XXS)-11(2XL)	Tuffalene® Platinum UHMWPE	Light Blue	18-Gauge	Nitrile	Mach Finish	Level A2	Level 6	Level 3	4X42B
PUG-918	5(XXS)-10(XL)	Tuffalene® Platinum UHMWPE	Light Blue	18-Gauge	Polyurethane	Smooth	Level A2	Level 4	Level 3	3X42B

Cut Resistant

Achieving high cut levels, without using glass fiber or metal, gloves made with Tuffalene® Platinum are safe for workers who have allergic reactions to fiberglass and offer none of the discomfort of metal.

Made with
Tuffalene®
PLATINUM



CIA388XFT



High-Visibility Multi-Hazard with Impact

- Tuffalene® Platinum UHMWPE shell for comfortable cut protection
- Highly-flexible Xtreme Foam Technology (XFT) finish
- Touch screen compatible fingertips



CR815D



CR835-RD



CR888D



High-Visibility Touch Screen Multi-Hazard

- Lightweight Tuffalene® Platinum UHMWPE shell
- Foam nitrile dotted palm
- Touch screen compatible fingertips

Extended-Coated Multi-Hazard with Touch Screen

- Lightweight Tuffalene® Platinum UHMWPE shell
- Foam nitrile dotted palm
- Touch screen compatible fingertips

Extended-Coated Multi-Hazard Dotted

- Lightweight Tuffalene® Platinum UHMWPE shell
- Foam nitrile dotted palm
- Fully coated palm and back of the hand provides resistance to liquid saturation

Products	Sizes	Shell	Shell Color	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
CIA388XFT	6(XS)-11(2XL)	Tuffalene® Platinum UHMWPE	High-Visibility Orange	15-Gauge	Nitrile	Xtreme Foam Technology	Level A4	Level 6	Level 4	4X43D
CR815D	6(XS)-11(2XL)	Tuffalene® Platinum UHMWPE	High-Visibility Orange	15-Gauge	Nitrile	Foam with Dots	Level A5	Level 6	Level 4	4X42E
CR835-RD	7(S)-11(2XL)	Tuffalene® Platinum UHMWPE	High-Visibility Orange	15-Gauge	Nitrile	Foam with Dots	Level A5	Level 6	Level 4	4X42E
CR888D	7(S)-11(2XL)	Tuffalene® Platinum UHMWPE	High-Visibility Yellow/Green	18-Gauge	Nitrile	Foam with Dots	Level A4	Level 5	Level 3	4X42D

Cut Resistant

GlobalGlove.com | 763-450-0110

Made with
Tuffalene® Nitrile
CUT RESISTANT FIBRE



CIA799XFT



CIA995MFV



CIA617V



Lightweight Coated Touch Screen Multi-Hazard

- Lightweight Tuffalene® UHMWPE shell
- Xtreme Foam Technology nitrile-coated palm
- Reinforced thumb crotch
- Soft, flexible TPU impact protection
- Touch screen compatible fingertips



CIA417V



CR999



CRX7



CR592



Multi-Hazard Coated with Impact

- Tuffalene® UHMWPE shell for comfortable cut protection
- Double-coated Mach Finish nitrile palm
- Reinforced thumb crotch
- Soft, flexible TPU impact protection

Highest Cut Resistance Multi-Hazard

- Lightweight Tuffalene® UHMWPE shell
- Reinforced thumb crotch
- Touch screen compatible fingertips

Lightweight Multi-Hazard Performance

- Lightweight Tuffalene® UHMWPE shell
- Highly-flexible Xtreme Foam Technology (XFT) finish
- Reinforced thumb crotch
- Touch screen compatible fingertips

Multi-Hazard Chemical Handling, ESD Compliant

- Comfortable Tuffalene® liner
- Premium double-dipped nitrile shell

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
CIA799XFT	7(S)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	Xtreme Foam Technology	Level A7	Level 5	Level 3	Level 2	NA	NA
CIA995MFV	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Double Nitrile	Mach Finish	Level A5	Level 4	Level 4	Level 2	4X43E	X2XXXX
CIA617V	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Double Nitrile	Mach Finish	Level A5	Level 6	Level 4	Level 1	4X43E	NA
CIA417V	8(M)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Double Nitrile	Mach Finish	Level A3	Level 5	Level 4	Level 1	4242X	NA
CR999	6(XS)-10(XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	Foam	Level A9	Level 6	Level 3	NA	4X42F	NA
CRX7	7(S)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	Xtreme Foam Technology	Level A7	Level 4	Level 4	NA	4X42F	NA
CR592	7(S)-10(XL)	Tuffalene® UHMWPE	15-Gauge	Double Nitrile	Foam over Smooth	Level A5	Level 6	Level 4	NA	4X42F	X1XXXX

Cut Resistant



Multi-Hazard, ESD Compliant

- Tuffalene® UHMWPE shell for comfortable cut protection
 - Double-coated Mach Finish nitrile palm
 - ESD compliant

Multi-Hazard Chemical Handling Performance

- Lightweight Tuffalene® liner
 - Xtreme Foam Technology nitrile-coated palm
 - Fully coated nitrile shell

High-Visibility Lightweight Multi-Hazard

- Lightweight Tuffalene® UHMWPE shell
 - New Foam Technology
nitrile-coated palm

High-Visibility Multi-Hazard

- Lightweight Tuffalene® UHMWPE shell
 - Foam nitrile-coated palm



Liquid-Resistant Multi-Hazard

- Tuffalene® UHMWPE shell for comfortable cut protection
 - Abrasion-resistant Mach Finish nitrile palm
 - Full solid nitrile coating

Lightweight Reinforced High-Visibility

- Lightweight Tuffalene® UHMWPE shell
 - New Foam Technology
nitrile-coated palm
 - Reinforced thumb crotch

Lightweight Multi-Hazard Touch Screen

- Lightweight Tuffalene® UHMWPE shell
 - Foam nitrile-coated palm
 - Reinforced thumb crotch
 - Touch screen compatible fingertips

Coated Multi-Hazard

- Tuffalene® UHMWPE shell for comfortable cut protection
 - Foam nitrile palm coating

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
CR898MF	6(XS)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Double Nitrile	Mach Finish	Level A5	Level 6	Level 4	4X43E
CR492	8(M)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A4	Level 6	Level 3	4X32C
CR18NFT	5(XXS)-10(XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	New Foam Technology	Level A4	Level 6	Level 3	4X42D
CR488	6(XS)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	Foam	Level A4	Level 5	Level 4	3X43D
CR999MFF	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Double Nitrile	Mach Finish	Level A4	Level 6	Level 4	4X44D
CR18NFT-R	6(XS)-10(XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	New Foam Technology	Level A4	Level 6	Level 3	4X42D
CR788	6(XS)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile	Foam	Level A4	Level 3	Level 5	3X43D
CR617	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Nitrile	Foam	Level A4	Level 6	Level 4	4X43D

Cut Resistant

Made with
Tuffalene® Polyurethane
 CUT RESISTANT FIBRE



CIA788



Lightweight Multi-Hazard with Impact

- Tuffalene® UHMWPE shell for comfortable cut protection
- PU coating adheres to the liner to prevent flakiness
- Soft, flexible TPU impact protection
- Touch screen compatible fingertips
- Packaged by the pair



PUG-919



Lightweight Multi-Hazard, FDA and ESD Compliant

- Lightweight Tuffalene® UHMWPE shell
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair



PUG-999



Lightweight Multi-Hazard, FDA Compliant

- Lightweight Tuffalene® UHMWPE shell
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair



PUG-718



High-Visibility Multi-Hazard Touch Screen

- Lightweight Tuffalene® UHMWPE/rPET shell
- PU coating adheres to the liner to prevent flakiness
- Touch screen compatible fingertips
- Packaged by the pair



PUG-618



Lightweight Multi-Hazard Touch Screen

- Lightweight Tuffalene® UHMWPE/rPET shell
- PU coating adheres to the liner to prevent flakiness
- Touch screen compatible fingertips
- Packaged by the pair



PUG-788



Multi-Hazard Touch Screen

- Lightweight Tuffalene® UHMWPE shell
- PU coating adheres to the liner to prevent flakiness
- Touch screen compatible fingertips
- Packaged by the pair

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/SEA Impact	EN 388 Levels
CIA788	7(S)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Polyurethane	Smooth	Level A5	Level 4	Level 4	Level 2	3X42E
PUG-919	6(XS)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Polyurethane	Smooth	Level A9	Level 3	Level 3	NA	NA
PUG-999	6(XS)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Polyurethane	Smooth	Level A9	Level 3	Level 4	NA	4X42F
PUG-718	6(XS)-11(2XL)	Tuffalene® UHMWPE/rPET	18-Gauge	Polyurethane	Smooth	Level A7	Level 6	Level 4	NA	4X42F
PUG-618	6(XS)-11(2XL)	Tuffalene® UHMWPE/rPET	18-Gauge	Polyurethane	Smooth	Level A6	Level 4	Level 3	NA	3X42F
PUG-788	5(XXS)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Polyurethane	Smooth	Level A5	Level 4	Level 4	NA	3X42E

Cut Resistant

ANSI/SEA
105
A4
6 4SMOOTH
FINISH

PUG-617

ANSI/SEA
105
A4
6 4

TOUCHSCREEN

REINFORCED
THUMB SADDLE

CR919

SMOOTH
FINISHHIGH
VISIBILITY

Multi-Hazard with Lightweight Coating

- Tuffalene® UHMWPE shell for comfortable cut protection
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

Multi-Hazard Reinforced with Touch Screen

- Tuffalene® UHMWPE shell for comfortable cut protection
- PU coating adheres to the liner to prevent flakiness
- Three touch screen compatible fingers
- Reinforced nitrile thumb crotch

ANSI/SEA
105
A2
3 3SMOOTH
FINISH

PUG-118

HIGH
VISIBILITYANSI/SEA
105
A2
4 4ESD
COMPATIBLE

PUG-313

SMOOTH
FINISHANSI/SEA
105
A2
6 3SMOOTH
FINISH

PUG-417

Lightweight High-Visibility Multi-Hazard

- Lightweight Tuffalene® UHMWPE shell
- PU coating adheres to the liner to prevent flakiness
- High-visibility shell and coating

Flexible Multi-Hazard

- Tuffalene® UHMWPE shell for comfortable cut protection
- PU coating adheres to the liner to prevent flakiness
- White stretch-broken shell
- Packaged by the pair

Multi-Hazard rPET Recycled Coated Salt-and-Pepper

- Tuffalene® UHMWPE/rPET shell for comfortable cut protection
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
PUG-617	6(XS)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Polyurethane	Smooth	Level A4	Level 6	Level 4	4X42D
CR919	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Polyurethane	Smooth	Level A4	Level 6	Level 4	3X43D
PUG-118	5(XXS)-10(XL)	Tuffalene® UHMWPE	18-Gauge	Polyurethane	Smooth	Level A2	Level 3	Level 3	4X42B
PUG-313	6(XS)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	Polyurethane	Smooth	Level A2	Level 4	Level 4	4X42B
PUG-417	6(XS)-11(2XL)	Tuffalene® UHMWPE/rPET	13-Gauge	Polyurethane	Smooth	Level A2	Level 6	Level 3	4X42B

Cut Resistant

GlobalGlove.com | 763-450-0110



CIA318INT



Water-Repellent Low-Temp Multi-Hazard with Impact

- High-visibility Tuffalene® UHMWPE shell
- Foam rubber-coated palm
- Flexible TPU impact protection

CIA300INT



Multi-Hazard Foam Rubber Coated

- One-piece Tuffalene® UHMWPE/brushed terry cloth liner shell
- Foam rubber-coated palm
- Flexible TPU impact protection

CR318INT



Water-Repellent Low-Temp Multi-Hazard

- High-visibility Tuffalene® UHMWPE shell
- Foam rubber-coated palm
- Brushed terry cloth liner

CR330INT



Double-Coated Multi-Hazard Insulated

- One-piece Tuffalene® UHMWPE/brushed terry cloth liner shell
- Flexible, double-dipped latex coating

Products	Sizes	Shell	Insulation	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels
CIA318INT	8(M)-11(2XL)	Tuffalene® UHMWPE	Brushed Acrylic Terry Cloth	10-Gauge, 13-Gauge	Rubber Latex	Foam	Level A5	Level 3	Level 5	Level 2	3X43E
CIA300INT	7(S)-10(XL)	Tuffalene® UHMWPE	Brushed Acrylic Terry Cloth	10-Gauge	Rubber Latex	Foam	Level A4	Level 3	Level 3	Level 1	2X42DP
CR318INT	8(M)-11(2XL)	Tuffalene® UHMWPE	Brushed Acrylic Terry Cloth	10-Gauge, 13-Gauge	Rubber Latex	Foam	Level A5	Level 3	Level 5	NA	3X43E
CR330INT	8(M)-10(XL)	Tuffalene® UHMWPE	Brushed Acrylic Terry Cloth	10-Gauge	Rubber Latex	Foam over Smooth	Level A4	Level 3	Level 3	NA	2X42D



CR855



Silicone-Coated Multi-Hazard

- Tuffalene® shell is comfortable and dexterous
- Silicone-coated palm with a foam finish



CR860



Supreme Grip Tack-Free Multi-Hazard

- High-visibility Tuffalene® shell is comfortable and dexterous
- Palm is resistant to intermittent heat contact, glues, and adhesives



CIA7700



High-Visibility Multi-Hazard Buffalo Leather Drivers

- Premium-grade grain buffalo leather
- Lightweight Tuffalene® UHMWPE woven liner
- Soft, flexible TPR impact protection



CR900LF



Premium Leather Palm

- Grain cowhide palm
- Double layered, split palm
- Sewn with aramid fiber

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
CR855	7(S)-10(XL)	Tuffalene® UHMWPE	13-Gauge	Silicone	Foam	Level A5	Level 6	Level 3	NA	4X42E	NA
CR860	7(S)-10(XL)	Tuffalene® UHMWPE	13-Gauge	Silicone	Smooth	Level A4	Level 6	Level 3	NA	4X43D	X2XXXX
CIA7700	7(S)-11(2XL)	Grain Buffalo	NA	NA	NA	Level A7	Level 5	Level 5	Level 2	3X43FP	NA
CR900LF	6(XS)-10(XL)	Tuffalene® UHMWPE	7-Gauge	NA	NA	Level A6	Level 6	Level 5	NA	NA	X3XXXX

Cut Resistant



PUG-517TS

ANSI/SEA
105
A4
4 4



PUG-555TS

ANSI/SEA
105
A4
4 4



PUG-006

ANSI/SEA
105
A6
4 3



CR611MF

ANSI/SEA
105
A4
4 5



High-Visibility Touch Screen Multi-Hazard

- TuffKut® material offers cut protection, light heat protection, and high-visibility
- PU coating adheres to the liner to prevent flakiness
- Three touch-screen compatible fingers
- Packaged by the pair

Multi-Hazard Touch Screen Compatible

- Dark TuffKut® shell hides dirt
- PU coating adheres to the liner to prevent flakiness
- Three touch-screen compatible fingers
- Packaged by the pair

Multi-Hazard Economy with High Cut Resistance

- High-density nylon shell offers great dexterity
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

Mach Finish Nitrile Double-Coated

- Abrasion resistant double-coated palm
- Excellent grip and dexterity



PUG-655

ANSI/SEA
105
A5
5 5



PUG-511

ANSI/SEA
105
A4
5 4



PUG-611

ANSI/SEA
105
A4
5 4



PUG-111

ANSI/SEA
105
A2
5 3



Black Enhanced Multi-Hazard Coated

- Lightweight cut resistant shell
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

High-Visibility Multi-Hazard

- Lightweight cut resistant shell
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

Enhanced Multi-Hazard Coated

- Lightweight cut resistant shell
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

Coated Multi-Hazard

- Lightweight cut resistant shell
- PU coating adheres to the liner to prevent flakiness
- Packaged by the pair

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
PUG-517TS	7(S)-11(2XL)	TuffKut®	13-Gauge	Polyurethane	Smooth	Level A4	Level 4	Level 4	4X42D	X1XXXX
PUG-555TS	6(XS)-11(2XL)	TuffKut®	13-Gauge	Polyurethane	Smooth	Level A4	Level 4	Level 4	4X42D	X1XXXX
PUG-006	6(XS)-11(2XL)	High-Density Nylon	13-Gauge	Polyurethane	Smooth	Level A6	Level 4	Level 3	4X42F	NA
CR611MF	6(XS)-10(XL)	HPPE	13-Gauge	Double Nitrile	Mach Finish	Level A4	Level 4	Level 5	4X43D	NA
PUG-655	6(XS)-11(2XL)	HPPE	13-Gauge	Polyurethane	Smooth	Level A5	Level 5	Level 5	4X42D	NA
PUG-511	6(XS)-10(XL)	HPPE	13-Gauge	Polyurethane	Smooth	Level A4	Level 6	Level 4	4X42D	NA
PUG-611	5(XXS)-11(2XL)	HPPE	13-Gauge	Polyurethane	Smooth	Level A4	Level 6	Level 4	4X42D	NA
PUG-111	6(XS)-11(2XL)	HPPE	13-Gauge	Polyurethane	Smooth	Level A2	Level 6	Level 3	3242X	NA

Cut Resistant

GlobalGlove.com | 763-450-0110



ARALENE®



CIA677



CIA609MF



CIA292



CR677



Performance Multi-Hazard with Impact

- Aralene® (enhanced aramid fiber) shell retains dexterity
- High-performance palm coating
- Highly-flexible Xtreme Foam Technology (XFT) finish
- Flexible TPU impact protection

Reinforced Multi-Hazard with Impact

- Reinforced thumb crotch
- Vibration dampening padded palm
- Flexible TPU impact protection
- Abrasion-resistant Mach Finish nitrile-coated palm

Multi-Hazard Chemical Handling with Impact

- Lightweight Aralene® multi-hazard inner liner
- Double-coated PVC and nitrile
- Soft, flexible TPU impact protection
- 12-inches long with gauntlet cuff

Performance Multi-Hazard

- Aralene® (enhanced aramid fiber) shell retains dexterity
- High-performance palm coating
- Highly-flexible Xtreme Foam Technology (XFT) finish



CR600MF



CR292



CR609



CR639



Multi-Hazard Nitrile Coated

- Aralene® (enhanced aramid fiber) shell retains dexterity and provides heat protection
- Abrasion-resistant Mach Finish nitrile-coated palm
- Black construction presents clean appearance

Multi-Hazard Chemical Handling

- Lightweight Aralene® multi-hazard inner liner
- Double-coated PVC and nitrile
- 12-inches long with gauntlet cuff

Enhanced Hybrid Multi-Hazard

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Foam nitrile coated palm protects from liquids
- Foam finish provides excellent dry, wet, and oily grip with breathability
- Machine washable

Multi-Hazard with Extended Coating

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Foam nitrile three-quarter dipped palm protects from liquids
- Foam finish provides excellent dry, wet, and oily grip with breathability

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
CIA677	7(S)-11(2XL)	Aralene®	13-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A7	Level 4	Level 4	Level 1	4X42FP	NA
CIA609MF	7(S)-11(2XL)	Aralene®	13-Gauge	Nitrile	Mach Finish	Level A5	Level 6	Level 3	Level 1	4X31E	X2XXXX
CIA292	8(M)-10(XL)	Aralene®	15-Gauge	Double PVC/Nitrile	Sandpaper	Level A4	Level 5	Level 2	Level 2	3X31C	X1XXXX
CR677	7(S)-11(2XL)	Aralene®	13-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A7	Level 4	Level 4	NA	4X42F	NA
CR600MF	6(XS)-10(XL)	Aralene®	10-Gauge	Nitrile	Mach Finish	Level A6	Level 5	Level 4	NA	3X43F	NA
CR292	8(M)-10(XL)	Aralene®	15-Gauge	Double PVC/Nitrile	Sandpaper	Level A4	Level 5	Level 2	NA	3X31C	X1XXXX
CR609	7(S)-11(2XL)	Aralene®	13-Gauge	Nitrile	Foam	Level A4	Level 4	Level 3	NA	4X21D	NA
CR639	7(S)-11(2XL)	Aralene®	13-Gauge	Nitrile	Foam	Level A4	Level 4	Level 3	NA	4X21D	NA

Cut Resistant



ARALENE®



CR588MF



Black Multi-Hazard with Heat Resistance

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Abrasion-resistant Mach Finish nitrile-coated palm
- Black construction presents clean appearance
- Reinforced thumb crotch



CR588MFY



Multi-Hazard with Heat Resistance

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Abrasion-resistant Mach Finish nitrile-coated palm



CR509



Multi-Hazard Arc Flash with Bi-Polymer Coating

- Enhanced Aralene® (enhanced aramid fiber) shell
- Mach Finish neoprene bi-polymer palm is flame-resistant and improves grip

Tested to ASTM F2675
Arc Rating (ATPV) = 12.4 Cal/cm²
Heat Attenuation Factor (HAF) = 80%
NFPA 70E Arc-Flash PPE Category: 2



355KV



Heat Resistant Coated Aralene®

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Puncture resistant rubber-coated palm
- Unique waffle finish improves grip in wet conditions

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
CR588MF	6(XS)-10(XL)	Aralene®	13-Gauge	Nitrile	Mach Finish	Level A3	Level 6	Level 2	3X31C	X1XXXX
CR588MFY	5(XXS)-11(2XL)	Aralene®	13-Gauge	Nitrile	Mach Finish	Level A3	Level 6	Level 2	3X31C	X1XXXX
CR509	7(S)-11(2XL)	Aralene®	15-Gauge	Neoprene Bi-Polymer	Mach Finish	Level A5	Level 3	Level 4	3X42D	X1212X
355KV	8(M)-10(XL)	Aralene®	10-Gauge	Rubber Latex	Waffle Pattern	Level A6	NA	NA	3X43F	NA



600KV



High-Visibility Heavyweight Multi-Hazard

- Aralene® (enhanced aramid fiber) shell is cut and heat resistant
- Etched rubber-coated palm



CR399



Liquid Resistant Multi-Hazard

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Fully-coated with rubber latex
- Foam rubber-coated palm



KS300LF



Split Leather Palm Multi-Hazard

- Reinforced thumb crotch
- Leather knuckle strap
- Reinforced knuckles



K300LF



Double Leather Palm Multi-Hazard

- Split cowhide over grain leather
- Reinforced thumb crotch
- Leather wrapped forefinger

Products	Sizes	Shell	Gauge	Palm	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
600KV	7(S)-11(2XL)	Aralene®	10-Gauge	NA	Rubber	Etched	Level A6	Level 4	Level 4	2X44F	X3XXXX
CR399	7(S)-11(2XL)	Aralene®	10-Gauge	NA	Double Rubber Latex	Smooth and Foam	Level A4	Level 3	Level 4	3X42D	X3XXXX
KS300LF	7(S)-10(XL)	Aralene®	10-Gauge	Split Cowhide	NA	NA	Level A7	Level 5	Level 5	3X43F	X2XXXX
K300LF	7(S)-10(XL)	Aralene®	7-Gauge	Double Split Cowhide	NA	NA	Level A6	Level 6	Level 5	3X44F	X3XXXX

Cut Resistant

GlobalGlove.com | 763-450-0110



ARALENE®

Leather



K500LF



CR2100



CIA7900



Leather Palm Cut Resistant

- Aralene® (enhanced aramid fiber) shell retains dexterity
- Premium split cowhide leather palm
- Reinforced thumb crotch extends glove life
- Sewn with aramid fiber

Premium Split Cowhide Leather Palm

- Enhanced Aralene® (enhanced aramid fiber) liner
- Washable dual layer duck cuff
- 9-oz canvas back
- Sewn with aramid fiber

Multi-Hazard Leather Drivers

- Lightweight Aralene® enhanced woven liner
- Proprietary oil/water resistant manufacturing process
- Soft, flexible TPR impact protection
- Unique open cuff with closure

Products	Sizes	Shell	Gauge	Liner	Palm	Grade	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
K500LF	8(M)-10(XL)	Aralene®	7-Gauge	NA	Split Cowhide	NA	Level A6	NA	NA	NA	4X43E	NA
CR2100	8(M)-10(XL)	9 oz Canvas	NA	Aralene®	Split Cowhide	Premium	Level A4	Level 5	Level 5	NA	NA	X2XXXX
CIA7900	7(S)-11(2XL)	Grain Goatskin	NA	Aralene®	NA	Premium	Level A9	Level 4	Level 4	Level 2	3X43FP	NA



CIA200MTG



CIA3800



CIA3800INT



CIA4005



Multi-Hazard Grain Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Proprietary oil/water resistant manufacturing process
- Sewn with black DuPont™ Kevlar® fiber
- Soft, flexible TPR impact protection

Multi-Hazard Oil-Resistant Goatskin

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Proprietary oil/water resistant manufacturing process
- Sewn with aramid fiber
- Soft, flexible TPR impact protection

Multi-Hazard Oil-Resistant Insulated Goatskin

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Proprietary oil/water resistant manufacturing process
- Warm 3M™ Thinsulate™ insulation
- Sewn with aramid fiber

Premium Multi-Hazard Leather Palm Mechanics

- Premium-grade grain goatskin leather palm
- Thin Aralene® (enhanced aramid fiber) liner woven inside palm
- Green stretchable mesh back of the hand
- Soft, flexible TPR impact protection

Products	Sizes	Shell	Grade	Liner	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	ANSI Conductive Heat	EN 388 Levels	EN 407 Levels
CIA200MTG	8(M)-11(2XL)	Grain Goatskin	Premium	Aralene®	Level A8	Level 4	Level 4	Level 2	Level 4	3X43F	NA
CIA3800	7(S)-11(2XL)	Grain Goatskin	Premium	Aralene®	Level A5	Level 4	Level 4	Level 2	NA	3X23EP	X2XXXX
CIA3800INT	7(S)-11(2XL)	Grain Goatskin	Premium	Aralene	Level A5	Level 4	Level 4	Level 2	NA	3X33EP	NA
CIA4005	7(S)-11(2XL)	Aralene®	Premium	Aralene®	Level A5 (Palm)	Level 4	Level 4	Level 2	NA	3X23EP	NA

Cut Resistant



CR3200



Premium Multi-Hazard Cowhide Drivers

- Aralene® (enhanced aramid fiber) cut resistant liner
- Ergonomic keystone thumb

Tested to ASTM F2675

Arc Rating (ATPV) = 35 Cal/cm²

Heat Attenuation Factor (HAF) = 94%

NFPA 70E Arc-Flash PPE Category: 3



CR3800



Multi-Hazard Goatskin Leather Drivers

- Lightweight Aralene® (enhanced aramid fiber) woven liner provides cut and heat resistance
- Premium grain goatskin leather shell

Tested to ASTM F2675

Arc Rating (ATPV) = 50 Cal/cm²

Heat Attenuation Factor (HAF) = 95%

NFPA 70E Arc-Flash PPE Category: 4



CR3900



Multi-Hazard Goatskin Drivers

- Standard-grade grain goatskin leather shell
- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Ergonomic keystone thumb



CR100MTC



Premium Multi-Hazard Cowhide MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Four-inch split leather gauntlet cuff
- Sewn with aramid fiber

Tested to ASTM F2675

Arc Rating (ATPV) = 35 Cal/cm²

Heat Attenuation Factor (HAF) = 94%

NFPA 70E Arc-Flash PPE Category: 3



CR100MTG



Premium Multi-Hazard Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Five-inch split leather gauntlet cuff
- Sewn with aramid fiber
- Ergonomic keystone thumb

Tested to ASTM F2675

Arc Rating (ATPV) = 46 Cal/cm²

Heat Attenuation Factor (HAF) = 94%

NFPA 70E Arc-Flash PPE Category: 4



HR8200KEV



Multi-Hazard Performance Mechanics

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- AireFlex® synthetic leather palm
- Padding sewn into palm
- Reinforced thumb, index finger, and fingertips
- Soft, flexible TPR impact protection
- Contoured hand form

Products	Sizes	Shell	Grade	Liner	Palm	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
CR3200	6(XS)-11(2XL)	Grain Cowhide	Premium	Aralene®	NA	Level A4	Level 5	Level 3	NA	X3XXXX
CR3800	7(S)-11(2XL)	Grain Goatskin	Premium	Aralene®	NA	Level A5	Level 4	Level 4	3X23E	X2XXXX
CR3900	7(S)-11(2XL)	Grain Goatskin	Standard	Aralene®	NA	Level A5	Level 4	Level 4	3X23E	X2XXXX
CR100MTC	7(S)-10(XL)	Grain Cowhide	Premium	Aralene®	NA	Level A4	Level 5	Level 3	NA	X2XXXX
CR100MTG	7(S)-11(2XL)	Grain Goatskin	Premium	Aralene®	NA	Level A5	Level 4	Level 4	3X23E	X2XXXX
HR8200KEV	8(M)-11(2XL)	Stretchable Mesh	NA	Aralene®	AireFlex® Synthetic Leather	Level A5	Level 3	Level 4	2X33D	NA

Cut Resistant

GlobalGlove.com | 763-450-0110

Aramid



802



High-Visibility Multi-Hazard Heat Resistant

- Heavyweight aramid shell
- Abrasion-resistant Mach Finish nitrile-coated palm
- Nitrile dotted palm



500KV



Multi-Hazard with Nitrile Coating

- Shell made with DuPont™ Kevlar® fiber
- Lightweight
- Rough nitrile-coated palm



515KEV



Multi-Hazard Chemical Handling

- Liner adheres to shell
- Liner made with DuPont™ Kevlar® fiber
- Raised diamond pattern grip



PUG-88



Flexible Multi-Hazard Coated

- Shell made with DuPont™ Kevlar® fiber
- PU coating adheres to the liner to prevent flakiness
- Aramid fiber and spandex liner offers great dexterity
- Packaged by the pair



300KV



Multi-Hazard with Etched Coating

- Shell made with DuPont™ Kevlar® fiber
- Naturally puncture resistant palm
- Etched rubber-coated palm



K300LFE



Cut Resistant Leather Palm

- Split cowhide leather palm
- Leather wrapped forefinger
- Reinforced thumb crotch

Products	Sizes	Shell	Gauge	Palm	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
802	7(S)-10(XL)	Aramid/Polyester	10-Gauge	NA	Nitrile	Mach Finish	Level A4	Level 4	Level 4	4X43E	X3XXXX
500KV	6(XS)-11(2XL)	Aramid	13-Gauge	NA	Nitrile	Rough	Level A2	Level 4	Level 2	4X23B	X1XXXX
515KEV	7(S)-10(XL)	NA	10-Gauge	NA	Nitrile	Raised Diamond	Level A2	NA	Level 3	XXX2	NA
PUG-88	6(XS)-11(2XL)	Aramid	13-Gauge	NA	Polyurethane	Smooth	Level A2	Level 5	Level 2	4X42B	NA
300KV	6(XS)-11(2XL)	Aramid	10-Gauge	NA	Rubber	Etched	Level A3	Level 4	Level 5	4X42D	X2XXXX
K300LFE	7(S)-10(XL)	Aramid	7-Gauge	Split Cowhide	NA	NA	Level A4	Level 5	Level 5	3X42F	NA

Cut Resistant


RESISTANCE

Puncture • Cut • Needle • Abrasion

Alycore® delivers unparalleled results in the world of cut, puncture, and needle resistance.

With test results above ANSI Cut Level A9 and ANSI hypodermic needle puncture resistance level 5, gloves made with Alycore® are still lightweight, flexible, breathable, and washable.

with
Alycore
inside



AC2008SC

Mechanics Style with Alycore® Palm

- Premium-grade goatskin grain leather
- Hypodermic needle resistant palm
- Heavily-reinforced Armortex® thumb crotch
- TPU impact protection on back of fingers

AC3200

Cowhide Drivers with Alycore® Palm

- Premium-grade cowhide grain leather
- Hypodermic needle resistant palm
- Ergonomic keystone thumb
- Sewn with DuPont™ Kevlar® fiber

AC600KV

Cut Resistant with Alycore® Palm

- Aralene® cut resistant shell
- Hypodermic needle resistant palm
- High-visibility shell and coating
- Puncture resistant etched rubber-coated palm

Products	Sizes	Shell	Gauge	Palm	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI Needle	EN 388 Levels
AC2008SC	8(M)-11(2XL)	Spandex	NA	Grain Goatskin with Alycore®	NA	NA	Level A9/A7	NA	NA	Level 5/3	3X22F
AC3200	7(S)-11(2XL)	Grain Cowhide	NA	Reinforced Alycore®	NA	NA	Level A9/A7	NA	NA	Level 5/3	3X13F
AC600KV	8(M)-10(XL)	Aralene®	10-Gauge	Reinforced Alycore®	Rubber	Etched	Level A9/A6	Level 4	Level 5	Level 5/3	4544F

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Cut Resistant

GlobalGlove.com | 763-450-0110

Arc Flash



CR509



Multi-Hazard Arc Flash with Bi-Polymer Coating

- Enhanced Aralene® (enhanced aramid fiber) shell
- Mach Finish neoprene bi-polymer palm is flame-resistant and improves grip

Tested to ASTM F2675

Arc Rating (ATPV) = 12.4 Cal/cm²

Heat Attenuation Factor (HAF) = 80%

NFPA 70E Arc Flash PPE Category: 2



Multi-Hazard Grain Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Proprietary oil/water resistant manufacturing process
- Sewn with black DuPont™ Kevlar® fiber
- Soft, flexible TPR impact protection
- 4.5-inch split leather gauntlet cuff

Tested to ASTM F2675

Arc Rating (ATPV) = 35 Cal/cm²

Heat Attenuation Factor (HAF) = 93%

NFPA 70E Arc Flash PPE Category: 3

Products	Sizes	Shell	Liner	Gauge	Grade	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
CR509	7(S)-11(2XL)	Aralene®	NA	15-Gauge	NA	Neoprene Bi-Polymer	Mach Finish	Level A5	Level 3	Level 4	3X42D	X1212X
CIA200MTG	8(M)-11(2XL)	Grain Goatskin	Aralene®	NA	Premium	NA	NA	Level A8	Level 4	Level 4	3X43F	NA

Cut Resistant

Arc Flash



CR3800



CIA3800



Multi-Hazard Goatskin Leather Drivers

- Lightweight Aralene® (enhanced aramid fiber) woven liner provides cut and heat resistance
- Premium grain goatskin leather shell

Tested to ASTM F2675

Arc Rating (ATPV) = 50 Cal/cm²

Heat Attenuation Factor (HAF) = 95%

NFPA 70E Arc-Flash PPE Category: 4



Multi-Hazard Oil-Resistant Goatskin

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Proprietary oil/water resistant manufacturing process
- Sewn with aramid fiber
- Soft, flexible TPR impact protection

Tested to ASTM F2675

Arc Rating (ATPV) = 50 Cal/cm²

Heat Attenuation Factor (HAF) = 95%

NFPA 70E Arc-Flash PPE Category: 4



CR100MTG



CR3200



CR100MTC



Premium Multi-Hazard Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant woven liner
- Five-inch split leather gauntlet cuff
- Sewn with aramid fiber

Tested to ASTM F2675

Arc Rating (ATPV) = 46 Cal/cm²

Heat Attenuation Factor (HAF) = 94%

NFPA 70E Arc-Flash PPE Category: 4

Premium Multi-Hazard Cowhide Drivers

- Aralene® (enhanced aramid fiber) cut resistant liner
- Ergonomic keystone thumb
- Sewn with aramid fiber

Tested to ASTM F2675

Arc Rating (ATPV) = 35 Cal/cm²

Heat Attenuation Factor (HAF) = 94%

NFPA 70E Arc-Flash PPE Category: 3

Premium Multi-Hazard Cowhide MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Four-inch split leather gauntlet cuff
- Sewn with aramid fiber

Tested to ASTM F2675

Arc Rating (ATPV) = 35 Cal/cm²

Heat Attenuation Factor (HAF) = 94%

NFPA 70E Arc-Flash PPE Category: 3

Products	Sizes	Shell	Liner	Grade	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
CR3800	7(S)-11(2XL)	Grain Goatskin	Aralene®	Premium	Level A5	Level 4	Level 4	NA	3X23E	X2XXXX
CIA3800	7(S)-11(2XL)	Grain Goatskin	Aralene®	Premium	Level A5	Level 4	Level 4	Level 2	3X23EP	X2XXXX
CR100MTG	7(S)-11(2XL)	Grain Goatskin	Aralene®	Premium	Level A5	Level 4	Level 4	NA	3X23E	X2XXXX
CR3200	6(XS)-11(2XL)	Grain Cowhide	Aralene®	Premium	Level A4	Level 5	Level 3	NA	NA	X3XXXX
CR100MTC	7(S)-10(XL)	Grain Cowhide	Aralene®	Premium	Level A4	Level 5	Level 3	NA	NA	X2XXXX

Cut Resistant

GlobalGlove.com | 763-450-0110

Uncoated



CR336G



Uncoated Antimicrobial Multi-Hazard

- Cut resistant Tuffalene® shell
- Ambidextrous
- Sold by individual glove



CR711



Uncoated Lightweight Multi-Hazard

- Lightweight Tuffalene® shell
- Ambidextrous



TAK515



Cut and Heat Resistant Liner

- Cut resistant TuffKut® shell
- Bleachable
- Reinforced thumb crotch



TAK515-D2



Dotted Cut and Heat Resistant Liner

- Cut resistant TuffKut® shell
- Bleachable
- PVC dotted on both sides
- Reinforced thumb crotch



CR377



Ambidexterous Antimicrobial Multi-Hazard

- Cut resistant Tuffalene® shell
- Ambidextrous
- Sold by individual glove



CR344



Medium Weight Antimicrobial Multi-Hazard

- Cut resistant Tuffalene® shell
- Sanitized® antimicrobial treated
- Comfortable, dexterous shell



CR1400



Heavyweight Loop-Out Multi-Hazard

- Aralene® (enhanced aramid fiber) loop-out shell
- Ambidextrous



CR411G




Cut and Heat Resistant FDA Compliant

- Cut resistant TuffKut® shell
- Sold by individual glove

Products	Sizes	Shell	Gauge	Coating	Ambidextrous	FDA Food Contact	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
CR336G	6(XS)-10(XL)	Tuffalene® UHMWPE	10-Gauge	Uncoated	Yes	Compliant	Level A6	Level 3	Level 3	NA
CR711	6(XS)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Uncoated	Yes	Compliant	Level A5	Level 3	Level 4	2X43E
TAK515	7(S), 9(L)-10(XL)	TuffKut®	10-Gauge	Uncoated	Yes	Compliant	Level A5	NA	NA	454X
TAK515-D2	7(S), 9(L)	TuffKut®	10-Gauge	Dotted	Yes	NA	Level A5	NA	NA	NA
CR377	6(XS)-10(XL)	Tuffalene® UHMWPE	13-Gauge	Uncoated	Yes	Compliant	Level A4	Level 2	Level 3	3541
CR344	5(XXS)-10(XL)	Tuffalene® UHMWPE	13-Gauge	Uncoated	Yes	Compliant	Level A4	Level 3	Level 4	2X42C
CR1400	One Size	Aralene® Loop-Out Terry Cloth	7-Gauge	Uncoated	Yes	NA	Level A4	Level 3	Level 2	NA
CR411G	6(XS)-11(2XL)	TuffKut®	13-Gauge	Uncoated	Yes	Compliant	Level A3	Level 4	Level 3	3X42C

Cut Resistant

A close-up photograph of a person's hand wearing a blue and black general purpose glove. The brand name "Gloves" and "General Purpose" is printed on the back of the hand. The person is holding a piece of light-colored wood against a wall.

General Purpose

Nitrile Dip



CIA550NFT



550XFT



568XFT-TS



801



Touch Screen Multi-Hazard with Impact

- Light nylon/spandex shell
- Nitrile-coated palm with New Foam Technology finish
- Soft, flexible TPU impact protection

ESD Compliant Performance Multi-Hazard

- Light polyester/spandex shell
- Highly-flexible Xtreme Foam Technology (XFT) finish

FDA Compliant Coated Touch Screen

- Soft, comfortable bamboo shell
- Naturally antibacterial shell
- Highly-flexible Xtreme Foam Technology (XFT) finish

High-Visibility Heat Resistant

- Nitrile palm with dots
- EN 407 Contact Heat Level 2

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels
CIA550NFT	8(M)-10(XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 6	Level 2	Level 2	4131X
550XFT	6(XS)-10(XL)	Polyester/Spandex	13-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A1	Level 6	Level 2	NA	4121X
568XFT-TS	4(KIDS), 6(XS)-10(XL)	Bamboo/Nylon/Spandex	15-Gauge	Nitrile	Xtreme Foam Technology	Level A1	Level 6	Level 2	NA	NA
801	7(S)-10(XL)	Acrylic/Polyester/Spandex	13-Gauge	Nitrile	Mach Finish	Level A2	Level 4	Level 2	NA	4X21X



508XFT



511NFT



600NFT



600INT



Performance Multi-Hazard Coated

- Highly-flexible Xtreme Foam Technology (XFT) finish
- Bare-hand sensitivity

Antimicrobial Light-Hazard Touch Screen

- Light nylon/spandex shell
- Sanitized® antimicrobial treated
- Nitrile-coated palm with New Foam Technology finish
- Not made with natural rubber latex

Multi-Hazard rPET Recycled Coated

- Recycled rPET/nylon/spandex shell
- Made from reprocessed PET plastic bottles
- Nitrile-coated palm with New Foam Technology finish

Insulated Multi-Hazard Touch Screen

- Comfortable nylon/wool/spandex shell
- Brushed wool interior
- Nitrile-coated palm with New Foam Technology finish

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI Conductive Heat	EN 388 Levels	EN 407 Levels
508XFT	7(S)-10(XL)	Nylon/Spandex	15-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A1	Level 4	Level 3	NA	4131X	NA
511NFT	6(XS)-11(2XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 3	Level 2	NA	4131A	X1XXXX
600NFT	6(XS)-11(2XL)	rPET/Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 3	Level 2	NA	4131A	X1XXXX
600INT	8(M)-10(XL)	Nylon/Wool/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 3	Level 2	Level 2	4X31X	NA

General Purpose

Nitrile Dip



500MF



Double-Coated Multi-Hazard

- Double-dipped palm coating

Also available hang-tagged: 500MF-T



500G



Abrasion Resistant Multi-Hazard

- Lightweight nylon shell

Also available hang-tagged: 500G-T



550



Ultra-Lite Solid-Coated Multi-Hazard

- Comfortable nylon shell
- Liquid-resistant palm

Also available in a gray palm, economy version - 550E



550B



Ultra-Lite Foam Nitrile Coating

- Comfortable nylon shell
- Foam nitrile enhances wet grip



500NFT



Lightweight Multi-Hazard Coated

- Comfortable nylon and spandex shell

Also available hang-tagged: 500NFT-T



500NFTD



Lightweight Multi-Hazard Coated with Dots

- Nitrile dots improve grip



530NFTD



Extended-Coated Multi-Hazard with Dots

- Nitrile dots improve grip



508NFT-TS



Lightweight Multi-Hazard with Touch Screen

- Touch screen fingertips
- Reinforced thumb crotch

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
500MF	6(XS)-11(2XL)	Nylon	13-Gauge	Double Nitrile	Mach Finish	Level A1	Level 6	Level 2	4131X
500MF-T	7(S)-10(XL)	Nylon	13-Gauge	Double Nitrile	Mach Finish	Level A1	Level 6	Level 2	4131X
500G	6(XS)-11(2XL)	Nylon	13-Gauge	Nitrile	Mach Finish	Level A1	Level 5	Level 2	3131X
500G-T	7(S)-10(XL)	Nylon	13-Gauge	Nitrile	Mach Finish	Level A1	Level 5	Level 2	3131X
550	6(XS)-10(XL)	Nylon	13-Gauge	Nitrile	Smooth	Level A1	Level 4	Level 2	4121
550E	7(S)-10(XL)	Polyester	13-Gauge	Nitrile	Smooth	NA	NA	NA	NA
550B	7(S)-10(XL)	Nylon	15-Gauge	Nitrile	Foam	Level A1	Level 3	Level 2	4121X
500NFT	6(XS)-11(2XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 6	Level 2	4131X
500NFT-T	7(S)-10(XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 6	Level 2	4131X
500NFTD	7(S)-10(XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 4	Level 2	4131X
530NFTD	6(XS)-10(XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 4	Level 2	4131X
508NFT-TS	6(XS)-10(XL)	Nylon/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 6	Level 2	4131X

General Purpose

GlobalGlove.com | 763-450-0110

Nitrile and Rubber Dip



510MFV



High-Visibility Flexible Coated

- Comfortable nylon shell
- Abrasion-resistant Mach Finish nitrile palm
- Hook-and-loop cuff



530MFG



Extended Double-Coated Multi-Hazard

- Light nylon shell
- Double-dipped Mach Finish nitrile



590



Flexible Double-Coated, ESD Compliant

- Light nylon shell
- Full solid nitrile coating
- Three-quarter foam nitrile coating



590MF



Fully-Coated Waterproof

- Polyester/cotton/nylon shell
- Full solid nitrile coating
- Full Mach Finish nitrile coating



360



Lightweight Flexible Multi-Hazard

- Soft, flexible, and lightweight nylon shell
- Puncture-resistant, etched-rubber palm



360E



Lightweight Etched-Coated Multi-Hazard

- Lightweight polyester shell
- Puncture-resistant, etched-rubber palm



360HV



High-Visibility Lightweight Multi-Hazard

- Light proprietary elastic fiber shell
- Puncture-resistant, etched-rubber palm



440



Fully-Coated All-Weather

- Comfortable nylon shell
- Flexible, double-dipped latex coating
- EN 407 Contact Heat Level 1

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
510MFV	7(S)-10(XL)	Nylon	13-Gauge	Nitrile	Mach Finish	Level A1	Level 5	Level 2	3131X
530MFG	7(S)-10(XL)	Nylon	15-Gauge	Double Nitrile	Mach Finish	Level A1	Level 6	Level 2	4131X
590	6(XS)-11(2XL)	Nylon	15-Gauge	Double Nitrile	Foam over Smooth	Level A1	Level 6	Level 2	4121A
590MF	8(M)-10(XL)	Polyester/Cotton/Nylon	13-Gauge	Double Nitrile	Mach Finish	NA	NA	NA	4121X
360	7(S)-10(XL)	Nylon	13-Gauge	Rubber	Foam	Level A1	Level 3	Level 2	2131
360E	7(S)-10(XL)	Polyester	13-Gauge	Rubber	Etched	Level A1	Level 3	Level 2	2131X
360HV	7(S)-11(2XL)	Proprietary Elastic Fiber	15-Gauge	Rubber	Etched	Level A1	Level 3	Level 2	2131X
440	7(S)-10(XL)	Nylon	15-Gauge	Double Rubber	Wrinkle	NA	NA	NA	3142

General Purpose



300P



Etched Multi-Hazard with Extended Coating

- Polyester/cotton shell
- Premium etched rubber palm
- Ergonomic hand shape

Also available hang-tagged: 300PT



300



Flexible Multi-Hazard Coated

- Polyester shell provides comfort and flexibility
- Puncture-resistant, etched-rubber palm



300E



Economy Etched Coating

- Polyester/cotton shell
- Puncture-resistant, etched-rubber palm
- Dark shell hides dirt



330



Etched Multi-Hazard with Extended Coating

- Polyester shell provides comfort and flexibility
- Puncture-resistant, etched-rubber palm
- Three-quarter coating protects from liquids



300NB



High-Visibility Puncture-Resistant

- Acrylic shell
- Puncture-resistant, etched-rubber palm



300NBE



Economy High-Visibility Puncture-Resistant

- Polyester shell
- Puncture-resistant, etched-rubber palm



300RV



Adjustable Multi-Hazard Mechanics

- Polyester/cotton shell
- Puncture-resistant, etched-rubber palm
- Secured wrist



303RV



Blue Adjustable Multi-Hazard Mechanics

- Comfortable nylon shell
- Puncture-resistant, etched-rubber palm
- Secured wrist

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
300P	7(S)-11(2XL)	Polyester/Cotton	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 5	Level 3	3142X
300PT	7(S)-10(XL)	Polyester/Cotton	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 5	Level 3	3142X
300	6(XS)-11(2XL)	Polyester	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 4	2143X
300E	7(S)-10(XL)	Polyester/Cotton	10-Gauge	Rubber	Etched	NA	NA	NA	NA
330	8(M)-10(XL)	Polyester	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 4	2143X
300NB	6(XS)-10(XL)	Acrylic	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 3	2242X
300NBE	7(S)-10(XL)	Polyester	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 4	2142X
300RV	8(M)-10(XL)	Polyester/Cotton	10-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 4	2143X
303RV	8(M)-10(XL)	Nylon	13-Gauge	Rubber	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 3	NA

General Purpose

GlobalGlove.com | 763-450-0110



S966



S966E



660

GripsTUFF
660

660E



Coated String Knit

- Medium-weight string knit shell
- Natural rubber coating with smooth finish

Economy Coated String Knit

- Medium-weight string knit shell
- Economy natural rubber coating with smooth finish

Premium Wrinkle Finish

- Heavy five-piece cotton canvas shell
- Rubberized safety cuff protects wrists

Economy Wrinkle Finish

- Heavy five-piece cotton canvas shell
- Rubberized safety cuff protects wrists

Products	Sizes	Shell	Shell Color	Gauge	Coating	Coating Type	Coating Color	Finish	Cuff
S966	7(S)-10(XL)	Polyester/Cotton String Knit	Natural	10-Gauge	Rubber	Palm	Blue	Smooth	Knit Wrist
S966E	One Size	Cotton/Polyester String Knit	Natural	10-Gauge	Rubber	Palm	Blue	Smooth	Knit Wrist
660	One Size	Five-Piece Cotton Canvas	Natural	NA	Rubber	3/4	Yellow	Wrinkle	Rubberized Safety
660E	One Size	Five-Piece Cotton Canvas	Natural	NA	Rubber	3/4	Yellow	Wrinkle	Rubberized Safety



2740D



400



400FC



Double-Coated Chemical Handling

- 10.5-inches long
- Double PVC full coating provides chemical resistance
- Rough, sandpaper-finish palm

Heavyweight Extended Coating

- Two-piece polyester/cotton interlock shell
- Three-quarter coated with smooth blue nitrile

Fully-Coated Liquid-Resistant

- Two-piece polyester/cotton interlock shell
- Fully coated with smooth blue nitrile

Products	Sizes	Shell	Shell Color	Coating	Coating Type	Coating Color	Finish	Cuff	ANSI Cut	ANSI Puncture
2740D	One Size	Jersey	Natural	Double PVC	Full	Black over Yellow	Sandpaper	Safety	Level A2	Level 2
400	7(S)-11(2XL)	Polyester/Cotton Interlock	Natural	Nitrile	3/4	Blue	Smooth	Knit Wrist	NA	NA
400FC	7(S)-10(XL)	Polyester/Cotton Interlock	Natural	Nitrile	Full	Blue	Smooth	Knit Wrist	NA	NA

General Purpose

Nitrile Dip



600



Three-Quarter Coated Jersey

- Solid coating protects from liquid saturation



600FC



Premium Fully Coated Jersey

- Solid, fully-coated nitrile protects from liquid saturation



627R



Extra-Long Coated Multi-Hazard

- High-grade full nitrile coating
- Terry cloth palm



607



Three-Quarter Coated Multi-Hazard

- Solid coating protects from liquid saturation



607R



Rough Three-Quarter Coated Multi-Hazard

- Solid coating protects from liquid saturation
- Rough nitrile coating enhances grip



617



Fully Coated Multi-Hazard

- Solid, fully-coated nitrile protects from liquid saturation



617R



Rough Fully Coated Multi-Hazard

- Solid coating protects from liquid saturation
- Rough nitrile coating enhances grip

Products	Sizes	Shell	Coating	Coating Type	Finish	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
600	8(M)-10(XL)	Two-Piece Jersey	Nitrile	3/4	Smooth	Knit Wrist	Level A2	Level 3	Level 2	NA
600FC	8(M)-10(XL)	Two-Piece Jersey	Nitrile	Full	Smooth	Knit Wrist	NA	NA	NA	4222X
627R	8(M)-10(XL)	Terry Cloth/Brushed Jersey	Nitrile	Full	Rough	Safety	Level A3	Level 5	Level 3	4X31X
607	8(M)-11(2XL)	Two-Piece Jersey	Nitrile	3/4	Smooth	Safety	Level A2	Level 3	Level 2	NA
607R	10(XL)	Two Piece Jersey	Nitrile	3/4	Rough	Safety	NA	NA	NA	NA
617	10(XL)	Two-Piece Jersey	Nitrile	Full	Smooth	Safety	Level A2	Level 3	Level 2	NA
617R	10(XL)	Two-Piece Jersey	Nitrile	Full	Rough	Safety	NA	NA	NA	NA

General Purpose

GlobalGlove.com | 763-450-0110

PU Dip



PUG-10



SMOOTH FINISH



PUG-11



SMOOTH FINISH



PUG-12



ESD COMPLIANT



PUG-13



ESD COMPLIANT



Multi-Hazard Bare-Hand Sensitivity

- PU coating adheres to shell to prevent flakiness
- Packaged by the pair

High-Visibility Multi-Hazard

- PU coating adheres to shell to prevent flakiness
- Packaged by the pair

White ESD-Compliant Multi-Hazard

- PU coating adheres to shell to prevent flakiness
- Packaged by the pair

Gray ESD-Compliant Multi-Hazard

- PU coating adheres to shell to prevent flakiness
- Packaged by the pair



PUG-14TS



TOUCHSCREEN



PUG-17



ESD COMPLIANT



PUP-27



SMOOTH FINISH

ESD-Compliant Multi-Hazard with Touch Screen

- PU coating adheres to shell to prevent flakiness
- Touch screen compatible fingertips

Lightweight Coated Multi-Hazard

- PU coating adheres to shell to prevent flakiness
- ANSI/ESD anti-static/electrostatic compliant
- Packaged by the pair

High-Performance Coating Multi-Hazard

- Performance coating improves grip compared to standard PU

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
PUG-10	5(XXS)-11(2XL)	Polyester	13-Gauge	Polyurethane	Smooth	Level A1	Level 3	Level 2	3131X
PUG-11	6(XS)-11(2XL)	Nylon	13-Gauge	Polyurethane	Smooth	Level A1	Level 4	Level 2	4131X
PUG-12	6(XS)-11(2XL)	Nylon	13-Gauge	Polyurethane	Smooth	Level A1	Level 4	Level 2	4131X
PUG-13	6(XS)-11(2XL)	Nylon	13-Gauge	Polyurethane	Smooth	Level A1	Level 4	Level 2	4131X
PUG-14TS	6(XS)-10(XL)	Nylon	13-Gauge	Polyurethane	Smooth	Level A1	Level 3	Level 2	4131X
PUG-17	5(XXS)-12(3XL)	Nylon	13-Gauge	Polyurethane	Smooth	Level A1	Level 4	Level 2	4131X
PUP-27	7(S)-10(XL)	Nylon/Spandex	15-Gauge	PU/Nitrile	Smooth	Level A1	Level 3	Level 2	4121X

General Purpose

A close-up photograph of a scientist's hands wearing blue nitrile gloves. The scientist is holding a clear plastic petri dish containing a liquid medium with several distinct green bacterial colonies. The background shows a white lab coat and a window with horizontal blinds.

Disposables

Choosing a Disposable Glove

Disposable gloves are available in several material options with a wide variety of grip styles.




Nitrile

Highly versatile, allergy conscious alternative to latex with three times the puncture resistance.



Latex

Standard disposable gloves. Elastic fitting, with comfort and dexterity advantage.



TPE - Thermoplastic Elastomer

Economical choice with elasticity and chemical-resistance.



Vinyl

Economic choice for short-term, low-risk situations.

Icon Guide

Disposable, Unsupported, and Chemical Handling



Ambidextrous



Grip - Diamond



Grip - Tractor Tread



Powdered



ESD Compliant



Grip - Fishscale



Grip - Wrinkle



Retail Ready



FDA Compliant



Grip - Honeycomb



Smooth Finish



Reusable



Fentanyl Resistant



Grip - Micro-Diamond



Medical Grade



Flocklined



Grip - Textured



Powder-Free

Disposable Gloves

Panther-Guard® Disposables



Product	Sizes	Material	Finish	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
904PF	S-XL	Nitrile	Raised Diamond Pattern	6-Mil Fingers	9.5 in	Yes	Rolled/Beaded	100
1005PF	S-2XL	Nitrile	Raised Micro Diamond	9 Mil	11 in.	Yes	Rolled/Beaded	50



Product	Sizes	Material	Finish	Thickness	Length	Powder-Free	Lining	Cuff	Gloves per Dispenser
800F	S-2XL	Nitrile	Textured	8-Mil Fingers	11 in.	Yes	Flock-Lined	Rolled/Beaded	50
405PF	S-XL	Nitrile/Vinyl	Smooth	5-Mil Fingers	9.5 in.	Yes	NA	Rolled/Beaded	100
405BPF	S-XL	Nitrile/Vinyl	Smooth	5-Mil Fingers	9.5 in.	Yes	NA	Rolled/Beaded	100



Product	Sizes	Material	Finish	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
905PF	S-2XL	Nitrile	Tractor Tread	7 Mil	9.5 in.	Yes	Rolled/Beaded	100
965BPF	S-2XL	Nitrile	Tractor Tread	6 Mil	9.5 in.	Yes	Rolled/Beaded	100
908BPF	S-2XL	Nitrile	Raised Micro Diamond	6 Mil	9.5 in.	Yes	Rolled/Beaded	100



Looking for Medical/Exam
Grade Gloves?
≤ 2.5 AQL

Gloves with this icon meet the standard for medical/exam grade disposable gloves and may be used in medical offices, funeral homes, and childcare centers.

Disposable Gloves

GlobalGlove.com | 763-450-0110



Also available in a
lightweight version:
705BPFE

Product	Sizes	Material	Finish	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
705PF	XS-2XL	Nitrile	Textured Fingertips	5-Mil Fingers	9.5 in.	Yes	Rolled/Beaded	100
705PFE	XS-XL	Nitrile	Textured Fingertips	3.5 Mil	9.5 in.	Yes	Rolled/Beaded	100
705BPF	S-2XL	Nitrile	Textured Fingertips	5 Mil	9.5 in.	Yes	Rolled/Beaded	100
705BPFE	S-XL	Nitrile	Textured Fingertips	3.5 Mil	9.5 in.	Yes	Rolled/Beaded	100



Product	Sizes	Material	Finish	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
725PF	S-XL	Nitrile	Textured Fingertips	2.5 Mil	9.5 in.	Yes	Rolled/Beaded	300 (280 for size XL only)
805PF	S-2XL	Nitrile	Textured Fingertips	8-Mil Fingers	11 in.	Yes	Rolled/Beaded	50
8600PF	S-2XL	Thermoplastic Elastomer (TPE)	Smooth	2 Mil	10 in.	Yes	Straight	200
8605PF	S-2XL	Thermoplastic Elastomer (TPE)	Smooth	2 Mil	10 in.	Yes	Straight	200



Product	Sizes	Material	Finish	Thickness	Length	Powder-Free	Cuff	Gloves per Dispenser
305PF	S-XL	Rubber Latex	Textured Fingertips	5-Mil Fingers	9.5 in.	Yes	Rolled/Beaded	100
505PF	S-2XL	Vinyl	Smooth	5 Mil	9.5 in.	Yes	Rolled/Beaded	100
9600	S-XL	High Density Polyethylene (HDPE)	Embossed	NA	11 in.	Yes	Straight	500

Looking for Medical/Exam
Grade Gloves?
≤ 2.5 AQL



Gloves with this icon meet the standard for medical/exam grade disposable gloves and may be used in medical offices, funeral homes, and childcare centers.

Disposable Gloves

A close-up photograph of a person's lower body and hands. The person is wearing brown shorts and white socks. Their right hand, wearing an orange glove, holds a white spray bottle with a black nozzle. Their left hand, also wearing an orange glove, rests on a dark wooden surface. The background is a plain, light-colored wall.

Unsupported



Frogwear® Unsupported



515



515F



515KEV



Product	Sizes	Coating	Finish	Thickness	Lining	Length	Cuff	ANSI Cut	ANSI Puncture	EN 388 Levels	EN 374 Levels
515	7(S)-12(3XL)	Nitrile	Raised Diamond	12 Mil	NA	13 in.	Straight	NA	NA	3001X	AJKLMNOPST
515F	7(S)-11(2XL)	Nitrile	Raised Diamond	15 Mil	Flock-Lined	13 in.	Straight	NA	NA	3101X	AJKLMNOPST
515KEV	7(S)-10(XL)	Nitrile	Raised Diamond	12 Mil	Aramid	13 in.	Straight	Level A2	Level 3	XXX2	NA



511AMB



522



411



230F



Product	Sizes	Coating	Finish	Thickness	Length	Cuff	EN 388 Levels	EN 374 Levels
511AMB	7(S)-10(XL)	Nitrile	Wave Pattern	11 Mil	12 in.	Rolled/Beaded	NA	NA
522	8(M)-11(2XL)	Nitrile	Raised Diamond	22 Mil	18 in.	Straight	4102X	ACEFGIJKLMNOPST
411	7(S)-10(XL)	Nitrile/PVA	Smooth	11 Mil	13 in.	Straight	3001X	NA
230F	7(S)-11(2XL)	Neoprene	Honeycomb	30 Mil	12 in.	Straight	3110X	AJKLMNOPST

Unsupported

FrogWear® Rubber

Rubber gloves: protecting hands for over 100 years.



190ETC



160



150



150F



150FE



30FT



180F



244



140FB



Product	Sizes	Coating	Finish	Lining	Thickness	Length	Cuff	ANSI Cut	ANSI Puncture	EN 388 Levels	EN 374 Levels
190ETC	8(M)-11(2XL)	Rubber Latex	Wrinkle Pattern	NA	22 Mil	13 in.	Straight	Level A1	Level 2	2111X	NA
160	7(S)-10(XL)	Rubber Latex	Fishscale	NA	16 Mil	12 in.	Straight	NA	NA	NA	NA
150	7(S)-11(2XL)	Rubber Latex	Diamond	NA	18 Mil	12 in.	Straight	NA	NA	NA	NA
150F	7(S)-10(XL)	Rubber Latex	Diamond	Flock-Lined	18 Mil	12 in.	Rolled/Beaded	NA	NA	NA	NA
150FE	7(S)-10(XL)	Rubber Latex	Honeycomb Pattern	Flock-Lined	Economy	12 in.	Rolled/Beaded	NA	NA	NA	NA
30FT	7(S)-11(2XL)	Rubber Latex	Honeycomb	Flock-Lined	30 Mil	13 in.	Straight	NA	NA	NA	NA
180F	7(S)-11(2XL)	Rubber Latex	Diamond	Flock-Lined	18 Mil	12 in.	Rolled/Beaded	NA	NA	NA	NA
244	7(S)-10(XL)	Neoprene over Rubber	Honeycomb Pattern	Flock-Lined	28 Mil	13 in.	Straight	2110X	NA	2110X	AKLMNOST
140FB	7(S)-10(XL)	Rubber Latex	Diamond	Flock-Lined	18 Mil	12 in.	Pinked	NA	NA	NA	NA

Unsupported

GlobalGlove.com | 763-450-0110

Chemical Handling Chart

	Rubber	Neoprene	Nitrile	PVC	PVA	>8 hr / >4 hr	Highly recommended Recommended	1-4 hr NR	Use Caution Not Recommended - DO NOT USE	ND	No Data
Acetic Acid 30-70%	1-4 hr	>8 hr	1-4 hr	1-4 hr	NR						
Acetic Anhydride	NR	1-4 hr	NR	NR	ND						
<i>Acetone</i>	NR	NR	NR	NR	NR						
<i>Acetonitrile</i>	NR	NR	NR	NR	1-4 hr						
Acetophenone	NR	NR	NR	NR	NR						
Acrylamide 30-70%	>8 hr	>8 hr	>8 hr	>4 hr	NR						
Acrylonitrile	NR	NR	NR	NR	>8 hr						
Allyl Alcohol	NR	1-4 hr	NR	NR	NR						
Ammonium Hydroxide <30%	1-4 hr	>8 hr	>8 hr	>4 hr	NR						
Ammonium Hydroxide 30-70%	NR	>4 hr	>4 hr	1-4 hr	NR						
Aniline	NR	NR	NR	NR	>8 hr						
Aqua Regia	NR	>8 hr	>4 hr	1-4 hr	NR						
Battery Acid	>4 hr	>8 hr	1-4 hr	>4 hr	NR						
Benzene	NR	NR	NR	NR	>8 hr						
Benzyl Alcohol	NR	1-4 hr	>4 hr	NR	NR						
Bisphenol A Diglycidyl Ether	NR	NR	1-4 hr	NR	>4 hr						
Bromopropane	NR	NR	NR	NR	>8 hr						
Butane Gas	ND	1-4 hr	>8 hr	NR	ND						
Butanol, n-	NR	>4 hr	1-4 hr	1-4 hr	NR						
Calcium Hydroxide	>8 hr	>8 hr	>8 hr	>8 hr	NR						
Carbon Tetrachloride	NR	NR	1-4 hr	NR	>8 hr						
Cellosolve Acetate	NR	1-4 hr	1-4 hr	NR	>4 hr						
Cellosolve Solvent	NR	1-4 hr	>4 hr	NR	NR						
Chloroacetic Acid >70%	NR	>8 hr	NR	NR	NR						
Chloroform	NR	NR	NR	NR	>8 hr						
Chlorosulfonic Acid	NR	NR	NR	NR	NR						
Chromic Acid 30-70%	NR	NR	>4 hr	>4 hr	NR						
Copper Sulfate	>8 hr	>8 hr	>8 hr	>8 hr	NR						
Creosote	1-4 hr	1-4 hr	>8 hr	NR	ND						
Cresols isomeric mixture	NR	>4 hr	1-4 hr	1-4 hr	>4 hr						
Crude Oil	NR	1-4 hr	>4 hr	NR	>4 hr						
Cyclohexane	NR	NR	>8 hr	NR	>4 hr						
Cyclohexanol	NR	>8 hr	>8 hr	>4 hr	ND						
Cyclohexanone	NR	NR	NR	NR	>8 hr						
Dichloromethane	NR	NR	NR	NR	>8 hr						
Diesel Fuel	NR	1-4 hr	>8 hr	>4 hr	>4 hr						
Diethanolamine	>4 hr	>8 hr	>8 hr	>8 hr	ND						
Diethyl Phthalate	NR	>8 hr	>8 hr	NR	ND						
<i>Diethylamine</i>	NR	NR	NR	NR	NR						
Diethylbenzene	NR	NR	NR	NR	>4 hr						
Diisobutyl Ketone	NR	NR	NR	NR	>4 hr						
Dimethyl Sulfate	NR	>4 hr	NR	NR	ND						
Dimethyl Sulfoxide	NR	>4 hr	1-4 hr	NR	ND						
Dimethylacetamide	NR	NR	NR	NR	NR						
<i>Dimethylformamide</i>	NR	NR	NR	NR	NR						
Diocetyl Phthalate	1-4 hr	>8 hr	>8 hr	NR	NR						
Divinylbenzene	NR	NR	NR	NR	>8 hr						
Epichlorohydrin	NR	NR	NR	NR	>4 hr						
Ethanol	NR	>4 hr	1-4 hr	NR	NR						
Ethanolamine	1-4 hr	>8 hr	>8 hr	>4 hr	1-4 hr						
<i>Ethyl Acetate</i>	NR	NR	NR	NR	>4 hr						
Ethyl Ether	NR	NR	NR	NR	>8 hr						
Ethyl Mercaptan	NR	NR	NR	NR	ND						
Ethylbenzene	NR	NR	NR	NR	>4 hr						
Ferric Chloride 50% solution	>8 hr	>8 hr	>8 hr	>8 hr	NR						
Fuel Oil	NR	NR	>8 hr	NR	>4 hr						
Gas 1,3-Butadiene	NR	NR	>4 hr	NR	ND						
Gas Ammonia	NR	>4 hr	>4 hr	NR	ND						
Gas Carbon Disulfide	NR	NR	NR	NR	>8 hr						
Gas Chlorine	NR	>8 hr	>4 hr	NR	ND						
Gas Ethylene Oxide	NR	NR	NR	NR	ND						
Gas Hydrogen Chloride	ND	>8 hr	1-4 hr	1-4 hr	ND						
Gas Methyl Chloride	NR	NR	NR	NR	ND						
Gasoil	NR	1-4 hr	>8 hr	ND	>4 hr						
Gasoline 40-55% aromatics	NR	NR	>4 hr	NR	>4 hr						
Gasoline Unleaded	NR	NR	>8 hr	NR	>4 hr						
Gear Oil (Mobilgear 630)	NR	NR	>8 hr	NR	>8 hr						
Heptane	NR	NR	>8 hr	NR	>8 hr						
Hexane	NR	NR	>8 hr	NR	>8 hr						
Hydraulic Oil	NR	ND	>8 hr	>4 hr	>8 hr						
Hydrazine 30-70%						Hydrazine 30-70%					
Hydrazine Hydrate >70%						Hydrazine Hydrate >70%					
Isooctane						Isooctane					
Isophorone						Isophorone					
Isopropanol						Isopropanol					
Isopropanolamine						Isopropanolamine					
Jet Fuel A						Jet Fuel A					
Jet Fuel JP-4						Jet Fuel JP-4					
Kerosene						Kerosene					
Limonene						Limonene					
Loctite®3298						Loctite®3298					
Loctite®7386						Loctite®7386					
<i>Methanol</i>						<i>Methanol</i>					
Methyl Bromide						Methyl Bromide					
Methyl Ethyl Ketone						Methyl Ethyl Ketone					
Methyl isoButyl Ketone						Methyl isoButyl Ketone					
Methyl Methacrylate						Methyl Methacrylate					
Mineral Spirits						Mineral Spirits					
Motor Oil						Motor Oil					
Naphtha <3% aromatics						Naphtha <3% aromatics					
Naphtha VM&P						Naphtha VM&P					
Nitric Acid <30%						Nitric Acid <30%					
Nitric Acid >70%						Nitric Acid >70%					
Nitric Acid 30-70%						Nitric Acid 30-70%					
Nitric Acid red fuming						Nitric Acid red fuming					
<i>Nitrobenzene</i>						<i>Nitrobenzene</i>					
Octanol, n-						Octanol, n-					
Oleum (Sulfuric Acid, fuming)						Oleum (Sulfuric Acid, fuming)					
Pentachlorophenol						Pentachlorophenol					
Pentanol, n-						Pentanol, n-					
Perchloric Acid 30-70%						Perchloric Acid 30-70%					
Peroxyacetic Acid						Peroxyacetic Acid					
Petroleum Ethers <1% aromatics						Petroleum Ethers <1% aromatics					
Phenol >70%						Phenol >70%					
Phosphoric Acid >70%						Phosphoric Acid >70%					
Potassium Hydroxide 30-70%						Potassium Hydroxide 30-70%					
Propane Gas						Propane Gas					
Propanol, n-						Propanol, n-					
Propylene Glycol						Propylene Glycol					
Round Up®						Round Up®					
Skydrol® Hydraulic Fluid #5						Skydrol® Hydraulic Fluid #5					
Skydrol® Hydraulic Fluid #500B4						Skydrol® Hydraulic Fluid #500B4					
Skydrol® Hydraulic Fluid #LD4						Skydrol® Hydraulic Fluid #LD4					
Sodium Chlorate						Sodium Chlorate					
Sodium Chloride						Sodium Chloride					
Sodium Cyanide						Sodium Cyanide					
Sodium Fluoride						Sodium Fluoride					
Sodium Hydroxide >70%						Sodium Hydroxide >70%					
Sodium Hydroxide 30-70%						Sodium Hydroxide 30-70%					
Sodium Hydroxide 40%						Sodium Hydroxide 40%					
<i>Sodium Hydroxide 50%</i>						<i>Sodium Hydroxide 50%</i>					
Sodium Hypochlorite						Sodium Hypochlorite					
Stoddard Solvent						Stoddard Solvent					
Styrene						Styrene					
Sulfuric Acid <30%						Sulfuric Acid <30%					
Sulfuric Acid >70%						Sulfuric Acid >70%					
Sulfuric Acid 30-70%						Sulfuric Acid 30-70%					
<i>Sulfuric Acid 93%</i>						<i>Sulfuric Acid 93%</i>					
Sulfuric Acid 96%						Sulfuric Acid 96%					
Sulfuryl Chloride						Sulfuryl Chloride					
Tetrachlorethylene						Tetrachlorethylene					
Tetrahydrofuran						Tetrahydrofuran					
Toluene						Toluene					
Toluene-2,4-diisocyanate						Toluene-2,4-diisocyanate					
Trichloroacetic Acid						Trichloroacetic Acid					
Trichloroethane-1,1,1-						Trichloroethane-1,1,1-					
Trichloroethylene						Trichloroethylene					
Triethanolamine >70%						Triethanolamine >70%					
Turpentine						Turpentine					
Xylene						Xylene					

Chemical Handling



Chemical Handling



FrogWear® Chemical Handling

FrogWear® chemical handling gloves are specially formulated for handling of chemical residues, oils, or greasy materials.



DISCONTINUED

CIA215MF



CR492



CR592



Multi-Hazard Chemical Handling with Impact

- Smooth polyester liner
- Fully coated with smooth blue nitrile
- Abrasion-resistant Mach Finish nitrile-coated palm

Multi-Hazard Chemical Handling Performance

- Lightweight Tuffalene® liner
- Xtreme Foam Technology nitrile-coated palm
- Fully coated nitrile shell

Multi-Hazard Chemical Handling, ESD Compliant

- Comfortable Tuffalene® liner
- Premium double-dipped nitrile shell
- EN 407 Contact Heat Level 1

Products	Sizes	Liner	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI/Puncture	ANSI/ISEA Impact	EN 388 Levels
CIA215MF	8(M)-10(XL)	Polyester	15-Gauge	Double Nitrile	Mach Finish	Level A2	Level 5	Level 2	Level 2	4131X
CR492	8(M)-11(2XL)	Tuffalene® UHMWPE	18-Gauge	Nitrile/PU	Xtreme Foam Technology	Level A4	Level 6	Level 3	NA	4X32C
CR592	7(S)-10(XL)	Tuffalene® UHMWPE	15-Gauge	Double Nitrile	Foam over Smooth	Level A5	Level 6	Level 4	NA	4X42F



8450



282



8772



AV805



Extreme Cold Anti-Freeze Nitrile

- Flexible down to -50°F
- Reflective overcasting
- Two-inch velvet cuff interior

Double-Coated Waterproof

- Waterproof
- 13-gauge polyester/cotton liner

Heavyweight Extra-Long Nitrile

- 24 inches in length
- Resistant to abrasion, as well as many oils and chemicals

Anti-Vibration Nitrile

- Anti-shock/vibration padded palm and thumb
- Ergonomic pre-cured construction
- Sandpaper finish for better grip

Products	Sizes	Liner	Gauge	Coating	Finish	Insulation	EN 388 Levels	EN 511 Levels	EN 407 Levels
8450	8(M)-10(XL)	Honeycomb Mesh	NA	Anti-Freeze Nitrile	Sandpaper	Cold Keep®	3221X	121	NA
282	7(S)-11(2XL)	Polyester/Cotton	13-Gauge	Double Nitrile	Mach Finish	NA	4121X	NA	NA
8772	9(L)-10(XL)	Interlock Cotton	NA	Nitrile	Sandpaper	NA	4121X	NA	X1XXXX
AV805	9(L)-10(XL)	Cotton	NA	Nitrile	Sandpaper	NA	3122X	NA	NA

Chemical Handling

FrogWear® Chemical Handling

Flexible protection, some even in low temperatures.



CIA292



CR292



2360



Multi-Hazard Chemical Handling with Impact

- Lightweight Aralene® multi-hazard inner liner
- Double-coated PVC and nitrile
- Soft, flexible TPU impact protection
- 12-inches long with gauntlet cuff

Multi-Hazard Chemical Handling

- Lightweight Aralene® multi-hazard inner liner
- Double-coated PVC and nitrile
- 12-inches long with gauntlet cuff

Super Flexible Blended Polymer with Grip

- Lightweight seamless nylon shell
- Antimicrobial treated to prevent mold and unwanted odors
- Sandpaper grip

Products	Sizes	Liner	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
CIA292	8(M)-10(XL)	Aralene®	Double PVC/Nitrile	Sandpaper	Level A4	Level 5	Level 2	Level 2	3X31C	X1XXXX
CR292	8(M)-10(XL)	Aralene®	Double PVC/Nitrile	Sandpaper	Level A4	Level 5	Level 2	NA	3X31C	X1XXXX
2360	7(S)-10(XL)	Nylon	Nitrile/PVC	Sandpaper	NA	NA	NA	NA	3131X	X1XXXX



590MF



212



8490



8490MT



Fully-Coated Waterproof

- Polyester/cotton/nylon shell
- Full solid nitrile coating
- Full Mach Finish nitrile coating

Flexible Antimicrobial Rubber

- Sanitized® treated liner
- Curved and contoured construction provides excellent fit

Waterproof Triple-Coated

- Highly flexible down to -5°F
- Triple coated with PVC
- Rough sandpaper finish

Waterproof Triple-Coated Mitten

- Highly flexible down to -5°F
- Triple coated with PVC
- Rough sandpaper finish
- Heavy velvet interior

Products	Sizes	Shell	Liner	Coating	Finish	Length	EN 388 Levels	EN 511 Levels	EN 407 Levels
590MF	8(M)-10(XL)	Polyester/Cotton/Nylon	NA	Double Nitrile	Mach Finish	11 in.	4121X	NA	NA
212	7(S)-10(XL)	NA	Knit Cotton Interlock	Double Rubber Latex	Suede	12 in.	4131X	NA	X2XXXX
8490	8(M)-10(XL)	NA	Dual: Cotton and Terry Cloth	Triple PVC	Sandpaper	12 in.	4221X	121	NA
8490MT	One Size	NA	Heavy Velvet	Triple PVC	Sandpaper	12 in.	4221X	NA	NA

Chemical Handling

GlobalGlove.com | 763-450-0110



FrogWear® Chemical Handling

Chemical handling gloves offer protection from a variety of chemicals including acids, caustics, oils, and alcohols.



870-SC



Heavy-Duty Multi-Hazard

- Specially formulated PVC
- Jersey cotton liner with foam insulation



880-SC



High-Visibility Insulated Multi-Hazard

- Velvet-like foam interior
- PVC with rough sandpaper finish
- Safety cuff allows for easy donning



880KW



High-Visibility Insulated Multi-Hazard

- Velvet-like foam interior
- PVC with rough sandpaper finish



8620



8660



8481



8690



Double-Coated, Antimicrobial

- Flexible in temperatures down to -5°F
- Double-coated PVC with sandpaper finish
- Treated with Actifresh®

Flexible Triple-Coated

- Flexible in temperatures down to -5°F
- Triple coated with PVC
- Antimicrobial treated liner

Insulated Triple-Coated

- Flexible in temperatures down to -5°F
- Soft brushed interior
- Triple-coated PVC with sandpaper finish

Shoulder-Length Triple-Coated

- Flexible in temperatures down to -5°F
- Triple coated with PVC
- Shoulder-length sleeve for added protection

Products	Sizes	Coating	Finish	Liner	Insulation	Cut	Abrasion	Puncture	EN 388 Levels	EN 511 Levels
870-SC	One Size	PVC	Rough	Jersey Cotton	Foam	Level A2	Level 3	Level 3	X2XXC	NA
880-SC	One Size	Double PVC	Sandpaper	Cotton	Foam	Level A3	Level 3	Level 2	3221	121
880KW	One Size	Double PVC	Sandpaper	Cotton	Foam	Level A3	Level 3	Level 2	3221	121
8620	9(L)-10(XL)	Double PVC	Sandpaper	Cotton	NA	NA	NA	NA	3121	NA
8660	7(S)-11(2XL)	Triple PVC	Sandpaper	Cotton	NA	Level A1	Level 5	Level 2	4121X	NA
8481	8(M)-10(XL)	Triple PVC	Sandpaper	Cotton	Brushed Fleece	NA	NA	NA	4131	NA
8690	9(L)-10(XL)	Triple PVC	Sandpaper	Cotton	NA	Level A1	Level 5	Level 2	4121X	NA

Chemical Handling

9900 Series

Heavy wall neoprene gloves are multi-dipped in premium-grade neoprene for superior quality and durability.
All FrogWear® neoprene gloves are treated with antimicrobial protection.



Micro view of the neoprene, rough etched finish



Product	Sizes	Coating	Finish	Liner	Cuff	Length	FDA Food Contact	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels
9900	One Size	Triple Neoprene	Smooth	Cotton Interlock	Knit Wrist	10 in.	NA	NA	NA	NA	NA	NA
9912	One Size	Triple Neoprene	Smooth	Cotton Interlock	Gauntlet	12 in.	Compliant	Level A2	Level 3	Level 2	NA	NA
9912R	One Size	Triple Neoprene	Rough Etched	Cotton Interlock	Gauntlet	12 in.	Compliant	Level A2	Level 4	Level 2	3121X	NA
9913R	8(M)-10(XL)	Double Neoprene	Rough	Nylon	Pinked	13 in.	NA	NA	NA	NA	3X21A	NA
9914R	One Size	Triple Neoprene	Rough Etched	Cotton Interlock	Gauntlet	14 in.	Compliant	Level A2	Level 4	Level 2	3121X	NA
9914RINT	One Size	Triple Neoprene	Rough Etched	Brushed Double-Layer	Gauntlet with Loop	14 in.	Compliant	Level A3	Level 4	Level 2	NA	X3XXXX
9918R	One Size	Triple Neoprene	Rough Etched	Cotton Interlock	Gauntlet	18 in.	Compliant	Level A2	Level 4	Level 2	3121X	X3XXXX
9918RINT	One Size	Triple Neoprene	Rough Etched	Brushed Double-Layer	Gauntlet with Loop	18 in.	Compliant	Level A3	Level 4	Level 2	NA	X3XXXX
9918RMIT	One Size	Triple Neoprene	Rough Etched	Brushed Double-Layer	Gauntlet with Loop	18 in.	Compliant	Level A3	Level 4	Level 2	NA	X3XXXX
9932	One Size	Triple Neoprene	Smooth	Cotton Interlock	Gauntlet with Grommet	32 in.	Compliant	Level A2	Level 3	Level 2	NA	NA
9932R	One Size	Triple Neoprene	Rough Etched	Cotton Interlock	Gauntlet with Grommet	32 in.	Compliant	Level A2	Level 4	Level 2	3121X	NA

Chemical Handling

GlobalGlove.com | 763-450-0110

700R Series

These gloves feature a premium PVC coating on a jersey liner.

They are double-dipped for added protection.



700R



712C



718R

Product	Sizes	Coating	Finish	Liner	Cuff	Length
700R	10(XL)	Double PVC	Sandpaper	Jersey	Knit Wrist	10 in.
710R	10(XL)	Double PVC	Sandpaper	Jersey	Gauntlet	10 in.
712C	10(XL)	Double PVC	PVC Chips	Jersey	Gauntlet	12 in.
712R	10(XL)	Double PVC	Sandpaper	Jersey	Gauntlet	12 in.
714R	10(XL)	Double PVC	Sandpaper	Jersey	Gauntlet	14 in.
718R	One Size	Double PVC	Sandpaper	Jersey	Gauntlet	18 in.
726R	10(XL)	Double PVC	Sandpaper	Jersey	Gauntlet	26 in.

600R Series

These economy chemical handling gloves feature a black PVC coating on a cotton interlock liner.



603R



612S



618R

Product	Sizes	Title	Title	Title	Title	Title
603R	One Size	PVC	Semi-Rough	Cotton Interlock	Knit Wrist	10 in.
610R	One Size	PVC	Semi-Rough	Cotton Interlock	Gauntlet	10 in.
612R	One Size	PVC	Semi-Rough	Cotton Interlock	Gauntlet	12 in.
612S	One Size	PVC	Smooth	Cotton Interlock	Gauntlet	12 in.
614R	One Size	PVC	Semi-Rough	Cotton Interlock	Gauntlet	14 in.
618R	One Size	PVC	Semi-Rough	Cotton Interlock	Gauntlet	18 in.

Chemical Handling

A close-up photograph of a worker's hands and face. The worker is wearing a bright yellow high-visibility jacket over a dark shirt, a blue and yellow patterned glove, and a blue nitrile glove. They are wearing a lime green hard hat with a dark visor and blue-tinted safety glasses. The worker is looking down at their work. The background shows a snowy or icy environment with bare trees.

Low Temperature

ice Gripster®



600INT



Insulated Multi-Hazard Touch Screen

- Comfortable nylon/wool/spandex shell
- Brushed wool interior
- Nitrile-coated palm with New Foam Technology finish
- Touch screen compatible fingertips



300INT



High-Visibility Multi-Hazard

- Soft brushed acrylic terry cloth liner
- Heavyweight shell



380INT



High-Visibility Liquid-Resistant Multi-Hazard

- Liquid-resistant full first coating
- Foam rubber-coated palm
- Soft brushed acrylic terry cloth liner
- Heavyweight dual layer shell



300IN



338INT



378INT



388INT



Rubber-Coated Multi-Hazard

- Soft brushed acrylic terry cloth liner
- Flexible shell

Extended Coating Multi-Hazard

- Three-quarter coating protects from liquids
- Soft brushed acrylic terry cloth liner

Heavyweight Multi-Hazard

- Soft brushed acrylic terry cloth liner
- Heavyweight shell

Water-Repellent Multi-Hazard

- Synthetic terry cloth shell
- Soft brushed interior

Products	Sizes	Shell	Gauge	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 407 Levels	EN 511 Levels
600INT	8(M)-10(XL)	Nylon/Wool/Spandex	15-Gauge	Nitrile	New Foam Technology	Level A1	Level 3	Level 2	4X31X	NA	X1X
300INT	7(S)-11(2XL)	Brushed Acrylic Terry Cloth	7-Gauge	Rubber Latex	Etched	Level A2	Level 3	Level 3	3X41X	NA	NA
380INT	8(M)-11(2XL)	Two Layers	7-Gauge, 13-Gauge	Rubber Latex	Foam	Level A3	Level 3	Level 3	2242X	X2XXXX	X2X
300IN	7(S)-10(XL)	Brushed Acrylic Terry Cloth	10-Gauge	Rubber Latex	Etched	Palm = Level A2, Back of Hand = Level A1	Level 3	Level 3	2141X	NA	NA
338INT	7(S)-10(XL)	Brushed Acrylic Terry Cloth	10-Gauge	Rubber Latex	Foam	Level A2	Level 3	Level 2	2X31X	X2XXXX	NA
378INT	7(S)-10(XL)	Brushed Acrylic Terry Cloth	7-Gauge	Rubber Latex	Foam	Level A2	Level 3	Level 2	2X31X	X2XXXX	NA
388INT	8(M)-10(XL)	Two Layers	10-Gauge, 13-Gauge	Rubber Latex	Etched	Level A2	Level 3	Level 3	NA	NA	NA

Low Temperature



CIA318INT



CR318INT



CIA300INT

Water-Repellent Low-Temp Multi-Hazard with Impact

- High-visibility Tuffalene® UHMWPE shell
- Foam rubber-coated palm
- Flexible TPU impact protection

Water-Repellent Low-Temp Multi-Hazard

- High-visibility Tuffalene® UHMWPE shell
- Foam rubber-coated palm
- Brushed terry cloth liner

Multi-Hazard Foam Rubber Coated

- One-piece Tuffalene® UHMWPE/brushed terry cloth liner shell
- Foam rubber-coated palm
- Flexible TPU impact protection



CR330INT



308INT



348INT

Double-Coated Multi-Hazard Insulated

- One-piece Tuffalene® UHMWPE/brushed terry cloth liner shell
- Flexible, double-dipped latex coating

High-Visibility Multi-Hazard Low Temp

- Flexible high-visibility nylon shell
- Soft brushed acrylic terry cloth inner liner
- Foam PVC-coated palm

Double-Layered Multi-Hazard

- Flexible nylon shell
- Soft brushed acrylic terry cloth inner liner
- Foam PVC-coated palm

Products	Sizes	Shell	Gauge	Liner	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels
CIA318INT	8(M)-11(2XL)	Tuffalene® UHMWPE	10-Gauge, 13-Gauge	Brushed Acrylic Terry Cloth	Rubber Latex	Foam	Level A5	Level 3	Level 5	Level 2	3X43E
CR318INT	8(M)-11(2XL)	Tuffalene® UHMWPE	10-Gauge, 13-Gauge	Brushed Acrylic Terry Cloth	Rubber Latex	Foam	Level A5	Level 3	Level 5	NA	3X43E
CIA300INT	7(S)-10(XL)	Tuffalene® UHMWPE	10-Gauge	Brushed Acrylic Terry Cloth	Rubber Latex	Foam	Level A4	Level 3	Level 3	Level 1	2X42DP
CR330INT	8(M)-10(XL)	Tuffalene® UHMWPE	10-Gauge	Brushed Acrylic Terry Cloth	Rubber Latex	Foam over Smooth	Level A4	Level 3	Level 3	NA	2X42D
308INT	7(S)-10(XL)	Nylon	7-Gauge, 13-Gauge	Brushed Acrylic Terry Cloth	PVC	Foam	Level A2	Level 3	Level 2	NA	3242X
348INT	7(S)-10(XL)	Nylon	7-Gauge, 13-Gauge	Brushed Acrylic Terry Cloth	PVC	Foam	Level A2	Level 3	Level 2	NA	3242X

Low Temperature

GlobalGlove.com | 763-450-0110

Insulated Mechanics Style Gloves



SG7200INT



Premium Deerskin Waterproof and Insulated

- Warm Cold Keep® insulation
- Waterproof barrier inside
- Griptex reinforced thumb crotch, fingertips, and palm
- Dual cuff



SG7700IN



Premium Deerskin Insulated

- Warm 3M™ Thinsulate™ insulation
- Reinforced knuckles and fingertips
- Neoprene padded knuckles



SG9001IN



Waterproof, Synthetic Leather Palm Performance

- Warm 3M™ Thinsulate™ insulation
- AireFlex® synthetic leather palm and fingertips
- PU palm, thumb crotch, and finger reinforcements



HR2800INT



Insulated Goatskin Mechanics Style

- Warm 3M™ Thinsulate™ insulation
- Premium-grade goatskin grain leather
- Reinforced backs of fingertips and index finger



SG5200INT



Premium Cowhide Waterproof and Insulated

- Warm Cold Keep® insulation
- Waterproof barrier inside
- Griptex reinforced thumb crotch, fingertips, and palm
- Dual cuff



SG7300INT



Premium Deerskin Palm Insulated

- Warm 3M™ Thinsulate™ insulation
- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier



SG7300MIT



Premium Deerskin Palm Insulated Mitten

- Warm 3M™ Thinsulate™ insulation
- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier



HR3222INT



HR3200INT



Insulated Waterproof Performance

- Warm Cold Keep® insulation
- Reinforced back, thumb, and fingertips
- Open cuff with elastic

Products	Sizes	Shell	Palm	Grade	Insulation	Insulation Amount	Cuff
SG7200INT	8(M)-11(2XL)	Spandex	Grain Deerskin	Premium	Cold Keep®	120 Grams	Safety, Knit Wrist
SG7700IN	7(S)-11(2XL)	Spandex	Grain Deerskin	Premium	3M™ Thinsulate™	100 Grams	Elastic with Hook-and-Loop
SG9001IN	8(M)-10(XL)	Spandex	AireFlex® Synthetic Leather	NA	3M™ Thinsulate™	40 Grams	Hook-and-Loop
HR2800INT	7(S)-11(2XL)	Spandex	Grain Goatskin	Premium	3M™ Thinsulate™	70 Grams	Hook-and-Loop Closure with Nylon Storm Flap
SG5200INT	8(M)-10(XL)	Spandex	Split Cowhide	Premium	Cold Keep®	120 Grams	Safety, Knit Wrist
SG7300INT	8(M)-10(XL)	Polyester	Grain Deerskin	Premium	3M™ Thinsulate™	150 Grams	Gauntlet with Adjustable Wrist Strap
SG7300MIT	One Size	Polyester	Grain Deerskin	Premium	3M™ Thinsulate™	150 Grams	Gauntlet with Adjustable Wrist Strap
HR3222INT	7(S)-10(XL)	Spandex	AireFlex® Synthetic Leather	Premium	Cold Keep®	100 Grams	Open
HR3200INT	7(S)-11(2XL)	Spandex	AireFlex® Synthetic Leather	Premium	Cold Keep®	100 Grams	Open

Low Temperature

Insulated Leather Palm Gloves



2950HV



High-Visibility Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell



2950HVD



Premium Goatskin Insulated Leather Palm

- Silver reflective material and orange contrasting trim
- Warm Cold Keep® insulation
- Waterproof barrier inside
- Dual cuff



2950HVKW



High-Visibility Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell



2950



Cowhide Insulated Leather Palm

- Warm Cold Keep® insulation
- Canvas back
- Gunn cut pattern construction



2950KW



Cowhide Insulated Leather Palm

- Warm Cold Keep® insulation
- Canvas back
- Gunn cut pattern construction



2805



Premium Insulated Split Leather Palm

- Heavy fleece pile lined
- Canvas back
- Gunn cut pattern construction

Products	Sizes	Shell	Palm	Grade	Insulation	Insulation Amount	Reflective	Cuff
2950HVD	7(S)-11(2XL)	Cotton/Nylon	Grain Goatskin	Premium	Cold Keep®	140 Grams	Silver Reflective	Safety, Knit Wrist
2950HV	8(M)-11(2XL)	Nylon	Grain Cowhide	Standard	Cold Keep®	140 Grams	3M™ Scotchlite™ Reflective Material	Safety
2950HVKW	7(S)-11(2XL)	Nylon	Grain Cowhide	Standard	Cold Keep®	140 Grams	3M™ Scotchlite™ Reflective Material	Knit Wrist
2950	8(M)-11(2XL)	Canvas	Grain Cowhide	Standard	Cold Keep®	140 Grams	NA	Safety
2950KW	7(S)-11(2XL)	Canvas	Grain Cowhide	Standard	Cold Keep®	140 Grams	NA	Knit Wrist
2805	8(M)-10(XL)	Canvas	Split Cowhide	Premium	Heavy Fleece Pile	NA	NA	Safety

Low Temperature

GlobalGlove.com | 763-450-0110



Extreme Cold Protection

Extreme cold nitrile coating stays flexible down to -50° F



Sandpaper finish provides grip,
even in low temperatures.

Heavy velvet cuff interior
prevents cold from entering gloves

8450

Low Temperature



8490

**Waterproof Triple-Coated**

- Highly flexible down to -5°F
- Triple coated with PVC
- Rough sandpaper finish



8490MT

**Waterproof Triple-Coated Mitten**

- Highly flexible down to -5°F
- Triple coated with PVC
- Rough sandpaper finish
- Heavy velvet interior



8450

**Extreme Cold Anti-Freeze Nitrile**

- Flexible down to -50°F
- Reflective overcasting
- Two-inch velvet cuff interior



870-SC

**Heavy-Duty Multi-Hazard**

- Specially formulated PVC
- Jersey cotton liner with foam insulation



880-SC

**High-Visibility Insulated Multi-Hazard**

- Velvet-like foam interior
- PVC with rough sandpaper finish
- Safety cuff allows for easy donning



880KW

**High-Visibility Insulated Multi-Hazard**

- Velvet-like foam interior
- PVC with rough sandpaper finish

Products	Sizes	Liner	Coating	Finish	Length	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels	EN 511 Levels
8490	8(M)-10(XL)	Dual: Cotton and Terry Cloth	Triple PVC	Sandpaper	12 in.	NA	NA	NA	4221X	121
8490MT	One Size	Heavy Velvet	Triple PVC	Sandpaper	12 in.	NA	NA	NA	4221X	NA
8450	8(M)-10(XL)	Honeycomb Mesh	Anti-Freeze Nitrile	Sandpaper	12 in.	NA	NA	NA	3221X	121
870-SC	One Size	Jersey Cotton	PVC	Rough	NA	Level A2	Level 3	Level 3	X2XXC	NA
880-SC	One Size	Cotton	Double PVC	Sandpaper	NA	Level A3	Level 3	Level 2	3221	121
880KW	One Size	Cotton	Double PVC	Sandpaper	NA	Level A3	Level 3	Level 2	3221	121

Low Temperature

GlobalGlove.com | 763-450-0110

Insulated Drivers Gloves



3200CTH



3200GINT



3300DSIN



Cowhide Insulated Drivers

- Warm Cold Keep® insulation
- Open cuff with elastic back
- Ergonomic keystone thumb



Premium Insulated Grain Goatskin

- Warm Cold Keep® insulation
- Cotton binding
- Ergonomic keystone thumb



Premium Suede Deerskin Palm and Fleece Back

- Warm Cold Keep® insulation
- Reinforced double palm
- Dries soft and flexible

Products	Sizes	Shell	Grade	Insulation	Insulation Amount	Thumb	Cuff
3200CTH	7(S)-11(2XL)	Grain Cowhide	Standard	Cold Keep®	140 Grams	Keystone	Open
3200GINT	7(S)-11(2XL)	Grain Goatskin	Premium	Cold Keep®	120 Grams	Keystone	Open
3300DSIN	7(S)-10(XL)	Fleece	Premium	Cold Keep®	100 Grams	Straight	Open



3200DTH



3200DTB



CIA3800INT



Premium Insulated Grain Deerskin

- Warm 3M™ Thinsulate™ insulation
- Open cuff with elastic back
- Ergonomic keystone thumb

Premium Insulated Black Deerskin

- Warm 3M™ Thinsulate™ insulation
- Premium-grade black grain deerskin
- Ergonomic keystone thumb



Multi-Hazard Oil-Resistant Insulated Goatskin

- Aralene® (enhanced aramid fiber) cut resistant liner
- Proprietary oil/water resistant manufacturing process
- Warm 3M™ Thinsulate™ insulation
- Sewn with aramid fiber

Products	Sizes	Shell	Grade	Insulation	Insulation Amount	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels
3200DTH	7(S)-11(2XL)	Grain Deerskin	Premium	3M™ Thinsulate™	100 Grams	Open	NA	NA	NA	NA	NA
3200DTB	7(S)-10(XL)	Grain Deerskin	Premium	3M™ Thinsulate™	40 Grams	Open	NA	NA	NA	NA	NA
CIA3800INT	7(S)-11(2XL)	Grain Goatskin	Premium	3M™ Thinsulate™	100 Grams	Open	Level A5	Level 4	Level 4	Level 2	3X33EP

Low Temperature

Freezer Gloves



2800GDC



2800GLP



2800F



Premium Split Goatskin for Freezers

- Premium, high tensile strength goatskin
- Warm 3M™ Thinsulate™ insulation
- Extra long knit wrist



591F



524



594MIT



Premium Insulated Split Cowhide

- Warm 3M™ Thinsulate™ insulation
- Double tanned
- Split index finger
- Reinforced palm and thumb
- Knit wrist keeps cold out

Premium Reinforced Insulated Cowhide

- Warm 3M™ Thinsulate™ insulation
- Double tanned
- Reinforced palm and thumb
- Knit wrist keeps cold out

Premium Split Cowhide Mitten

- Warm 3M™ Thinsulate™ insulation
- Double tanned
- Reinforced palm and thumb
- Knit wrist keeps cold out

Products	Sizes	Shell	Grade	Insulation	Insulation Amount	Coating	Thumb	Cuff
2800GDC	7(S)-10(XL)	Split Goatskin	Premium	3M™ Thinsulate™	150 Grams	NA	Wing	Extra Long Knit Wrist
2800GLP	8(M)-10(XL)	Split Goatskin	Premium	3M™ Thinsulate™	150 Grams	Rubber Latex	Wing	Extra Long Knit Wrist
2800F	9(L)-10(XL)	Split Cowhide	Standard	Cold Keep®	110 Grams	NA	Wing	Extra Long Knit Wrist
591F	8(M)-10(XL)	Split Cowhide	Premium	3M™ Thinsulate™	150 Grams	NA	Wing	Knit Wrist
524	8(M)-10(XL)	Split Cowhide	Premium	3M™ Thinsulate™	150 Grams	NA	Wing	Knit Wrist
594MIT	7(S)-10(XL)	Split Cowhide	Premium	3M™ Thinsulate™	150 Grams	NA	Wing	Knit Wrist

Low Temperature

GlobalGlove.com | 763-450-0110



519INT



520INT



521INT



C10BJINT



Fleece Fingerless Flip-Up Mitten

- Warm 3M™ Thinsulate™ insulation and tricot foam
- PVC palm dots
- Flip-up finger cover with magnet

Flip-Up Mitten with Heating Pack Pocket

- Warm 3M™ Thinsulate™ insulation and tricot foam
- Palm reinforced with synthetic leather
- Flip-up finger cover with magnet

Three-Layer Insulated Nylon

- Warm layers of tricot and foam
- May be used as glove liner
- Warm to 0° F

Brown Jersey

- Warm foam lining
- Clute cut with a straight thumb

Products	Sizes	Shell	Shell Color	Lining	Insulation	Insulation Amount	Thumb	Cuff
519INT	6(XS)-11(2XL)	Fleece	Black	NA	3M™ Thinsulate™	40 Grams	Keystone	Knit Wrist
520INT	7(S)-10(XL)	Fleece	Black	NA	3M™ Thinsulate™	40 Grams	Wing	Knit Wrist
521INT	9(L)	Nylon	Black	NA	Tricot/Foam/Tricot	3 Layers	Straight	Knit Wrist
C10BJINT	8(M)-10(XL)	Jersey	Brown	Foam	NA	NA	Straight	Knit Wrist



51MIT



52MIT



S70RWMT



S77RW

Split Cowhide Chopper Mitten

- Open cuff with elastic
- Cotton pile lined

Unlined Split Cowhide Mitten

- Open cuff with elastic

Rag Wool Mitten

- May be used as mitten liner
- Medium-weight rag wool and nylon

Rag Wool

- May be used as glove liner
- Medium-weight rag wool and nylon

Products	Sizes	Shell	Shell Color	Gauge	Grade	Insulation	Thumb	Cuff
51MIT	8(M)-10(XL)	Split Cowhide	Gray	NA	Standard	Cotton Pile	Straight	Open
52MIT	9(L)	Split Cowhide	Gray	NA	Standard	NA	Straight	Open
S70RWMT	One Size	Rag Wool/Nylon	Army Green	7-Gauge	NA	NA	NA	Knit Wrist
S77RW	7(S)-9(L)	Rag Wool/Nylon	Army Green	7-Gauge	NA	NA	NA	Knit Wrist

Low Temperature



Oil, Gas, Construction



CIA318INT



Water-Repellent Low-Temp Multi-Hazard with Impact

- High-visibility Tuffalene® UHMWPE shell
- Foam rubber-coated palm
- Flexible TPU impact protection

CIA995MFV



High-Visibility Multi-Hazard

- High-visibility Tuffalene® UHMWPE shell
- Double-coated Mach Finish nitrile palm
- Reinforced thumb crotch
- Soft, flexible TPU impact protection

CIA609MF



Reinforced Multi-Hazard with Impact

- Reinforced thumb crotch
- Vibration dampening padded palm
- Flexible TPU impact protection



CIA417V



Multi-Hazard Coated with Impact

- Tuffalene® UHMWPE shell for comfortable cut protection
- Flexible TPU impact protection
- Abrasion-resistant Mach Finish nitrile-coated palm
- Reinforced thumb crotch



CIA617V



Multi-Hazard Double-Coated with Impact

- Tuffalene® UHMWPE shell for comfortable cut protection
- Flexible TPU impact protection
- Double-coated Mach Finish nitrile palm
- Reinforced thumb crotch



CIA677



Performance Multi-Hazard with Impact

- High-performance palm coating
- Flexible TPU impact protection

Products	Sizes	Shell	Gauge	Liner	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/SEA Impact	EN 388 Levels
CIA318INT	8(M)-11(2XL)	Tuffalene® UHMWPE	10-Gauge, 13-Gauge	Brushed Acrylic Terry Cloth	Rubber Latex	Foam	Level A5	Level 3	Level 5	Level 2	3X43E
CIA995MFV	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	NA	Double Nitrile	Mach Finish	Level A5	Level 4	Level 4	Level 2	4X43E
CIA609MF	7(S)-11(2XL)	Aralene®	13-Gauge	NA	Nitrile	Mach Finish	Level A5	Level 6	Level 3	Level 1	4X31E
CIA417V	8(M)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	NA	Nitrile	Mach Finish	Level A3	Level 5	Level 4	Level 1	4242X
CIA617V	7(S)-11(2XL)	Tuffalene® UHMWPE	13-Gauge	NA	Double Nitrile	Mach Finish	Level A5	Level 6	Level 4	Level 1	4X43E
CIA677	7(S)-11(2XL)	Aralene®	13-Gauge	NA	Nitrile/PU	Xtreme Foam Technology	Level A7	Level 4	Level 4	Level 1	4X42FP

Oil, Gas, Construction



CIA292



Multi-Hazard Chemical Handling with Impact

- Lightweight Aralene® multi-hazard inner liner
- Double-coated PVC and nitrile
- Soft, flexible TPU impact protection



CIA200MTG



Multi-Hazard Grain Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
 - Proprietary oil/water resistant manufacturing process
 - Sewn with black DuPont™ Kevlar® fiber
- Tested to ASTM F2675
Arc Rating (ATPV) = 35 Cal/cm²
Heat Attenuation Factor (HAF) = 93%
NFPA 70E Arc Flash PPE Category: 3



CIA215MF



Multi-Hazard Chemical Handling with Impact

- Smooth polyester liner
- Fully coated with smooth blue nitrile
- Abrasion-resistant Mach Finish nitrile-coated palm



CIA788



Lightweight Multi-Hazard with Impact

- Tuffalene® UHMWPE shell for comfortable cut protection
- PU coating adheres to the liner to prevent flakiness
- Soft, flexible TPU impact protection
- Touch screen compatible fingertips
- Packaged by the pair



CIA388XFT



High-Visibility Multi-Hazard with Impact

- Tuffalene® Platinum UHMWPE shell for comfortable cut protection
- Highly-flexible Xtreme Foam Technology (XFT) finish
- Touch screen compatible fingertips
- Soft, flexible TPU impact protection



CIA799XFT



Lightweight Coated Touch Screen Multi-Hazard

- Lightweight Tuffalene® UHMWPE shell
- Xtreme Foam Technology nitrile-coated palm
- Reinforced thumb crotch
- Flexible TPU impact protection

Products	Sizes	Shell	Coating	Finish	Liner	Gauge	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels
CIA292	8(M)-10(XL)	NA	Double PVC/Nitrile	Sandpaper	Aralene®	15-Gauge	Level A4	Level 5	Level 2	Level 2	3X31C
CIA200MTG	8(M)-11(2XL)	Grain Goatskin	NA	NA	Aralene®	NA	Level A8	Level 4	Level 4	Level 2	3X43F
CIA215MF	8(M)-10(XL)	NA	Double Nitrile	Mach Finish	Polyester	45-Gauge	Level A2	Level 5	Level 2	Level 2	4131X
CIA788	7(S)-11(2XL)	Tuffalene® UHMWPE	Polurethane	Smooth	NA	18-Gauge	Level A5	Level 4	Level 4	Level 2	3X42E
CIA388XFT	6(XS)-11(2XL)	Tuffalene® Platinum UHMWPE	Nitrile	Xtreme Foam Technology	NA	15-Gauge	Level A4	Level 6	Level 4	Level 2	4X43D
CIA799XFT	7(S)-11(2XL)	Tuffalene® UHMWPE	Nitrile	Xtreme Foam Technology	NA	18-Gauge	Level A7	Level 5	Level 3	Level 2	NA

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Oil, Gas, Construction

GlobalGlove.com | 763-450-0110



CIA550NFT



Touch Screen Multi-Hazard with Impact

- Light nylon/spandex shell
- Nitrile-coated palm with New Foam Technology finish
- Soft, flexible TPU impact protection
- Touch screen compatible fingertips

CIA501MF



High-Visibility Multi-Hazard with Impact

- High-visibility yellow/green shell
- Double-coated Mach Finish nitrile palm
- Soft, flexible TPU impact protection



CIA520MF



SG9954



High-Visibility Padded-Palm Multi-Hazard

- High-visibility orange shell
- Double-coated Mach Finish nitrile palm
- Soft, flexible TPU impact protection
- Reinforced thumb crotch, little finger



SG9944



High-Visibility Reinforced with Impact

- Soft, flexible TPR impact protection
- 18-oz cotton corded palm with jersey liner
- Reinforced thumb crotch, little finger



SG9966



High-Visibility with Cut Resistant Palm

- Flexible TPU impact protection
- Reinforced with synthetic leather
- Pull tab on wrist

Products	Sizes	Shell	Palm	Coating	Finish	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels
CIA550NFT	8(M)-10(XL)	Nylon/Spandex	NA	Nitrile	New Foam Technology	Level A1	Level 6	Level 2	Level 2	4131X
CIA501MF	8(M)-11(2XL)	Nylon	NA	Double Nitrile	Mach Finish	Level A1	Level 6	Level 3	NA	4131X
CIA520MF	8(M)-11(2XL)	Nylon	NA	Double Nitrile	Mach Finish	Level A1	Level 6	Level 3	NA	4131X
SG9954	8(M)-11(2XL)	Spandex	Cotton Corded	NA	NA	Level A2	Level 3	Level 2	Level 1	NA
SG9944	8(M)-11(2XL)	Spandex/Nylon	Cotton Corded	NA	NA	NA	NA	NA	NA	NA
SG9966	8(M)-12(3XL)	Spandex/Nylon	Synthetic Leather Reinforced	NA	NA	Level A3 - Palm Only	Level 6	Level 4	Level 2	4X43CP

Oil, Gas, Construction



C19OCPB



C18OCPB



C18OC

High-Visibility Multi-Hazard Corded with Impact

- 18-oz corded cotton/polyester
- Soft, flexible TPR impact protection
- Wing thumb design

Cotton/Poly Corded Multi-Hazard with Impact

- Flexible TPU impact protection
- 18-oz corded cotton/polyester
- Wing thumb design

Heavyweight Cotton Corded

- 18-oz corded cotton
- Straight thumb design



C19GCPB



C18GRCPB



C18GRC

High-Visibility Multi-Hazard Corded with Impact

- 18-oz corded cotton/polyester
- Soft, flexible TPR impact protection
- Wing thumb design

Cotton/Poly Corded Multi-Hazard with Impact

- Flexible TPU impact protection
- 18-oz corded cotton/polyester
- Straight thumb design

Heavyweight Cotton Corded

- 18-oz corded cotton
- Straight thumb design

Products	Sizes	Shell	Palm	Thumb	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact
C19OCPB	One Size	Polyester	Cotton/Polyester	Wing	Level A2	Level 3	Level 3	Level 1
C18OCPB	One Size	Cotton/Polyester	Corded	Wing	Level A2	Level 3	Level 2	Level 1
C18OC	7(S), 9(L)-10(XL)	Cotton	Corded	Straight	NA	NA	NA	NA
C19GCPB	One Size	Polyester	Cotton/Polyester	Wing	Level A2	Level 3	Level 3	Level 1
C18GRCPB	One Size	Cotton/Polyester	Corded	Straight	Level A2	Level 3	Level 2	Level 2
C18GRC	One Size	Cotton	Corded	Straight	NA	NA	NA	NA

Oil, Gas, Construction

GlobalGlove.com | 763-450-0110



AV1160



AV805



Anti-Vibration Nitrile

- Anti-shock/vibration padded palm and thumb
- Ergonomic pre-cured construction
- Sandpaper finish for better grip
- Individual pods pattern enhance grip and reduce full range of vibration (25Hz - 1,000Hz)

Ergonomic Lightweight Anti-Vibration

- Lightweight cotton/nylon shell
- Meets EN ISO 10819 Anti-Vibration standards
- Tacky finish, individual pods on palm reduce vibration



AV2000



Fingerless Anti-Shock/Vibration

- Anti-shock/vibration palm and fingers
- Reinforced thumb crotch
- Padded palm to lessen impact vibrations



AV3008



Leather Palm Mechanics with Anti-Shock Palm

- Anti-shock/vibration padded palm and thumb
- Reinforced double palm and thumb crotch
- Wrap-around leather on fingers

Products	Sizes	Shell	Gauge	Palm	Coating	Finish	Liner	Cuff	EN 388 Levels	EN ISO 10819
AV1160	8(M)-10(XL)	Cotton/Nylon	10-Gauge	Anti-Vibration Synthetic Rubber	NA	NA	NA	Knit Wrist	3242X	Pass
AV805	9(L)-10(XL)	NA	NA	NA	Nitrile	Sandpaper	Cotton	Pinked	3122X	Pass
AV2000	7(S)-11(2XL)	Spandex	NA	Grain Goatskin	NA	NA	NA	Hook-and-Loop	NA	NA
AV3008	8(M)-10(XL)	Spandex	NA	Split Cowhide over Grain Goatskin	NA	NA	NA	Hook-and-Loop	NA	NA

Anti-Vibration



Mechanics/Sport Styles



HR8200



Impact Resistant, Performance Mechanics

- AireFlex® synthetic leather palm
- Padding sewn into palm
- Reinforced thumb crotch, palm, and fingertips



HR8200KEV



Multi-Hazard Performance Mechanics

- Aralene® (enhanced aramid fiber) cut resistant liner
- AireFlex® synthetic leather palm
- Padding sewn into palm



HR8500



High-Visibility with Zebra-Striped Impact

- Padding sewn into palm
- Zebra-striped impact protection
- Reinforced thumb crotch, palm, and fingertips



HR3200



Performance Mechanics Style

- AireFlex® synthetic leather palm
- Reinforced back, thumb, and fingertips
- Open cuff with elastic
- Neoprene padded knuckles



HR3200INT



Insulated Waterproof Performance

- Warm Cold Keep® insulation
- Reinforced back, thumb, and fingertips
- Open cuff with elastic
- Waterproof barrier



HR3222INT



High-Visibility Insulated Waterproof Performance

- Warm Cold Keep® insulation
- Reinforced thumb, back, and fingertips
- Open cuff with elastic
- Waterproof barrier

Products	Sizes	Shell	Palm	Liner	Insulation	Insulation Amount	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
HR8200	7(S)-11(2XL)	Stretchable Mesh	AireFlex® Synthetic Leather	NA	NA	NA	NA	NA	NA	NA
HR8200KEV	8(M)-11(2XL)	Stretchable Mesh	AireFlex® Synthetic Leather	Aralene®	NA	NA	Level A6	Level 3	Level 4	2X33D
HR8500	8(M)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	NA	NA	NA	NA
HR3200	8(M)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	NA	NA	NA	NA
HR3200INT	7(S)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	Cold Keep®	100 Grams	NA	NA	NA	NA
HR3222INT	7(S)-10(XL)	Spandex	AireFlex® Synthetic Leather	NA	Cold Keep®	100 Grams	NA	NA	NA	NA

Mechanics



HR2800INT



Insulated Goatskin Mechanics Style

- Premium-grade goatskin grain leather
- Warm 3M™ Thinsulate™ insulation
- Reinforced backs of fingertips and index finger
- Neoprene padded knuckles



CIA4005



CIA4005

Premium Multi-Hazard Leather Palm Mechanics

- Premium-grade grain goatskin leather palm
- Green stretchable mesh back of the hand

- Thin Aralene® (enhanced aramid fiber) liner sewn inside palm
- Soft, flexible TPR impact protection



HR3008



Premium Leather Double-Palm Mechanics

- Split cowhide reinforced palm
- Reinforced palm, thumb
- Split/rough side out palm



HR4008



Ultra-Soft Goatskin Double-Palm Mechanics

- Double goatskin palm
- Leather knuckle strap
- Leather wraps around fingertips



HR9000



Synthetic Leather Palm Mechanics

- G-pattern padded palm
- High-performance AireFlex® leather
- Reinforced palm, thumb, fingertips



HR9000VIS



High-Visibility Synthetic Leather Palm

- 3M™ Scotchlite™ reflective stripe
- Griptex fingertips and palm
- G-pattern padded palm

Products	Sizes	Shell	Palm	Grade	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact	EN 388 Levels	EN 407 Levels
CIA4005	7(S)-11(2XL)	Aralene®	Grain Goatskin	Premium	Level A5 (Palm)	Level 4	Level 4	Level 2	3X23EP	NA
HR2800INT	7(S)-11(2XL)	Spandex	Grain Goatskin	Premium	NA	NA	NA	NA	NA	NA
HR3008	7(S)-11(2XL)	Spandex	Grain Goatskin	Premium	NA	NA	NA	NA	NA	X1XXXX
HR4008	7(S)-11(2XL)	Spandex	Double Goatskin	Premium	NA	NA	NA	NA	NA	NA
HR9000	7(S)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	NA	NA	NA	NA
HR9000VIS	8(M)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	NA	NA	NA	NA

Mechanics

GlobalGlove.com | 763-450-0110



SG5200INT



Premium Cowhide Waterproof and Insulated

- Warm Cold Keep® insulation
- Griptex reinforced thumb crotch, fingertips, and palm
- Waterproof barrier inside
- Dual cuff
- Reflective stripe on back



SG7700IN



Premium Deerskin Insulated

- Warm 3M™ Thinsulate™ insulation
- Reinforced knuckles and fingertips
- Neoprene padded knuckles



SG7200INT



SG7300INT



SG7300MIT



Premium Deerskin Waterproof and Insulated

- Warm Cold Keep® insulation
- Waterproof barrier inside
- Griptex reinforced thumb crotch, fingertips, and palm
- Dual cuff

Premium Deerskin Palm Insulated

- Warm 3M™ Thinsulate™ insulation
- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

Premium Deerskin Palm Insulated Mitten

- Warm 3M™ Thinsulate™ insulation
- Pre-curved construction
- Adjustable wrist strap
- Waterproof barrier

Products	Sizes	Shell	Palm	Grade	Insulation	Insulation Amount	Cuff
SG5200INT	8(M)-10(XL)	Spandex	Split Cowhide	Premium	Cold Keep®	120 Grams	Safety, Knit Wrist
SG7700IN	7(S)-11(2XL)	Spandex	Grain Deerskin	Premium	3M™ Thinsulate™	100 Grams	Elastic with Hook-and-Loop
SG7200INT	8(M)-11(2XL)	Spandex	Grain Deerskin	Premium	Cold Keep®	120 Grams	Safety, Knit Wrist
SG7300INT	8(M)-10(XL)	Polyester	Grain Deerskin	Premium	3M™ Thinsulate™	150 Grams	Gauntlet with Adjustable Wrist Strap
SG7300MIT	One Size	Polyester	Grain Deerskin	Premium	3M™ Thinsulate™	150 Grams	Gauntlet with Adjustable Wrist Strap

Mechanics



SG9001NF



Fingerless Reinforced Mechanics Style

- AireFlex® synthetic leather palm and fingertips
- Tacky PVC grip in wear grip areas
- Two open fingers, thumb



SG9001



Synthetic Leather Palm Reinforced Performance

- AireFlex® synthetic leather palm and fingertips
- G-patterned palm
- Tacky PVC reinforced palm



SG9001IN



Waterproof, Synthetic Leather Palm Performance

- Warm 3M™ Thinsulate™ insulation
- AireFlex® synthetic leather palm and fingertips
- PU palm, thumb crotch, and finger reinforcements
- Waterproof bladder inside



SG9000



Synthetic Leather Palm Performance

- AireFlex® synthetic leather palm and fingertips
- Flexible spandex shell



SG9003



Silicone Grip Enhanced Palm Mechanics

- AireFlex® synthetic leather palm and fingertips
- Silicone grip pattern palm
- Reinforced thumb, index finger, and fingertips

Products	Sizes	Shell	Palm	Insulation	Insulation Amount	Fingerless	Dotted	Cuff
SG9001	8(M)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	NA	Hook-and-Loop
SG9001NF	8(M)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	Thumb, Index, and Middle	NA	Hook-and-Loop
SG9001IN	8(M)-10(XL)	Spandex	AireFlex® Synthetic Leather	3M™ Thinsulate™	40 Grams	NA	NA	Hook-and-Loop
SG9000	8(M)-11(2XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	NA	Hook-and-Loop
SG9003	7(S)-12(3XL)	Spandex	AireFlex® Synthetic Leather	NA	NA	NA	Silicone	Hook-and-Loop



SG3300



Touch Screen Mechanics with Reflective

- AireFlex® synthetic leather palm
- Reflective material on the back of hand
- Reinforced thumb crotch
- Touch screen compatible tip of thumb and index finger



SG6000



Touch Screen Mechanics

- AireFlex® synthetic leather palm
- Reinforced thumb crotch
- Touch screen compatible tip of thumb and index finger



SG6600



Touch Screen Mechanics with Impact

- AireFlex® synthetic leather palm
- Soft, flexible TPR impact protection
- Reinforced thumb crotch and palm patches
- Padded palm
- Touch screen compatible tip of thumb and index finger



SG2008



Leather Palm Mechanics Style with Impact

- Flexible TPU impact protection
- Leather wraps around fingertips
- Grain goatskin feels like deerskin
- Padded double palm



SG2008SC



Leather Palm Mechanics Style with Impact

- Reinforced Armortex® thumb crotch
- Flexible TPU impact protection
- Safety cuff + hook-and-loop
- Grain goatskin feels like deerskin
- Padded double palm



SG5308



Premium Climbing Gloves

- Excellent for belaying and rappelling
- Neoprene stretch cuff
- Double leather palm, fingers
- Grain goatskin feels like deerskin
- Carabiner grommet on cuff

Products	Sizes	Shell	Shell Color	Palm	Palm Color	Grade	Cuff
SG3300	7(S)-10(XL)	Mesh Polyester	Black with Reflective	AireFlex® Synthetic Leather	Black	NA	Open
SG6000	7(S)-10(XL)	Spandex	Gray with Printing	AireFlex® Synthetic Leather	Black	NA	Hook-and-Loop
SG6600	7(S)-11(2XL)	Spandex	Gray	AireFlex® Synthetic Leather	Black	NA	Hook-and-Loop
SG2008	8(M)-11(2XL)	Spandex	Black	Grain Goatskin	Gold	Premium	Hook-and-Loop
SG2008SC	8(M)-11(2XL)	Spandex	Black	Grain Goatskin	Gold	Premium	Safety + Hook-and-Loop
SG5308	7(S)-11(2XL)	Spandex	Tan	Grain Goatskin	Gold	Premium	Hook-and-Loop

Mechanics

A close-up photograph of a person's hands and arms engaged in welding. The person is wearing a dark leather welding helmet with a clear visor. They are also wearing a long-sleeved black leather jacket and red leather welding gloves. The gloved hand is holding a welding torch, which is creating a bright, intense light and sparks at the work area. The background is blurred, showing a workshop or industrial setting.

Leather

Premium Drivers



HR4008



Ultra-Soft Goatskin Double-Palm Mechanics

- Double goatskin palm
- Leather knuckle patch
- Leather wraps around fingertips
- Open cuff with elastic back



3200DTH



Premium Insulated Grain Deerskin

- Warm 3M™ Thinsulate™ insulation
- Premium-grade gold grain deerskin
- Dries soft and flexible
- Open cuff with elastic back
- Ergonomic keystone thumb



3200DTHB



Premium Insulated Black Deerskin

- Warm 3M™ Thinsulate™ insulation
- Premium-grade black grain deerskin
- Dries soft and flexible
- Open cuff with elastic back
- Ergonomic keystone thumb



3300DSIN



Premium Suede Deerskin Palm and Fleece Back

- Warm Cold Keep® insulation
- Dries soft and flexible
- Reinforced double palm
- Open cuff with elastic back

Products	Sizes	Shell	Palm	Grade	Insulation	Insulation Amount	Thumb	Cuff
HR4008	7(S)-11(2XL)	Spandex	Double Goatskin	Premium	NA	NA	Keystone	Open
3200DTH	7(S)-11(2XL)	Grain Deerskin	Grain Deerskin	Premium	3M™ Thinsulate™	100 Grams	Keystone	Open
3200DTHB	7(S)-10(XL)	Grain Deerskin	Grain Deerskin	Premium	3M™ Thinsulate™	40 Grams	Keystone	Open
3300DSIN	7(S)-10(XL)	Fleece	Suede Deerskin	Premium	Cold Keep®	100 Grams	Straight	Open



CIA7700



High-Visibility Multi-Hazard Buffalo Leather Drivers

- Premium-grade grain buffalo leather
- Lightweight Tuffalene® UHMWPE woven liner
- Soft, flexible TPR impact protection
- Sewn with aramid fiber
- Unique open cuff with closure



CIA7900



Multi-Hazard Leather Drivers

- Oil and water-resistant leather shell
- Lightweight Aralene® enhanced inner liner
- Soft, flexible TPR impact protection
- Unique open cuff with closure



3200D



Premium Golden-Grain Deerskin Gloves

- Dries soft and flexible
- Open cuff with elastic back



3200DST



Standard Golden-Grain Deerskin Gloves

- Dries soft and flexible
- Open cuff with elastic back

Products	Sizes	Shell	Grade	Thumb	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/SEA Impact	ANSI Conductive Heat	EN 388 Levels
CIA7700	7(S)-11(2XL)	Grain Buffalo	Premium	Keystone	Open Plus Hook-and-Loop	Level A7	Level 5	Level 5	Level 2	Level 3	3X43FP
CIA7900	7(S)-11(2XL)	Grain Goatskin	Premium	Keystone	Open with Hook-and-Loop	Level A9	Level 4	Level 4	Level 2	Level 2	3X43FP
3200D	6(XS)-10(XL)	Grain Deerskin	Premium	Keystone	Open	NA	NA	NA	NA	NA	NA
3200DST	7(S)-11(2XL)	Grain Deerskin	Standard	Keystone	Open	NA	NA	NA	NA	NA	NA

Leather

Goatskin and Cowhide Drivers



3200G



3200GE



3200GINT



3150G



Premium-Grain Goatskin

- Soft and flexible shell
- Open cuff with elastic back
- Ergonomic keystone thumb

Economy Goatskin Drivers

- Grain goatskin leather
- Open cuff with elastic back
- Ergonomic keystone thumb

Premium Insulated Grain Goatskin

- Warm Cold Keep® insulation
- Cotton binding
- Ergonomic keystone thumb

Goatskin Palm, Cowhide Back Drivers

- Premium grain goatskin palm
- Premium split cowhide back, palm reinforcement
- Sewn with aramid fiber

Products	Sizes	Shell	Palm	Grade	Insulation	Insulation Amount	Thumb	Cuff
3200G	6(XS)-11(2XL)	Grain Goatskin	Grain Goatskin	Premium	NA	NA	Keystone	Open
3200GE	7(S)-11(2XL)	Grain Goatskin	Grain Goatskin	Economy	NA	NA	Keystone	Open
3200GINT	7(S)-11(2XL)	Grain Goatskin	Grain Goatskin	Premium	Cold Keep®	120 Grams	Keystone	Open
3150G	7(S)-10(XL)	Split Cowhide	Grain Goatskin	Premium	NA	NA	Wing	Open



CR3200



Premium Multi-Hazard Cowhide Drivers

- Aralene® (enhanced aramid fiber) cut resistant liner
- Ergonomic keystone thumb

Tested to ASTM F2675
 Arc Rating (ATPV) = 35 Cal/cm²
 Heat Attenuation Factor (HAF) = 94%
 NFPA 70E Arc-Flash PPE Category: 3



3200



3200B



3200BS

Premium-Grain Cowhide Drivers

- Sewn with aramid fiber
 - Ergonomic keystone thumb
- Also available with retail hang-tag: 3200-T

Standard-Grade Grain Cowhide Drivers

- Open cuff with elastic back
- Ergonomic keystone thumb

Premium Grain Palm, Split Leather Back

- Premium-grade grain cowhide leather palm
- Standard-grade split cowhide leather back
- Ergonomic keystone thumb

Products	Sizes	Shell	Grade	Liner	Palm	Thumb	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 407 Levels
CR3200	6(XS)-11(2XL)	Grain Cowhide	Premium	Aralene®	NA	Keystone	Open	Level A4	Level 5	Level 3	X3XXXX
3200	6(XS)-12(3XL)	Grain Cowhide	Premium	NA	NA	Keystone	Open	NA	NA	NA	NA
3200-T	7(S)-10(XL)	Grain Cowhide	Premium	NA	NA	Keystone	Open	NA	NA	NA	NA
3200B	7(S)-12(3XL)	Grain Cowhide	Standard	NA	NA	Keystone	Open	NA	NA	NA	NA
3200BS	7(S)-11(2XL)	Split Cowhide	Standard	NA	Premium-Grade Grain Cowhide	Keystone	Open	NA	NA	NA	NA

Leather

Cowhide and Pigskin Drivers



3200CTH



3200PS



3100



3100SW



Cowhide Insulated Drivers

- Warm Cold Keep® insulation
- Open cuff with elastic back
- Ergonomic keystone thumb

Premium-Grain Cowhide

- Adjustable pull strap on wrist

Premium Grain Reinforced Drivers

- Reinforced palm patch
- Open cuff with elastic back

Premium Cowhide Drivers for Spot Welding

- Split cowhide back/grain cowhide palm
- Sewn with aramid fiber
- Reinforced palm, thumb, and index finger
- Open cuff with elastic back



3200PP



3200SRF



3200S



3200P



Economy Cowhide Patched Palm

- Split leather back
- Multi-piece palm
- Open cuff with elastic back

Fleece-Lined Split Cowhide Drivers

- Red fleece-lined interior
- Cotton binding
- Open cuff with elastic back

Split Cowhide Drivers

- Open cuff with elastic back

Standard-Grain Pigskin Drivers

- Open cuff with elastic back

Products	Sizes	Shell	Palm	Grade	Insulation	Insulation Amount	Thumb	Cuff
3200CTH	7(S)-11(2XL)	Grain Cowhide	NA	Standard	Cold Keep®	140 Grams	Keystone	Open
3200PS	7(S)-10(XL)	Grain Cowhide	NA	Premium	NA	NA	Keystone	Open
3100	7(S)-11(2XL)	Grain Cowhide	Reinforced	Premium	NA	NA	Keystone	Open
3100SW	7(S)-11(2XL)	Split Cowhide	Split and Grain Cowhide	Premium	NA	NA	Wing	Open
3200PP	7(S)-10(XL)	Split Cowhide	Grain Cowhide	Economy	NA	NA	Keystone	Open
3200SRF	7(S)-10(XL)	Split Cowhide	NA	Standard	Red Fleece	NA	Keystone	Open
3200S	7(S)-11(2XL)	Split Cowhide	NA	Standard	NA	NA	Keystone	Open
3200P	7(S)-11(2XL)	Grain Pigskin	NA	Standard	NA	NA	Keystone	Open

Leather

High-Visibility Leather



1100GHV



3100GHV



2950HVDC



Premium High-Visibility Leather Palm

- Reflective prismatic knuckle band
- Reinforced wing thumb

Premium High-Visibility Leather Palm

- Reflective prismatic knuckle band
- High-visibility mesh back of hand

Premium Goatskin Insulated Leather Palm

- Silver reflective material and orange contrasting trim
- Warm Cold Keep® insulation
- Waterproof barrier inside
- Dual cuff



2950HV



2950HVKW



2300HVDP



3200WH



High-Visibility Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell

High-Visibility Insulated Leather Palm

- 3M™ Scotchlite™ reflective
- Warm Cold Keep® insulation
- Lightweight nylon shell

Economy Split Cowhide Palm

- Safety cuff protects wrists

Premium-Grade Cowhide Drivers

- Warning on back of hand

Products	Sizes	Shell	Palm	Grade	Reflective	Insulation	Insulation Amount	Thumb	Cuff
1100GHV	9(L)-10(XL)	Nylon	Grain Goatskin	Premium	Prismatic	NA	NA	Wing	Safety
3100GHV	8(M)-11(2XL)	Mesh Polyester	Grain Goatskin	Premium	Prismatic	NA	NA	Keystone	Open
2950HVDC	7(S)-11(2XL)	Cotton/Nylon	Grain Goatskin	Premium	Silver Reflective	Cold Keep®	140 Grams	Wing	Safety, Knit Wrist
2950HV	8(M)-11(2XL)	Nylon	Grain Cowhide	Standard	3M™ Scotchlite™ Reflective Material	Cold Keep®	140 Grams	Wing	Safety
2950HVKW	7(S)-11(2XL)	Nylon	Grain Cowhide	Standard	3M™ Scotchlite™ Reflective Material	Cold Keep®	140 Grams	Wing	Knit Wrist
2300HVDP	9(L)	Cotton	Double Split Cowhide	Economy	NA	NA	NA	Wing	Rubberized Safety
3200WH	7(S)-11(2XL)	Grain Cowhide	Grain Cowhide	Standard	NA	NA	NA	Keystone	Open

Leather

GlobalGlove.com | 763-450-0110

Premium Welders



100MTG

Premium Cowhide Fleece-Lined Welding

- Split cowhide back/grain cowhide palm
- Reinforced palm, thumb crotch
- Sewn with aramid fiber
- Four-inch gauntlet cuff

Premium-Grain Goatskin MIG/TIG

- Sewn with aramid fiber
- Four-inch split leather gauntlet cuff



Premium Multi-Hazard Cowhide MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Four-inch split leather gauntlet cuff
- Sewn with aramid fiber

Multi-Hazard Grain Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Proprietary oil/water resistant manufacturing process
- Sewn with black DuPont™ Kevlar® fiber
- Soft, flexible TPR impact protection

Premium Multi-Hazard Goatskin MIG/TIG

- Aralene® (enhanced aramid fiber) cut resistant liner
- Five-inch split leather gauntlet cuff
- Sewn with aramid fiber
- Ergonomic keystone thumb

Products	Sizes	Shell	Liner	Palm	Grade	Insulation	Cut	Abrasion	Puncture	Impact	EN 407 Levels
50MTC	7(S)-11(2XL)	Split Cowhide	NA	Grain Cowhide	Premium	Fleece	Level A2	Level 5	Level 4	NA	X4XXXX
100MTG	8(M)-10(XL)	Grain Goatskin	NA	NA	Premium	NA	NA	NA	NA	NA	NA
CR100MTC	7(S)-10(XL)	Grain Cowhide	Aralene®	NA	Premium	NA	Level A4	Level 5	Level 3	NA	X2XXXX
CIA200MTG	8(M)-11(2XL)	Grain Goatskin	Aralene®	NA	Premium	NA	Level A8	Level 4	Level 4	Level 2	NA
CR100MTG	7(S)-11(2XL)	Grain Goatskin	Aralene®	NA	Premium	NA	Level A5	Level 4	Level 4	NA	X2XXXX

Leather

Cowhide Welders



100MTC



1200



1200-16



Premium-Grain Cowhide MIG/TIG

- Four-inch split leather gauntlet cuff
 - Heat resistant aramid fiber
 - Wing thumb design
- 1200 available in left-hand only dozens: 1200-LH



1200KB



1200KB available in left-hand only dozens: 1200KB-LH

Premium Split Leather Welder

- Heat resistant aramid fiber
 - Welting in vulnerable seams
- 1200 available in left-hand only dozens: 1200-LH



1200E



1200GE



Premium Blue Split Leather Welder

- Heat resistant aramid fiber
- Reinforced thumb crotch, wing thumb
- Welting in vulnerable seams

Economy Split Leather Welder

- Welting in vulnerable seams
- Wing thumb design

Economy Gray Split Leather Welder

- Welting in vulnerable seams
- Wing thumb design

Products	Sizes	Shell	Grade	Liner	Length	Thumb	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI Conductive Heat
100MTC	7(S)-10(XL)	Grain Cowhide	Premium	NA	NA	Wing	Gauntlet	NA	NA	NA	NA
1200	One Size	Split Cowhide	Premium	Thermal-Knit Cotton	13 in.	Wing	Gauntlet	Level A2	Level 4	Level 5	Level 4
1200-LH	One Size - Left Hand Only	Split Cowhide	Premium	Thermal-Knit Cotton	13 in.	Wing	Gauntlet	Level A2	Level 4	Level 5	Level 4
1200-16	One Size	Split Cowhide	Premium	Thermal-Knit Cotton	16 in.	Wing	Gauntlet	Level A2	Level 4	Level 5	Level 4
1200KB	One Size	Split Cowhide	Premium	Thermal-Knit Cotton	13 in.	Wing	Gauntlet	NA	NA	NA	NA
1200KB-LH	One Size - Left Hand Only	Split Cowhide	Premium	Thermal-Knit Cotton	13 in.	Wing	Gauntlet	NA	NA	NA	NA
1200E	One Size	Shoulder Split Cowhide	Economy	Thermal-Knit Cotton	13 in.	Wing	Gauntlet	NA	NA	NA	NA
1200GE	One Size	Shoulder Split Cowhide	Economy	Thermal-Knit Cotton	13 in.	Wing	Gauntlet	NA	NA	NA	NA

Leather

Cowhide Leather Palm



2000DP



2000

Top-of-the-Line Premium Double Tanned, Leather Palm

Top-of-the-Line Premium Double Tanned, Double Leather Palm

- Double split cowhide leather palm
- 1.9 mm side select split leather
- Sewn with aramid fiber
- 9-oz canvas back

- 1.9 mm side select split leather
- Sewn with aramid fiber
- 9-oz canvas back



1900



2190



2190DP



2120

Premium-Grain Leather Palm

- 7-oz cotton back

Side Select Split Leather Palm

- 8-oz canvas back
- Double-layered duck cuff

Premium Split Leather Double Palm

- 8-oz canvas back
- Double-layered duck cuff

Premium Split Leather Palm

- 8-oz cotton back

Products	Sizes	Shell	Palm	Grade	Thumb	Cuff	ANSI Cut	EN 388 Levels	EN 407 Levels
2000DP	One Size	9 oz Canvas	Double Split Cowhide	Premium	Wing	Rubberized Safety	Level A2	4234	X3XXXX
2000	One Size	9 oz Canvas	Split Cowhide	Premium	Wing	Rubberized Safety	NA	4134	X1XXXX
1900	7(S)-10(XL)	7 oz Canvas	Grain Cowhide	Premium	Wing	Rubberized Safety	NA	NA	NA
2190	7(S)-11(2XL)	8 oz Canvas	Split Cowhide	Premium	Wing	Washable Duck Safety	NA	NA	NA
2190DP	9(L)	8 oz Canvas	Double Split Cowhide	Premium	Wing	Washable Duck Safety	NA	NA	NA
2120	9(L)-10(XL)	8 oz Canvas	Split Cowhide	Premium	Wing	Rubberized Safety	NA	NA	NA

Leather



CR2100



2100



2100GC

Premium Split Cowhide Leather Palm

- Enhanced Aralene® (enhanced aramid fiber) liner
- Sewn with aramid fiber
- 9-oz canvas back
- Washable double-layered duck cuff

Premium Split Palm

- 1.8 mm cowhide leather
- Sewn with aramid fiber
- 9-oz canvas back
- Washable double-layered duck cuff

Premium Split Leather Palm

- 9-oz canvas back
- Sewn with aramid fiber
- Washable double-layered duck cuff



2250



2250DP



2250FC

Leather Split Palm

- 8-oz canvas back
- Washable double-layered duck cuff

Double Split Leather Palm

- 8-oz canvas back
- Washable double-layered duck cuff

Full Split Leather Hand

- Full leather hand
- Washable double-layered duck cuff

Products	Sizes	Shell	Palm	Liner	Grade	Thumb	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 407 Levels
CR2100	8(M)-10(XL)	9 oz Canvas	Split Cowhide	Aralene®	Premium	Wing	Washable Double Layer Duck Safety	Level A4	Level 5	Level 5	X2XXXX
2100	7(S)-11(2XL)	9 oz Canvas	Split Cowhide	NA	Premium	Wing	Washable Double Layer Duck Safety	NA	NA	NA	NA
2100GC	9(L)	9-oz Canvas	Split Cowhide	NA	Premium	Wing	Washable Double Layer Duck Gauntlet	NA	NA	NA	NA
2250	7(S)-10(XL)	8 oz Canvas	Split Cowhide	NA	Standard	Wing	Washable Double Layer Duck Safety	NA	NA	NA	NA
2250DP	9(L)-10(XL)	8 oz Canvas	Double Split Cowhide	NA	Standard	Wing	Washable Double Layer Duck Safety	NA	NA	NA	NA
2250FC	9(L), 11(2XL)	Split Cowhide	Split Cowhide	NA	Standard	Wing	Washable Double Layer Duck Safety	NA	NA	NA	NA

Leather Palm



2300

Also available hang-tagged: 2300-LT

Economy Split Leather Palm

- 7-oz cotton back



2300GC

Economy Lined Split Leather Palm

- 4.5-inch gauntlet cuff
- Heavy inner lining



2300DP



2300KW



2350PP

Economy Double Split Leather Palm

- 7-oz cotton back
- Wing thumb design

Economy Split Leather Palm

- 7-oz canvas back
- Clute cut style

Economy Split Leather Palm

- 7-oz canvas back
- Multi-piece split leather palm

Products	Sizes	Shell	Palm	Grade	Thumb	Cuff
2300	7(S)-11(2XL)	7 oz Cotton	Split Cowhide	Economy	Wing	Rubberized Safety
2300-LT	9(L)	7 oz Cotton	Split Cowhide	Economy	Wing	Rubberized Safety
2300GC	7(S), 9(L)-11(2XL)	7 oz Cotton	Split Cowhide	Economy	Wing	Rubberized Gauntlet
2300DP	7(S), 9(L)-10(XL)	7 oz Cotton	Double Split Cowhide	Economy	Wing	Rubberized Safety
2300KW	7(S), 9(L)	7 oz Canvas	Split Cowhide	Economy	Wing	Knit Wrist
2350PP	One Size	7 oz Cotton	Split Cowhide	Economy	Wing	Starched Safety

Leather



Cotton, String Knits

Terry Cloth



CR1400



Heavyweight Loop-Out Multi-Hazard

- Aralene® (enhanced aramid fiber) loop-out shell
- Ambidextrous



TG1350



Gray Heavyweight

- Loop-out terry cloth
- Protects against intermittent heat contact



T1350



Ambidextrous Heavyweight

- Loop-out terry cloth
- Protects against intermittent heat contact



T1250D2



Dotted Terry Cloth

- PVC dotted on both sides
- Loop-in terry cloth



T800HC



Non-Slip PVC Pattern

- Heavyweight brushed acrylic
- Honeycomb pattern on both sides



S687



Herringbone PVC Patterned

- 16 oz brushed acrylic loop shell
- Generous sizing with long knit wrist

Products	Sizes	Shell	Gauge	Weight	Pattern	Cuff	Ambidextrous	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI Conductive Heat
CR1400	One Size	Aralene® Loop-Out Terry Cloth	7-Gauge	NA	NA	Knit Wrist	Yes	Level A4	Level 3	Level 2	Level 2
TG1350	7(S), 9(L)	Terry Cloth	NA	1350 Grams	NA	Knit Wrist	Yes	NA	NA	NA	NA
T1350	7(S), 9(L)	Terry Cloth	NA	1350 Grams	NA	Knit Wrist	Yes	NA	NA	NA	NA
T1250D2	8(M)-9(L)	Terry Cloth	7-Gauge	1200 Grams	PVC Dots	Knit Wrist	NA	NA	NA	NA	NA
T800HC	8(M)-9(L)	Brushed Acrylic Terry Cloth	7-Gauge	NA	PVC Honeycomb	Knit Wrist	Yes	NA	NA	NA	NA
S687	8(M)-10(XL)	Brushed Acrylic Terry Cloth	7-Gauge	NA	PVC Herringbone	Knit Wrist	NA	NA	NA	NA	NA

Cotton and Canvas

Cotton Hot Mill and Jersey



4195NB2



C24GC



C30BT



C26WBT



C18BT



C70BJ



C80BJC



C80RJ



C90BJ



C10BJINT



C10BJR

Also available hang-tagged:
C10BJR-LT

Product	Sizes	Shell	Coating	Finish	Liner	Pattern	Weight	Thumb	Cuff	EN 388 Levels	EN 407 Levels
4195NB2	7(S), 9(L)	Two-Ply Cotton	Nitrile Blocks	Brick	NA	Brick	NA	Wing	Open Knit Wrist	4X4XX	X2XXXX
C24GC	One Size	Cotton/Polyester	NA	Nap Out	NA	Clute Cut	24 oz	Straight	PE Gauntlet	NA	NA
C30BT	One Size	Three-Ply Cotton	NA	Nap Out	NA	Clute Cut	30 oz	Wing	Band Top	NA	NA
C26WBT	One Size	Two-Ply Cotton	NA	Nap Out	NA	Clute Cut	26 oz	Wing	Band Top	NA	NA
C18BT	One Size	Hot Mill Cotton/Polyester	NA	Nap Out	NA	Clute Cut	18 oz	Straight	Band Top	NA	NA
C70BJ	Men's, Women's	Cotton/Polyester	NA	NA	NA	Clute Cut	7 oz	Straight	Knit Wrist	NA	NA
C80BJC	One Size	Cotton	NA	NA	NA	Clute Cut	8 oz	Straight	Knit Wrist	NA	NA
C80RJ	Men's, Women's	Cotton/Polyester	NA	NA	NA	NA	8 oz	Wing	Knit Wrist	NA	NA
C90BJ	Men's, Women's, Jumbo	Cotton/Polyester	NA	NA	NA	Clute Cut	9 oz	Straight	Knit Wrist	NA	NA
C10BJINT	8(M)-10(XL)	Jersey	NA	NA	NA	Clute Cut	10 oz	Straight	Knit Wrist	NA	NA
C10BJR	One Size	Polyester/Cotton	NA	NA	Fleece	Gunn Cut	10 oz	Straight	Open	NA	NA
C10BJR-LT	One Size	Polyester/Cotton	NA	NA	Fleece	Gunn Cut	10 oz	Straight	Open	NA	NA

Cotton and Canvas

GlobalGlove.com | 763-450-0110

Cotton and Canvas Gloves



Product	Sizes	Shell	Dotted	Weight	Pattern	Thumb	Cuff	ANSI Cut	ANSI Abrasion	ANSI Puncture	ANSI/ISEA Impact
C19GCPB	One Size	Polyester	NA	18-Ounce	NA	Wing	Knit Wrist	Level A2	Level 3	Level 3	Level 1
C190CPB	One Size	Polyester	NA	18-Ounce	NA	Wing	Knit Wrist	Level A2	Level 3	Level 3	Level 1
C18GRCPB	One Size	Cotton/Polyester	NA	18 oz	Clute Cut	Straight	Knit Wrist	Level A2	Level 3	Level 2	Level 2
C180CPB	One Size	Cotton/Polyester	NA	18 oz	Clute Cut	Wing	Knit Wrist	Level A2	Level 3	Level 2	Level 1
SG9954	8(M)-11(2XL)	Spandex	NA	18 oz	NA	Wing	Neoprene	Level A2	Level 3	Level 2	Level 1
C18GRC	One Size	Cotton	NA	18 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA
C180C	7(S), 9(L)-10(XL)	Cotton	NA	18 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA
C18PCR	One Size	Cotton/Polyester	NA	18 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA
C120	One Size	Cotton/Polyester Canvas	NA	12 oz	Clute Cut	Wing	Knit Wrist	NA	NA	NA	NA
C120D1	One Size	Cotton Canvas	PVC	12 oz	Clute Cut	Wing	Knit Wrist	NA	NA	NA	NA
C80D1	One Size	Cotton/Polyester Canvas	PVC	8 oz	Clute Cut	Wing	Knit Wrist	NA	NA	NA	NA
C110	One Size	Cotton/Polyester Canvas	NA	10 oz	Clute Cut	Wing	Knit Wrist	NA	NA	NA	NA
C80	Men's, Women's	Cotton/Polyester Canvas	NA	8 oz	Clute Cut	Wing	Knit Wrist	NA	NA	NA	NA
C16Y	One Size	Two-Ply Cotton Chore	NA	14.5 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA
C18C	One Size	Cotton	NA	18 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA
C18G	Men's, Jumbo	Cotton Chore	NA	18 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA
C18DP	One Size	Cotton/Polyester	NA	18 oz	Clute Cut	Straight	Knit Wrist	NA	NA	NA	NA

Cotton and Canvas

Glove Liners, Nylon, Lisle, and String Knits



NB960



L100PC



S13T



N900



S13WT



N960



S98G



L114



L100



S92K



S90BW



S120C

Product	Sizes	Shell	Shell Color	Gauge	Weight	Length	Cuff	Ambidextrous
NB960	7(S)-10(XL)	Nylon	Black	7-Gauge	Heavyweight	Wrist	Knit Wrist	Yes
L100PC	Men's, Women's	Polyester and Cotton	Bleached White	20-Gauge	Lightweight	Wrist	Unhemmed	Yes
S13T	One Size	Hollow Core Thermal	Navy Blue	13-Gauge	Medium	Wrist	Knit Wrist	Yes
N900	6(XS)-11(2XL)	Low Lint Nylon	White	13-Gauge	Medium	Wrist	Knit Wrist	Yes
S13WT	One Size	Hollow Core Thermal	White	13-Gauge	Medium	Wrist	Knit Wrist	Yes
N960	7(S)-9(L)	Nylon	White	7-Gauge	Heavyweight	Wrist	Knit Wrist	Yes
S98G	Men's, Women's	Cotton/Polyester	Gray	7-Gauge	1000 Grams	Wrist	Knit Wrist	Yes
L114	One Size	Lisle Cotton	Bleached White	20-Gauge	Lightweight	14 in.	Unhemmed	Yes
L100	Men's, Women's	Lisle Cotton	Bleached White	20-Gauge	Lightweight	Wrist	Unhemmed	Yes
S92K	7(S), 9(L)	Cotton/Polyester	Gray and Black	7-Gauge	1000 Grams	Wrist	Knit Wrist	Yes
S90BW	Men's, Women's	Cotton/Polyester	Bleached White	7-Gauge	900 Grams	Wrist	Knit Wrist	Yes
S120C	One Size	Cotton	Natural	7-Gauge	1200 Grams	11.5 in.	Knit Wrist	Yes

Cotton and Canvas

GlobalGlove.com | 763-450-0110

String Knits



IP3DB



S13RB



S13



S52NFD1



S51



S55D1



S55



S55D2




S55G



S400



S60



S60SKD



S65BW



S65D2



S65D2BW



S66BB

Product	Sizes	Shell	Shell Color	Gauge	Weight	Dotted	Pattern	Cuff	Ambidextrous
IP3DB	7(S), 9(L)	Acrylic	Black	10-Gauge	NA	Silicone	NA	Knit Wrist	NA
S13RB	7(S)-10(XL)	Cotton, Polyester, and Spandex	Blue and White	13-Gauge	NA	No	Striped	Knit Wrist	Yes
S13	Men's, Women's	Cotton/Polyester	Natural	13-Gauge	430 Grams	No	NA	Knit Wrist	Yes
S52NFD1	One Size	Cotton/Polyester	Natural	7-Gauge	520 Grams	One Side PVC	NA	Knit Wrist	NA
S51	One Size	Cotton/Polyester	Gray and Black	7-Gauge	500 Grams	No	Striped	Knit Wrist	Yes
S55D1	Men's, Women's	Cotton/Polyester	Natural	7-Gauge	550 Grams	One Side PVC	NA	Knit Wrist	NA
S55	Men's, Women's	Cotton/Polyester	Natural	7-Gauge	550 Grams	No	NA	Knit Wrist	Yes
S55D2	Men's, Women's	Cotton/Polyester	Natural	7-Gauge	550 Grams	Two Sides PVC	NA	Knit Wrist	Yes
S55G	6(XS), Women's, Men's	Cotton/Polyester	Gray	7-Gauge	550 Grams	No	NA	Knit Wrist	Yes
S400	Men's, Women's	Cotton/Polyester	Natural	10-Gauge	400 Grams	No	NA	Knit Wrist	Yes
S60	7(S)-9(L)	Cotton/Polyester	Natural	7-Gauge	600 Grams	No	NA	Knit Wrist	Yes
S60SKD	One Size	Polyester/Cotton	Black	7-Gauge	600 Grams	One Side PVC	Skeleton	Knit Wrist	NA
S65BW	Men's, Women's	Cotton/Polyester	Bleached White	7-Gauge	650 Grams	No	NA	Knit Wrist	Yes
S65D2	Men's, Women's	Cotton/Polyester	Gray	7-Gauge	650 Grams	Two Sides PVC	NA	Knit Wrist	Yes
S65D2BW	Men's, Women's	Cotton/Polyester	Bleached White	7-Gauge	650 Grams	Two Sides PVC	NA	Knit Wrist	Yes
S66BB	One Size	Cotton/Polyester	Natural	7-Gauge	650 Grams	Two Sides PVC	Brick	Knit Wrist	Yes

Cotton and Canvas



VEND-PACK

An easy-loading packaging style for vending machines, now available for all glove styles from Global Glove

For more information on vend-packed items or to order gloves packaged this way, please contact your sales representative.



Hand and Arm Protection

GlobalGlove.com | 763-450-0110



Gripster® Utility Glove Clips



ZB1



Z2



ZB5



Z10



Z6

Multi-Use Utility Clip

- Dielectric/nonconductive
- Easy breakaway feature
- Wall mountable
- Sold in packs of ten

Dual Large/Large Multi-Use Utility Clip

- Dielectric/nonconductive
- Easy breakaway feature
- Sold in packs of ten
- Available in yellow/green, orange, and black

Dual Large/Small Multi-Use Utility Clip

- Dielectric/nonconductive
- Easy breakaway feature
- Sold in packs of ten
- Available in yellow/green, orange, and black

Products	Sizes	Material	Color	Belt Clip	Dual Ended	Closure	Dielectric	Nonconductive	Pack Quantity
ZB1	One Size	Nonconductive Material	High-Visibility Orange	Yes	No	Pinch Clip	Yes	Yes	10 ea
ZB2	One Size	Nonconductive Material	High-Visibility Yellow/Green	Yes	No	Pinch Clip	Yes	Yes	10 ea
Z1	One Size	Nonconductive Material	High-Visibility Orange	No	Yes	Dual-Ended	Yes	Yes	10 ea
Z2	One Size	Nonconductive Material	High-Visibility Yellow/Green	No	Yes	Dual-Ended	Yes	Yes	10 ea
ZB3	One Size	Nonconductive Material	High-Visibility Orange	Yes	No	Pinch Clip	Yes	Yes	10 ea
ZB4	One Size	Nonconductive Material	High-Visibility Yellow/Green	Yes	No	Pinch Clip	Yes	Yes	10 ea
ZB5	One Size	Nonconductive Material	Black	Yes	No	Pinch Clip	Yes	Yes	10 ea
Z9	One Size	Nonconductive Material	High-Visibility Orange	No	Yes	Pinch Clip	Yes	Yes	10 ea
Z10	One Size	Nonconductive Material	High-Visibility Yellow/Green	No	Yes	Pinch Clip	Yes	Yes	10 ea
Z11	One Size	Nonconductive Material	Black	No	Yes	Pinch Clip	Yes	Yes	10 ea
Z6	One Size	Nonconductive Material	High-Visibility Orange	No	Yes	Pinch Clip	Yes	Yes	10 ea
Z7	One Size	Nonconductive Material	High-Visibility Yellow/Green	No	Yes	Pinch Clip	Yes	Yes	10 ea
Z8	One Size	Nonconductive Material	Black	No	Yes	Pinch Clip	Yes	Yes	10 ea

Hand and Arm Protection



Sleeves



TuffKut® Cut Resistant Sleeves

TuffKut® fiber sleeves feature a revolutionary duracore spinning process and silicone reinforced fiber with exceptionally high cut resistance and impressive flexibility. Component materials meet FDA regulations for food contact.



TKHV14SL



TAK14SLT



TAK16SL



TAK18SLT



TKHV18SLT



TAK18ADJSL



TKHV19W



TAK24SLT



TAK24SLGT



*Gusseted forearm provides a wide range of motion.

Product	Material	Gauge	Length	Adjustable	Thumb Slot	ANSI Cut	EN 407 Levels
TKHV14SL	Heavyweight TuffKut®	10-Gauge	14 in.	NA	No	Level A6	X1XXXX
TAK14SLT	Heavyweight TuffKut®	10-Gauge	14 in.	NA	Yes	Level A6	X1XXXX
TAK16SL	Heavyweight TuffKut®	10-Gauge	16 in.	NA	No	Level A6	X1XXXX
TKHV18SLT	Heavyweight TuffKut®	10-Gauge	18 in.	NA	Yes	Level A6	X1XXXX
TAK18SLT	Heavyweight TuffKut®	10-Gauge	18 in.	NA	Yes	Level A6	X1XXXX
TAK18ADJSL	Heavyweight TuffKut®	10-Gauge	18 in.	Yes	No	Level A6	X1XXXX
TKHV19W	Heavyweight TuffKut®	NA	19 in.	Yes	No	Level A4	X1XXXX
TAK24SLT	Heavyweight TuffKut®	10-Gauge	24 in.	NA	Yes	Level A6	X1XXXX
TAK24SLGT	Heavyweight TuffKut®	10-Gauge	24 in.	NA	Yes	Level A6	X1XXXX

Sleeves

Tuffalene® Platinum Cut Resistant Sleeves

Our innovative Tuffalene® Platinum UHMWPE material is free from glass fibers or metal enhancements to achieve this level of cut protection.



ANSI/ISEA
105
A4
6 3

S314SLT



ANSI/SEA
105
A4
6 3

S318SLT



ANSI/SEA
105
A4
6 3

S318SL




ANSI/SEA
105
A4
6 3

S324SLT

Tuffalene® Cut Resistant Sleeves


All Tuffalene® UHMWPE sleeves comply with FDA regulations for food contact and feature AlphaSan® antimicrobial protection to help prevent and reduce bacterial growth.



ANSI/SEA
105
A6
3 3



CR336-S10



ANSI/SEA
105
A6
3 3



CR336G-S21C

Product	Material	Gauge	Length	Thumb Slot	Antimicrobial Protection	ANSI Cut	ANSI Abrasion	ANSI Puncture	EN 388 Levels
S314SLT	Tuffalene® Platinum UHMWPE	13-Gauge	14 in.	Yes	NA	Level A4	Level 6	Level 3	XXXXD
S318SLT	Tuffalene® Platinum UHMWPE	13-Gauge	18 in.	Yes	NA	Level A4	Level 6	Level 3	XXXXD
S318SL	Tuffalene® Platinum UHMWPE	13-Gauge	18 in.	No	NA	Level A4	Level 6	Level 3	XXXXD
S324SLT	Tuffalene® Platinum UHMWPE	13-Gauge	24 in.	Yes	NA	Level A4	Level 6	Level 3	XXXXD
CR336-S10	Tuffalene® UHMWPE	10-Gauge	10 in.	NA	AlphaSan®	Level A6	Level 3	Level 3	NA
CR336G-S21C	Tuffalene® UHMWPE	10-Gauge	21 in.	NA	AlphaSan®	Level A6	Level 3	Level 3	NA

Sleeves

GlobalGlove.com | 763-450-0110

Aramid Cut Resistant Sleeves

These sleeves are made with DuPont™ Kevlar® fiber.



ANSI CUT

A3



ANSI HEAT

3

K10SL
Also available with
thumb slot: K10SLT



ANSI CUT

A3



ANSI HEAT

3

K24SLT



ANSI CUT

A3



ANSI HEAT

3

K14SL



ANSI CUT

A3



ANSI HEAT

3

K14SLT



ANSI CUT

A3



ANSI HEAT

3

K16SL



ANSI CUT

A3



ANSI HEAT

3

K18FSLT

*Flared forearm provides
a more comfortable fit.



ANSI CUT

A3



ANSI HEAT

3

K18SL



ANSI CUT

A3



ANSI HEAT

3

K18SLT

Terry Cloth and Denim Sleeves



S21TC



A18D

Product	Material	Length	Thumb Slot	Flared Forearm	ANSI Cut	ANSI Conductive Heat
K10SL	Aramid	10 in.	No	No	Level A3	Level 3
K10SLT	Aramid	10 in.	Yes	No	Level A3	Level 3
K14SL	Aramid	14 in.	No	No	Level A3	Level 3
K14SLT	Aramid	14 in.	Yes	No	Level A3	Level 3
K16SL	Aramid	16 in.	No	No	Level A3	Level 3
K18FSLT	Aramid	18 in.	Yes	Yes	Level A3	Level 3
K18SL	Aramid	18 in.	No	No	Level A3	Level 3
K18SLT	Aramid	18 in.	Yes	No	Level A3	Level 3
K24SLT	Aramid	24 in.	Yes	No	Level A3	Level 3
S21TC	Terry Cloth	21 in.	NA	NA	NA	NA
A18D	Denim	18 in.	NA	NA	NA	NA

Sleeves



Head Protection

Hard Hat Guide

OSHA REQUIREMENTS

OSHA states: "Employees working in areas where there is a possible danger of head injury from impact, falling or flying objects, or from electrical shock and burns, shall be protected by protective helmets." If these hazards are present, employers must provide employees with head protection that meets ANSI standards.

Climbing style protective helmets are required if work is being performed at 30 feet or higher.

Features

SHELL

Hard hats consist of a tough shell made of either HPPE or an ABS material.

- **HPPE: HIGH PERFORMANCE POLYETHYLENE**

High-density fiber with large molecular mass and high-impact strength allows HPPE to transfer loads efficiently. It is highly resistant to strong acids, bases, and organic solvents.

- **ABS: ACRYLONITRILE BUTADIENE STYRENE**

ABS offers strong impact resistance and shock absorbency. ABS is also heat-resistant, scratch-resistant, and resists strong acids, bases, and organic solvents.


STYLES

Bullhead Safety™ offers several styles to ensure proper protection for every job.

SUSPENSIONS

Raises the hard hat 1" to 1-1/4" to create space above the head of the user.

This space allows room to absorb impact before it reaches the head.



GRIPSTER™ DOTS

Provides grip for quick and easy on and off.

ACCESSORIES

A wide variety of accessories are available for several of our hard hat styles.



ANSI/ISEA Z89.1-2014 is the standard that covers hard hats. If a hard hat meets this ANSI standard, it is also compliant with OSHA.

TWO TYPES

- TYPE I: Designed to shield workers from objects and blows that come from above.
- TYPE II: Designed to protect against lateral blows and impacts, plus impacts to the top of the head.

THREE CLASSES (summarizes electrical hazard protection)

- CLASS G: General. Offers protection up to 2,200 volts.
- CLASS E: Electrical. Offers protection up to 20,000 volts.
- CLASS C: Conductive. Not designed to provide protection against electrical conductors.

CLIMBING STYLE

- ANSI/ISEA Z89.1-2014 compliant
- Type 1, Class C
- ABS material
- Six-point ratchet suspension
- Four-point chin strap

CAP STYLE

- ANSI/ISEA Z89.1-2014 compliant
- Vented or unvented available
- Vented: Type 1, Class C
- Unvented: Type 1, Class C
- HPPE or ABS material*
- Gripster™ dots

*HH-C2-YG, HH-C2-C, and HH-C3-C are ABS material

FULL BRIM

- ANSI/ISEA Z89.1-2014 compliant
- Type 1, Class E
- HPPE or ABS material*
- Six-point ratchet suspension
- Gripster™ dots

*HH-F1-YG and HH-F1-C are ABS material

BUMP CAP

- Non-compliant
- Lightweight polyethylene
- Ventilation holes
- Four-point slide lock suspension
- Two-point chin strap

BASEBALL BUMP CAP

- Non-compliant
- ABS material inner shell
- Mesh panel ventilation
- Adjustable hook-and-loop strap

Head Protection

Climbing Helmets and Full Brim Hard Hats



HH-CH1-CB

Matte Black
Graphite



HH-CH1-YG

High-Visibility
Yellow/Green



HH-CH1-W

White



HH-CH1-Y

Yellow



HH-CH1 - Climbing Style Protective Helmet

- Ultra-lightweight, nonconductive ABS shell
- Adjustable 4-point chin strap
- Accessory slots
- Pre-assembled, pivoting 6-point suspension with adjustable ratchet and brow pad
- Fits hat sizes 6.5 to 8
- Compliance: ANSI/ISEA Z89.1-2014, Type 1, Class C
- Available in white, yellow, matte black graphite, and high-visibility yellow/green



Products

Material

Color

Suspension

Vented

ANSI Z89.1-2014

HH-CH1-CB

ABS

Matte Black Graphite

Six-Point Ratchet

No

Type 1, Class C

HH-CH1-YG

ABS

High-Visibility Yellow/Green

Six-Point Ratchet

No

Type 1, Class C

HH-CH1-W

ABS

White

Six-Point Ratchet

No

Type 1, Class C

HH-CH1-Y

ABS

Yellow

Six-Point Ratchet

No

Type 1, Class C

HH-F1-C

Matte Black
Graphite



HH-F1-W

White



HH-F1-Y

Yellow



HH-F1-YG

High-Visibility
Yellow/Green



HH-F1-B

Blue



HH-F1 - Unvented Full Brim Hard Hat

- Lightweight, low profile, and reversible
- Proprietary Gripster™ dots under brim
- Pre-assembled, pivoting 6-point suspension with brow pad, and an adjustable, padded ratchet
- Fits 2-point and 4-point chin straps
- Compliance: ANSI/ISEA Z89.1-2014, Type 1, Class E
- Available in yellow, white, matte black graphite, blue, and high-visibility yellow/green

Products

Material

Color

Suspension

Vented

ANSI Z89.1-2014

HH-F1-B

HPPE

Blue

Six-Point Ratchet

No

Type 1, Class E

HH-F1-C

ABS

Matte Black Graphite

Six-Point Ratchet

No

Type 1, Class E

HH-F1-W

HPPE

White

Six-Point Ratchet

No

Type 1, Class E

HH-F1-Y

HPPE

Yellow

Six-Point Ratchet

No

Type 1, Class E

HH-F1-YG

ABS

High-Visibility Yellow/Green

Six-Point Ratchet

No

Type 1, Class E

Head Protection

GlobalGlove.com | 763-450-0110



Cap Style Hard Hats

Bullhead Safety™
HEAD PROTECTION



HH-C1 - Unvented Cap Style with Slide Lock Suspension

- Lightweight, low profile, and reversible
- Proprietary Gripster™ dots under brim
- Accessory slots
- Fits 2-point and 4-point chin straps
- Fits hat sizes 6.5 to 8
- Compliance: ANSI/ISEA Z89.1-2014, Type 1, Class C
- Available in white, yellow, and blue

Products	Material	Color	Suspension	Vented	ANSI Z89.1-2014
HH-C1-W	HPPE	White	Six-Point Slide Lock	No	Type 1, Class C
HH-C1-Y	HPPE	Yellow	Six-Point Slide Lock	No	Type 1, Class C
HH-C1-B	HPPE	Blue	Six-Point Slide Lock	No	Type 1, Class C

HH-C3 - Vented Cap Style with Ratchet Suspension

- Lightweight, low profile, and reversible
- Proprietary Gripster™ dots under brim
- Accessory slots
- Fits 2-point and 4-point chin straps
- Fits hat sizes 6.5 to 8
- Compliance: ANSI/ISEA Z89.1-2014, Type 1, Class C
- Available in yellow, white, shiny black graphite, and blue

Products	Material	Color	Suspension	Vented	ANSI Z89.1-2014
HH-C3-Y	HPPE	Yellow	Six-Point Ratchet	Yes	Type 1, Class C
HH-C3-W	HPPE	White	Six-Point Ratchet	Yes	Type 1, Class C
HH-C3-C	ABS	Shiny Black Graphite	Six-Point Ratchet	Yes	Type 1, Class C
HH-C3-B	HPPE	Blue	Six-Point Ratchet	Yes	Type 1, Class C



HH-C2-G

Green



HH-C2 - Unvented Cap Style with Ratchet Suspension

- Lightweight, low profile, and reversible
- Proprietary Gripster™ dots under brim
- Accessory slots
- Fits 2-point and 4-point chin straps
- Fits hat sizes 6.5 to 8
- Compliance: ANSI/ISEA Z89.1-2014, Type 1, Class C
- Available in white, yellow, blue, green, black, orange, matte white graphite, high-visibility yellow/green, and red

Products	Material	Color	Suspension	Vented	ANSI Z89.1-2014
HH-C2-G	HPPE	Green	Six-Point Ratchet	No	Type 1, Class C
HH-C2-Y	HPPE	Yellow	Six-Point Ratchet	No	Type 1, Class C
HH-C2-YG	ABS	High-Visibility Yellow/Green	Six-Point Ratchet	No	Type 1, Class C
HH-C2-B	HPPE	Blue	Six-Point Ratchet	No	Type 1, Class C
HH-C2-W	HPPE	White	Six-Point Ratchet	No	Type 1, Class C
HH-C2-C	ABS	Matte White Graphite	Six-Point Ratchet	No	Type 1, Class C
HH-C2-K	HPPE	Black	Six-Point Ratchet	No	Type 1, Class C
HH-C2-O	HPPE	Orange	Six-Point Ratchet	No	Type 1, Class C
HH-C2-R	HPPE	Red	Six-Point Ratchet	No	Type 1, Class C

Head Protection

Bump Cap Style Hard Hats



HH-BC1-W

White



HH-BC1-B

Blue



HH-BC1-Y

Yellow

HH-BC1 - Vented Bump Cap With Four-Point Slide Lock Suspension

- Lightweight polyethylene shell
- Pre-assembled slide lock suspension with two-point chin strap
- Ventilation holes
- Replaceable sweatband
- Fits hat sizes 6.5 to 8
- Available in white, yellow, and blue



Products	Material	Color	Suspension	Vented	ANSI Z89.1-2014
HH-BC1-B	Polyethylene	Blue	Four-Point Slide Lock	Yes	Not Rated
HH-BC1-W	Polyethylene	White	Four-Point Slide Lock	Yes	Not Rated
HH-BC1-Y	Polyethylene	Yellow	Four-Point Slide Lock	Yes	Not Rated



HH-H1-B

Navy Blue



HH-H1-Y

High-Visibility Yellow/Green
With Black



HH-H1-K

Black

HH-H1 - Baseball Style Bump Cap

- Soft inner foam cushion
- Removable, vented inner shell
- Washable outer shell
- Designed for applications where ANSI-rated hard hats are not required
- Available in navy blue, black, and high-visibility yellow/green with black



Products	Material	Color	Suspension	Vented	ANSI Z89.1-2014
HH-H1-B	ABS Material	Navy Blue	Hook-and-Loop Strap	Yes	Not Rated
HH-H1-K	ABS Material	Black	Hook-and-Loop Strap	Yes	Not Rated
HH-H1-Y	ABS Material	High-Visibility Yellow/Green With Black	Hook-and-Loop Strap	Yes	Not Rated

Head Protection

GlobalGlove.com | 763-450-0110



Hard Hat Accessories



HH-PB - Plastic Bracket Accessories

- Accommodates a variety of face shields
- Pivoting action
- Meets ANSI Z87.1-2020 standards



HH-AB - Aluminum Bracket Accessories



- Accommodates a variety of face shields
- Pivoting action
- Meets ANSI Z87.1-2020 standards

Rechargeable LED Light Band

- 3M™ Scotchlite™ reflective
- 13 bright white LED lights
- Three patterns: Solid, steady blink, burst blink



HH-A - Replacement Parts and Chin Straps



Products	Material	Color	Style	Fits Hard Hat Style:	Adjustable	Thickness	Meets ANSI Z87.1-2020 Standards
HH-V1	Polycarbonate	Clear	Face Shield	Cap Style and Full Brim	NA	1 mm	Yes
HH-V2	Aluminized Polycarbonate	Clear	Face Shield	Cap Style and Full Brim	NA	1 mm	Yes
HH-V3	Wire Mesh	Black	Mesh Face Shield	Cap Style and Full Brim	NA	NA	Yes
HH-V4	Cylinder Polycarbonate	Clear	Face Shield	Cap Style and Full Brim	NA	2 mm	Yes
HH-V5	Toric Polycarbonate	Clear	Face Shield	Cap Style and Full Brim	NA	2 mm	Yes
HH-V6	PETG	Clear	Face Shield	Cap Style and Full Brim	NA	0.04 in	Yes
HH-V71AF	Polycarbonate	Clear Anti-Fog	Visor	Climbing Helmet	NA	2 mm	Yes
HH-V73AF	Polycarbonate	Smoke Anti-Fog	Visor	Climbing Helmet	NA	2 mm	Yes
HH-PB1	Durable Nylon	Black	Bracket Accessory	Cap Style	NA	NA	Yes
HH-PB2	Durable Nylon	Black	Bracket Accessory	Cap Style and Full Brim	NA	NA	Yes
HH-PB3	Dielectric Plastic	Black	Bracket Accessory	Climbing Helmet	NA	NA	Yes
HH-AB1	Aluminum	Silver	Bracket Accessory for Hard Hats	Cap Style	NA	NA	Yes
HH-AB2	Aluminum	Silver	Bracket Accessory for Hard Hats	Cap Style and Full Brim	NA	NA	Yes
HH-LED1	NA	Silver with White Lights	LED Light Band	Cap Style and Full Brim	Yes	NA	NA
BH-LED1	Water-Resistant	Black	Clip On LED Light	All Styles	Yes	NA	NA
HH-BG1	Durable Nylon	Black	Browguard with Adjustment	NA	Yes	NA	Yes
HH-A1	NA	Black and White	Ratchet Suspension Replacement	Cap Style and Full Brim	Yes	NA	NA
HH-A2	NA	Black	Sweatband Replacement	Cap Style and Full Brim	NA	NA	NA
HH-A3	Self-Wicking Polyester	Blue and Black	Premium Cooling Sweatband	Climbing Helmet, Full Brim, Cap Style, and Bump Cap	NA	NA	NA
HH-A4	NA	Black	Two-Point Chin Strap	Cap Style, Bump Cap, and Full Brim	Yes	NA	NA
HH-A5	NA	Black	Four-Point Chin Strap	Cap Style and Full Brim	Yes	NA	NA
HH-A6	NA	Black	Chin Strap Replacement	Climbing Helmets	Yes	NA	NA
HH-A7	Microfiber/Velvet/Foam	Black	Replacement Suspension Padding	Climbing Helmets	NA	NA	NA
HH-A8	Cotton Terry Cloth	Blue	Sweatband Replacement	Climbing Helmet, Full Brim, Cap Style, and Bump Cap	NA	NA	NA

Head Protection

Winter Liners



WL920FR



Inherently FR Flame Resistant Shoulder-Length

- Meets ASTM F1506 NFPA 70E
- 3M™ FR Thinsulate™
- Modacrylic/cotton red fleece lining
- FR modacrylic/cotton shell

Arc Rating (EBT) = 31 Cal/cm²
Heat Attenuation Factor (HAF) = 91%
NFPA 70E Arc-Flash PPE Category: 3



WL900FR



Inherently FR Flame Resistant Regular-Length

- Meets ASTM F1506 NFPA 70E
- 3M™ FR Thinsulate™
- Modacrylic/cotton red fleece lining
- FR modacrylic/cotton shell

Arc Rating (EBT) = 31 Cal/cm²
Heat Attenuation Factor (HAF) = 91%
NFPA 70E Arc-Flash PPE Category: 3



WL770FR



FR-Treated Shoulder-Length

- FR modacrylic/cotton outer shell
- Foam inner layer
- FR-Treated Red Fleece Lining
- Warming pockets over ears



WL520



Sherpa-Lined Shoulder-Length

- Quilted polyester tricot shell
- Foam insulation inner layer
- Warming pockets over ears



WL420



Economy Shoulder-Length

- Two-layer polyester shell
- Soft, red fleece lining
- Hook-and-loop chin strap



WL500



Sherpa-Lined Regular-Length

- Quilted polyester tricot shell
- Foam insulation inner layer
- Warming pockets over ears



WL400



Economy Regular-Length

- Two-layer polyester shell
- Soft, red fleece lining
- Hook-and-loop chin strap

Head Protection

GlobalGlove.com | 763-450-0110



Balaclavas

Bullhead Safety™
WINTER LINERS



WL320SE

Self-Extinguishing, Multifunctional, Hinged, Shoulder-Length Thermal Balaclava

- Soft fleece shell
- Breathable fleece/mesh mouth and nose panel
- Self-extinguishing/flame-retardant treated
- Multiple wearing configurations



High-Visibility Multifunctional, Hinged, Shoulder-Length Thermal Balaclava

- Soft fleece shell
- Breathable mesh mouth panel
- Multiple wearing configurations
- Hinged design allows balaclava to be worn in several different ways



WL310-YG



WL280FR

Inherently FR Flame-Resistant Shoulder-Length Thermal Balaclava

- FR modacrylic/cotton shell
- Meets ASTM F1506 NFPA 70E

Arc Rating (EBT) = 11 Cal/cm²
Heat Attenuation Factor (HAF) = 85%
NFPA 70E Arc Flash PPE Category: 2



WL120

Shoulder-Length Fleece Balaclava

- Soft fleece lining



WL220

Shoulder-Length Fleece Balaclava

- Soft fleece lining
- Lightweight spandex top

***DISCLAIMER:** Self Extinguishing garments are made from material that is not inherently flame retardant, but are chemically treated to become flame resistant. They are NOT designed for use in ARC flash or flash fire applications. When a flame source is removed from the treated material, the material will self-extinguish within a given time frame. The treated material can melt and drip and has a limited life span dependent on washings and what the garment is exposed to. Performance is established using the ASTM D6413 test method.

Head Protection

Neck Gaiters



WL300-YG

High-Visibility Yellow/Green Thermal Neck Gaiter

- Soft fleece shell
- Made from soft 250g/m² fleece material
- Integrated cinch strap with an adjustable cord lock



NG-401



NG-402



NG-403



Four-Way Stretch Multi-Function Neck Gaiters

- Seamless soft, breathable, cooling polyester/spandex
- Four-way ultimate stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control
- UPF 50+ protection



NG-200

NG-201

NG-203

NG-204

Two-Way Stretch Multi-Function Neck Gaiters

- Seamless soft, breathable polyester microfiber
- Two-way lateral stretch
- 10+ ways to wear
- Repels stains and moisture, quick-drying with odor control



Products	Sizes	Material	Color	Stretch	Style
NG-401	One Size	Polyester/Spandex	U.S.A. Flag Design	Four-Way Stretch	Seamless Tubular
NG-402	One Size	Polyester/Spandex	Underwater Wildlife Design	Four-Way Stretch	Seamless Tubular
NG-403	One Size	Polyester/Spandex	Joker Design	Four-Way Stretch	Seamless Tubular
WL300-YG	One Size	Soft 250g/m ² Fleece	High-Visibility Yellow/Green	NA	Thermal Neck Gaiter
NG-200	One Size	Polyester Microfiber	High-Visibility Orange	Two-Way Lateral Stretch	Seamless Tubular
NG-201	One Size	Polyester Microfiber	High-Visibility Yellow/Green	Two-Way Lateral Stretch	Seamless Tubular
NG-203	One Size	Polyester Microfiber	Orange and Black Shark and Cross Bones	Two-Way Lateral Stretch	Seamless Tubular
NG-204	One Size	Polyester Microfiber	Camouflage	Two-Way Lateral Stretch	Seamless Tubular

Head Protection

GlobalGlove.com | 763-450-0110



GLO-CV1



Evaporative Cooling Vest

- Proprietary multi-layered cooling polymers
- Silver reflective
- Mic tabs



GLO-CNS2



Evaporative Cooling Neck Shade

- Proprietary multi-layered cooling polymers
 - Contrasting high-visibility orange trim
 - Elastic band fits most hard hats
- *Hard hat not included



GLO-HB11



GLO-CT33



GLO-S1

GLO-S2

GLO-S3

GLO-S4

GLO-HB1

GLO-HB2

GLO-HB3

GLO-HB4

Cooling head shades are available in the colors below.
GLO-S1, GLO-S2, GLO-S3, and GLO-S4



RETAIL READY



Cooling headbands are available in the colors above.
GLO-HB1, GLO-HB2, GLO-HB3, and GLO-HB4

Cooling Headband/Bandana

- Reusable and safe
 - Antimicrobial treated
 - Machine washable
- Constructed with ultra-absorbent PVA material that quickly dissipates hot moisture from the body



GLO-CT44



GLO-CT2



Premium Evaporative Cooling Quilted Headband/Bandana

- Multi-layered construction dissipates moisture
- Reusable and safe

Neck Cooling Towel

- Ultra-absorbent PVA material
- 4 in x 40 in
- High-visibility yellow/green

Microfiber Cooling Towel

- Soft, absorbent microfiber
- 12 in x 40 in
- High-visibility orange

Large Cooling Towel

- Ultra-absorbent PVA material
- 16 in x 25.5 in
- Safe, reusable packaging

Products	Sizes	Fabric	Color	Antimicrobial Protection	Style
GLO-CV1	M-3XL	Three Layers	High-Visibility Yellow/Green	NA	Premium Cooling Vest
GLO-S1	One Size	Polyester/Cotton	High-Visibility Yellow/Green	Yes	Triangle Cooling Head Shade
GLO-S2	One Size	Cotton	Camouflage	Yes	Triangle Cooling Head Shade
GLO-S3	One Size	Cotton	Blue	Yes	Triangle Cooling Head Shade
GLO-S4	One Size	Cotton	Red Paisley	Yes	Triangle Cooling Head Shade
GLO-CNS2	One Size	Three Layers	High-Visibility Yellow/Green	NA	Evaporative Cooling Neck Shade
GLO-HB1	One Size	Polyester/Cotton	High-Visibility Yellow/Green	Yes	Cooling Headband/Bandana
GLO-HB2	One Size	Cotton	Camouflage	Yes	Cooling Headband/Bandana
GLO-HB3	One Size	Cotton	Blue	Yes	Cooling Headband/Bandana
GLO-HB4	One Size	Cotton	Red Paisley	Yes	Cooling Headband/Bandana
GLO-HB11	One Size	Multi-Layer Cooling Polymers	High-Visibility Yellow/Green	No	Premium Evaporative Cooling Headband/Bandana
GLO-CT33	One Size	PVA Material	High-Visibility Yellow/Green	Yes	Cooling Towel
GLO-CT44	One Size	Soft Microfiber	High-Visibility Orange	Yes	Cooling Towel
GLO-CT1	One Size	PVA Material	High-Visibility Yellow/Green	Yes	Cooling Towel
GLO-CT2	One Size	PVA Material	Blue	Yes	Cooling Towel

Cooling

Choosing The Right Hearing Protection


It is critical to use adequate hearing protection to avoid long lasting damage.



NOISE THRESHOLD
0 dB

NORMAL CONVERSATION
60 dB

ALARM CLOCK
80 dB


Limit exposure to 90 dB to 2 hours or less.

SAND BLASTING
115 dB

JET ENGINE
120 dB

TRUCK TRAFFIC
90 dB

POWER SAW
110 dB

HEARING LOSS
At 115 dB and above, hearing loss can occur within one minute of exposure.

JACK HAMMER
130 dB

LOUDEST RECOMMENDED EXPOSURE WITH PROTECTION
140 dB



Permanent hearing loss can result from extended exposure to unsafe levels of sound. This type of hearing loss is irreversible and cannot be corrected with hearing aids or other equipment. In addition to temporary or permanent hearing loss, loud noises can also create physical and psychological stress and interfere with productivity and communication.

Hearing Protection

GlobalGlove.com | 763-450-0110

103



Earmuffs

You could miss hearing important things because of hearing damage. Don't let uncomfortable earmuffs stop you. Bullhead Safety® Hearing Protection is flexible, comfortable, and safe.



HP-M3

Premium Cap-Mounted Earmuff

- Noise Reduction Rating (NRR) 22 dB
- Fits most standard slotted hard hats
- Features three multi-position pivot points
- Durable ABS cups
- Soft PVC cushions



Economy Earmuff

- Noise Rate Reduction (NRR) 23 dB
- Durable ABS cups
- Soft PVC ear cushions
- High-visibility yellow/green
- Hygiene/replacement kit - HP-M1-RK



Premium Foldable Earmuff

- Noise Reduction Rating (NRR) 23 dB
- Conveniently folds for easy storage
- Durable ABS cups
- Soft PVC ear cushions
- High-visibility yellow/green



Premium Padded Earmuff

- Noise Reduction Rating (NRR) 27 dB
- Padded band provides increased comfort
- Durable ABS cups
- Soft PVC cushions
- Hygiene/replacement kit - HP-M4-RK

Hearing Protection

Earplugs



Single-Use Foam Earplugs

- Slow rebound PU foam
- 200 pairs per dispenser box



HP-F2



Single-Use Foam Earplugs

- Blue PVC cord
- Slow rebound PU foam
- 100 pairs per dispenser box



HP-FDL1

500 pair



HP-FDS1

250 pair



Foam Earplugs Dispenser

- Includes 500 pairs
- Bracket for wall mounting
- 500 pairs refill pack - HP-FDL1-RF

Foam Earplugs Dispenser

- Includes 250 pairs
- Bracket for wall mounting
- 250 pairs refill pack - HP-FDS1-RF



Dispenser box for earplugs:
HP-S1, HP-S2, and HP-S3




Metal Detectable Silicone Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per dispenser box



Silicone Tree-Shape Earplugs

- Hypoallergenic silicone
- Low-pressure seal
- 100 pairs per dispenser box



HP-BF1

Lightweight Banded Earplugs

- Lightweight, curved band and soft, ergonomic pods
- Includes one band, two pairs of earplugs
- Reduces pressure on ear canal
- Sold in packs of ten

Hearing Protection

GlobalGlove.com | 763-450-0110

Safety Wear Icons

	Adjustable Sizing		Material - Oxford
	ANSI Class Level		Material - Ripstop
	Break-Away		Material - Self-Wicking
	Convertible		Material - Solid
	D-Ring Opening		Mic Tabs
	Flame Resistant		Number of Pockets
	Hood - Concealed		Removable Liner
	Hood - Detachable		Reversible
	Hood - Standard		Snaps Closure
	Hook & Loop Closure		Tablet Pocket
	Material - Breathable Mesh		Zipper Closure

Hearing Protection Icons

	Adjustable Fit		NRR Rating
	Corded Earplugs		Reusable Earplugs
	Disposable Earplugs		Uncorded Earplugs

FrogWear® High-Visibility



Protective Clothing



Premium Vest Styles

Going the extra mile in comfort, convenience, and class.

"Kitchen Sink" Premium Surveyors Vest

- 3M™ reflective
- Mic tabs and D-ring opening
- Contrasting trim
- Soft neoprene padded neck
- Clear name tag holder
- Two neck grommets and two lower front pocket grommets
- Three large outer tablet/map/document pockets
- Back right-side elastic spray paint can/bottle holder



GLO-088



GLO-079



Mesh Surveyors Vest

- 3M™ reflective
- Black mesh sides
- Mic tabs and D-ring opening
- Contrasting trim
- Inside tablet/map pocket
- Two lower front pocket grommets



Product	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	ANSI Class	ANSI HVSA
GLO-088	S-5XL	Solid and Mesh Polyester	High-Visibility Yellow/Green	Black	3M™ Reflective Material	8	Zipper	Class 2	Type R
GLO-079	XS-5XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	3M™ Reflective Material	6	Zipper	Class 2	Type R

FrogWear® High-Visibility

Premium Vest Styles

Premium Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Neoprene padded neck
- Reinforced closure
- Full length back pocket
- Mic tabs and D-ring opening
- Two neck grommets and two lower front pocket grommets
- Contrasting trim
- Black bottom on front
- Inside tablet/map pocket



GLO-099

Evaporative Cooling Vest

- Proprietary multi-layered cooling polymers
- Silver reflective
- Mic tabs



GLO-CV1

Mesh Surveyors Vest

- 3M™ reflective
- Reflective piping on edges
- Mic tabs and D-ring opening
- Clear name tag holder
- Contrasting trim
- Two neck grommets and two lower front pocket grommets



GLO-067

Enhanced Visibility Surveyors Vest

- 3M™ reflective
- Reflective piping on edges
- Mic tabs and D-ring opening
- Clear name tag holder
- Contrasting trim
- Two neck grommets and two lower front pocket grommets



GLO-067B



GLO-067K

Product	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	ANSI Class	ANSI HVSA
GLO-099	M-6XL	Solid and Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	3M™ Reflective Material	9	Zipper	Class 2	Type R
GLO-CV1	M-3XL	Three Layers	High-Visibility Yellow/Green	NA	Silver	NA	Zipper	Class 2	Type R
GLO-067	M-5XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	3M™ Reflective Material	6	Zipper	Class 2	Type R
GLO-067B	S-4XL	Mesh Polyester	Blue	High-Visibility Yellow/Green	3M™ Reflective Material	6	Zipper	Non-Compliant	Non-Compliant
GLO-067K	S-4XL	Mesh Polyester	Black	High-Visibility Yellow/Green	3M™ Reflective Material	6	Zipper	Non-Compliant	Non-Compliant

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110

109



Illuminated Safety Vests for Enhanced Night Visibility

These FrogWear® Safety Vests are equipped with LED lights or photoluminescent trim to keep you safe and visible, even in the dark. LED lights feature a variety of light pattern options and battery or USB charging options and photoluminescent trim glows in the dark after exposure to light. These vests ensure workers won't be missed in low light conditions.

LED Mesh Surveyors Vest

- Front LED lights - white
- Back LED lights - red
- LED lights have three light patterns
- 60 hr continuous battery life
- Powered by three AA batteries or portable USB charger*
- Mic tabs and D-ring opening
- Contrasting trim
- Two neck grommets and two lower front pocket grommets
- Inside tablet/map pocket



GLO-315LED

LED Mesh Surveyors Vest

- Front LED lights - white
- Back LED lights - red
- LED lights have three light patterns
- 60 hr continuous battery life
- Powered by three AA batteries or portable USB charger*
- Mic tabs and D-ring opening
- Contrasting trim
- Two neck grommets and two lower front pocket grommets
- Inside tablet/map pocket



GLO-15LED

Mesh LED Vest

- Prismatic ORALITE® Reflective
- Three LED light patterns
- 24 hr continuous battery life
- Powered by two AA batteries*
- Contrasting trim



GLO-12LED

Photoluminescent Mesh Vest

- Photoluminescent trim glows in the dark
- Silver reflective
- Contrasting trim
- Mic tabs and D-ring opening
- Two neck grommets and two lower front pocket grommets



GLO-077

Product	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	ANSI Class	ANSI HVSA
GLO-315LED	M-5XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	7	Zipper	Class 3	Type R
GLO-15LED	M-5XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	7	Zipper	Class 2	Type R
GLO-12LED	M-3XL, 6XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	ORALITE® Reflective Material	2	Zipper	Class 3	Type R
GLO-077	M-7XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	6	Zipper	Class 2	Type R

FrogWear® High-Visibility

Surveyor Style Vests

Plenty of pockets and features - the style isn't just for surveyors.



GLO-058

Mesh Surveyors Vest

- 3M™ reflective
- Mic tabs and D-ring opening
- Neck grommets
- Full length back tablet pocket
- Available in orange and yellow/green



GLO-059



GLO-0037



GLO-0047

Solid and Mesh Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Mic tabs and D-ring opening
- Contrasting trim
- Phone closure
- Available in orange, yellow/green, and yellow/green women's fit



GLO-0045



GLO-0035




GLO-003



GLO-004

Mesh Surveyors Vest

- Mic tabs
- Contrasting trim
- Available in ANSI Class 2 orange, yellow/green, and red, and enhanced visibility pink



GLO-0055

GLO-0066

Solid and Mesh Surveyors Vest

- 3M™ reflective
- Solid front and mesh back
- Contrasting trim
- Available in orange and yellow/green



Product	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	Class	HVSA
GLO-059	M-4XL	Mesh Polyester	HV Yellow/Green	NA	3M™ Reflective Material	8	Heavy Duty Snaps	Class 2	Type R
GLO-058	M-3XL	Mesh Polyester	HV Orange	NA	3M™ Reflective Material	8	Heavy Duty Snaps	Class 2	Type R
GLO-0047	M-4XL	Solid and Mesh Polyester	HV Orange	HV Yellow/Green	3M™ Reflective Material	6	Zipper	Class 2	Type R
GLO-0037	S-5XL	Solid and Mesh Polyester	HV Yellow/Green	HV Orange	3M™ Reflective Material	6	Zipper	Class 2	Type R
GLO-W0037	S-L	Solid and Mesh Polyester	HV Yellow/Green	HV Orange	3M™ Reflective Material	6	Zipper	Class 2	Type R
GLO-0035	XS-7XL	Mesh Polyester	HV Yellow/Green	HV Orange	Silver	6	Zipper	Class 2	Type R
GLO-0045	S-7XL	Mesh Polyester	HV Orange	HV Yellow/Green	Silver	6	Zipper	Class 2	Type R
GLO-0055	M-3XL, 6XL	Mesh Polyester	HV Red	HV Yellow/Green	Silver	6	Zipper	Class 2	Type R
GLO-0066	S-3XL, 6XL	Mesh Polyester	Pink	Black	Silver	6	Zipper	NA	NA
GLO-004	M-5XL	Solid and Mesh Polyester	HV Orange	HV Yellow/Green	3M™ Reflective Material	4	Zipper	Class 2	Type R
GLO-003	S-5XL	Solid and Mesh Polyester	HV Yellow/Green	HV Orange	3M™ Reflective Material	4	Zipper	Class 2	Type R

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



ANSI/ISEA Class 3 Vests

Vests with 360° high-visibility. You can't miss them.



GLO-011



Mesh Vest

- Silver reflective
- Mic tabs



GLO-011FR



Self-Extinguishing Mesh Vest

- Silver reflective
- Mic tabs
- Self-extinguishing as defined by ASTM D6413*



GLO-025FR



Flame-Resistant Surveyors Vest

- Anti-static modacrylic mesh
 - FR silver reflective, zipper, and mic tabs
 - US Patent 9,765,453 B2
- Tested to ASTM F1506
Arc Rating (ATPV) = 5.1 Cal/cm²
NFPA 70E Arc Flash PPE Category: 1



GLO-0135

Mesh Surveyors Vest

- Silver reflective
- Mic tabs
- Contrasting trim
- Available in yellow/green and orange



GLO-0145

Solid and Mesh Vest

- 3M™ reflective
- Mic tabs and D-ring opening
- Contrasting trim
- Available in orange and yellow/green



GLO-147



GLO-127

Product	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	Class	HVSA
GLO-011	M-5XL	Mesh Polyester	High-Visibility Yellow/Green	NA	Silver	3	Zipper	Class 3	Type R
GLO-011FR	M-5XL	Mesh Polyester	High-Visibility Yellow/Green	NA	Silver	3	Zipper	Class 3	Type R
GLO-025FR	S-4XL	Mesh Modacrylic/Cotton	High-Visibility Yellow/Green	NA	Silver FR Material	4	FR Zipper	Class 3	Type R
GLO-0135	S-7XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	6	Zipper	Class 3	Type R
GLO-0145	S-5XL	Mesh Polyester	High-Visibility Orange	High-Visibility Yellow/Green	Silver	6	Zipper	Class 3	Type R
GLO-147	M-5XL	Mesh and Solid Polyester	High-Visibility Orange	High-Visibility Yellow/Green	3M™ Reflective Material	6	Zipper	Class 3	Type R
GLO-127	S-6XL	Mesh and Solid Polyester	High-Visibility Yellow/Green	High-Visibility Orange	3M™ Reflective Material	6	Zipper	Class 3	Type R

*DISCLAIMER: Self Extinguishing garments are made from material that is not inherently flame retardant, but are chemically treated to become flame resistant. They are NOT designed for use in ARC flash or flash fire applications. When a flame source is removed from the treated material, the material will self-extinguish within a given time frame. The treated material can melt and drip and has a limited life span dependent on washings and what the garment is exposed to. Performance is established using the ASTM D6413 test method.

FrogWear® High-Visibility

ANSI Class 2 Vests

Breakaway, adjustable and more. The right vest for the right job is here.



Mesh Breakaway Vest

- 3M™ reflective
- 5-point breakaway
- Contrasting trim



GLO-002BA

Flame-Resistant Surveyors Vest

- Anti-static modacrylic mesh
- FR silver reflective, zipper, and mic tabs
- D-ring opening
- US Patent 9,765,453 B2



Tested to ASTM F1506
Arc Rating (ATPV) = 5.1 Cal/cm²
NFPA 70E Arc Flash PPE Category: 1



GLO-022FR



GLO-019



GLO-049

Mesh Vest

- 3M™ reflective
- Solid black bottom front
- X-back design



GLO-002ADJ



GLO-005ADJ

Mesh Adjustable Vest

- 3M™ Scotchlite™ reflective
- Adjustable sides
- Mic tabs and D-ring opening
- Contrasting trim
- Available in yellow/green and orange



Product	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	ANSI Class	ANSI HVSA
GLO-002BA	S/M, L/XL, 2XL/3XL	Mesh Polyester	HV Yellow/Green	HV Orange	3M™ Reflective Material	2	Hook-and-Loop	Class 2	Type R
GLO-022FR	S-4XL	Mesh Modacrylic/Cotton	HV Yellow/Green	NA	FR Silver Reflective	4	FR Zipper	Class 2	Type R
GLO-049	M-3XL, 6XL	Mesh/Solid Polyester	HV Orange	NA	3M™ Reflective Material	6	Zipper	Class 2	Type R
GLO-019	M-3XL, 6XL	Mesh/Solid Polyester	HV Yellow/Green	NA	3M™ Reflective Material	6	Zipper	Class 2	Type R
GLO-005ADJ	M-XL, 2XL-4XL	Mesh Polyester	HV Orange	HV Yellow/Green	3M™ Scotchlite™	6	Zipper	Class 2	Type R
GLO-002ADJ	M-XL, 2XL-4XL	Mesh Polyester	HV Yellow/Green	HV Orange	3M™ Scotchlite™	6	Zipper	Class 2	Type R

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



Economy Class 2 Vests

Proving that you don't have to break the bank to get the job done right.



GLO-020



Safety Vest with Camouflage Bottom

- Mic tabs
- Solid camouflage bottom



GLO-001



Mesh Vest

- Available in yellow/green, orange, and yellow/green with hook-and-loop closure (GLO-001V)



GLO-006V



Mesh Hook-and-Loop Vest

- Available in yellow/green and orange



GLO-0036



Mesh Vest with Black Bottom Front

- Mic tabs
- Contrasting trim



GLO-002



Mesh Vest with Contrasting Trim

- Contrasting HV orange trim



GLO-002V



Mesh Hook-and-Loop Vest with Contrasting Trim

- Contrasting HV orange trim

Products	Sizes	Fabric	Color	Contrasting Color	Reflective	Pockets	Closure	Class	HVSA
GLO-020	M-3XL, 6XL	Mesh and Solid Polyester	High-Visibility Yellow/Green, Camouflage	NA	Silver	3	Zipper	Class 2	Type R
GLO-001	XS-5XL	Mesh Polyester	High-Visibility Yellow/Green	NA	Silver	2	Zipper	Class 2	Type R
GLO-001V	S/M, L/XL, 2XL/3XL, 4XL/5XL, 6XL/7XL	Mesh Polyester	High-Visibility Yellow/Green	NA	Silver	2	Hook-and-Loop	Class 2	Type R
GLO-006	S-3XL	Mesh Polyester	High-Visibility Orange	NA	Silver	2	Zipper	Class 2	Type R
GLO-006V	S-5XL	Mesh Polyester	High-Visibility Orange	NA	Silver	No	Hook-and-Loop	Class 2	Type R
GLO-001VE	S-7XL	Mesh Polyester	High-Visibility Yellow/Green	NA	Silver	No	Hook-and-Loop	Class 2	Type R
GLO-0036	S-5XL	Mesh and Solid Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	6	Zipper	Class 2	Type R
GLO-002	XS-6XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	2	Zipper	Class 2	Type R
GLO-002V	S/M, L/XL, 2XL/3XL, 4XL/5XL	Mesh Polyester	High-Visibility Yellow/Green	High-Visibility Orange	Silver	2	Hook-and-Loop	Class 2	Type R

FrogWear® High-Visibility



GLO-011BA



5-Point Breakaway Mesh Vest



GLO-01BA



5-Point Breakaway Mesh Vest



GLO-270

GLO-271



Lightweight Mesh Vest



GLO-10-G-1IN

GLO-10-O-1IN



GLO-10-2IN

GLO-10-G-2IN

Economy Mesh Vest with 2-Inch Reflective



GLO-10-YG

GLO-10-O



Economy Mesh Vest

Product	Sizes	Fabric	Color	Reflective	Pockets	Side Straps	Closure	Class	HVSA
GLO-011BA	M-5XL	Mesh Polyester	High-Visibility Yellow/Green	Silver	2	NA	Hook-and-Loop	Class 3	Type R
GLO-01BA	S-7XL	Mesh Polyester	High-Visibility Yellow/Green	Silver	2	NA	Hook-and-Loop	Class 2	Type R
GLO-270	S-4XL	Mesh Polyester	High-Visibility Orange	Silver	6	NA	Zipper	Class 2	Type R
GLO-271	S-5XL	Mesh Polyester	High-Visibility Yellow/Green	Silver	6	NA	Zipper	Class 2	Type R
GLO-10-G-1IN	One Size	Mesh Polyester	High-Visibility Yellow/Green	1-inch Silver Plastic	NA	Elastic	Hook-and-Loop	NA	NA
GLO-10-O-1IN	L-XL	Mesh Polyester	High-Visibility Orange	1-inch Yellow	NA	Elastic	Hook-and-Loop	NA	NA
GLO-10-2IN	S, L	Mesh Polyester	High-Visibility Orange	2-inch Yellow	NA	Elastic	Hook-and-Loop	NA	NA
GLO-10-G-2IN	One Size	Mesh Polyester	High-Visibility Yellow/Green	2-inch Silver Plastic	NA	Elastic	Hook-and-Loop	NA	NA
GLO-10-YG	One Size	Mesh Polyester	High-Visibility Yellow/Green	None	NA	Elastic	Hook-and-Loop	NA	NA
GLO-10-O	One Size	Mesh Polyester	High-Visibility Orange	None	NA	Elastic	Hook-and-Loop	NA	NA

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



FrogWear® High-Visibility Shirts

Leave the bulky vests and jackets behind. Get seen in performance wear that is impossible to miss.



GLO-005B
back view



GLO-007B



Short-Sleeved Shirt with Black Bottom Front



GLO-217



Self-Wicking Bamboo Shirt



GLO-202



Athletic-Type Sleeveless Shirt



GLO-200



Short-Sleeved Non-Reflective Shirt



GLO-205



Athletic-Type Stretch Shirt



GLO-008LS



Long-Sleeved Shirt



GLO-225LS



Long-Sleeved Athletic-Type Shirt

Product	Sizes	Fabric	Color	Reflective	Mesh Areas	Pockets	Tag Style	ANSI Class	ANSI HVSA
GLO-007B	S-5XL, XLT-2XLT	Birdseye Mesh Polyester	HV Yellow/Green	Silver	NA	1	Heat Stamp	Class 2	Type R
GLO-005B	S-5XL	Birdseye Mesh Polyester	HV Orange	Silver	NA	1	Heat Stamp	Class 2	Type R
GLO-217	S-5XL	Self-Wicking Birdseye Bamboo/Polyester	HV Yellow/Green	Segmented Silver	NA	1	Heat Stamp	Class 3	Type R
GLO-202	M-4XL	Self-Wicking Microfiber	HV Yellow/Green	Silver	Shoulders and Sides	1	Heat Stamp	Class 2	Type R
GLO-200	S-3XL, 6XL	Self-Wicking Polyester/Spandex Microfiber	HV Yellow/Green	None	Sides/Top of Back	NA	Heat Stamp	NA	NA
GLO-205	S-7XL	Self-Wicking Polyester/Spandex Microfiber	HV Yellow/Green	Segmented Silver	Sides/Top of Back	NA	Heat Stamp	Class 3	Type R
GLO-008LS	M-4XL	Self-Wicking Polyester	HV Yellow/Green	3M™ Scotchlite™	NA	1	Heat Stamp	Class 3	Type R
GLO-225LS	M-5XL	Self-Wicking Polyester/Spandex Microfiber	HV Yellow/Green	Segmented Silver	Sides and Under Arms	NA	Heat Stamp	Class 3	Type R

FrogWear® High-Visibility

FrogWear® High-Visibility Pants and Gaiters

Keeping you cool or warm and dry - your Class E needs are met here.
When worn with a Class 2 garment, the overall classification becomes ANSI Class 3.



Mesh and Solid Pants

- 3M™ reflective
- Solid waterproof leg cuff
- Elastic waist and leg cuffs
- Zippered leg cuff
- Cargo pocket
- Easy side pocket access
- Adjustable sides
- Contrasting trim
- Reflective piping
- Available in yellow/green and orange



GLO-99P



GLO-88P

Mesh Pants

- 3M™ reflective
- Adjustable waist
- Adjustable ankle cuffs
- Rear pocket
- Easy side pocket access
- Contrasting trim
- Available in yellow/green and orange



GLO-4P



GLO-2P

Mesh Leg Gaiters

- 3M™ reflective
- Black bottom
- Zipper closure
- Hook-and-loop cuffs
- Contrasting trim
- Available in yellow/green and orange



GLO-G1

GLO-G2



Waterproof Gaiters

- 3M™ reflective
- Black bottom
- Storm flap on sides
- Zipper closure
- Elastic top cuff
- Contrasting trim



GLO-G3



Product	Sizes	Fabric	Color	Reflective	Pockets	Closure	ANSI Class
GLO-88P	S/M, L/XL, 2XL/3XL, 4XL/5XL, 6XL/7XL	Mesh Polyester	High-Visibility Yellow/Green	3M™ Reflective Material	1	Elastic, Snaps, Fly	Class E
GLO-99P	S/M, L/XL, 2XL/3XL, 4XL/5XL	Mesh Polyester	High-Visibility Orange	3M™ Reflective Material	1	Elastic, Snaps, Fly	Class E
GLO-4P	S/M, L/XL, 2XL/3XL	Mesh Polyester	High-Visibility Orange	3M™ Reflective Material	1	Drawstring	Class E
GLO-2P	S/M, L/XL, 2XL/3XL, 4XL/5XL	Mesh Polyester	High-Visibility Yellow/Green	3M™ Reflective Material	1	Drawstring	Class E
GLO-G1	One Size	Lightweight Mesh Polyester	High-Visibility Yellow/Green	3M™ Reflective Material	NA	Zipper and Buttons	Class E
GLO-G2	One Size	Lightweight Mesh Polyester	High-Visibility Orange	3M™ Reflective Material	NA	Zipper and Buttons	Class E
GLO-G3	One Size	300D Oxford Polyester	High-Visibility Yellow/Green	3M™ Reflective Material	NA	Zipper and Buttons	Class E

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



FrogWear® High-Visibility Outerwear

8-In-1 Winter Bomber

This 8-in-1 bomber jacket features a high-visibility fleece shell and removable sleeves. The different combinations include two ANSI Class 2 vest styles and a hood that attaches to any combination.

8-In-1 Winter Bomber

- 3M™ reflective
- Clear name tag holder
- Mic tabs
- Removable sleeves
- Removable inner fleece liner
- Hood snaps (inner and outer)
- Smooth inner sleeves
- 300D oxford PU-coated shell
- Black knit cuff



GLO-B2



GLO-V1



Reversible Insulated Vest

- 150D oxford PU-coated shell
- 80 grams of insulation
- Black bottom in front

3-In-1 Winter Parka

- 300D oxford PU-coated shell
- Silver reflective
- Removable inner fleece liner
- Smooth inner sleeves
- Mic tabs and D-ring opening



GLO-P3

3-In-1 Winter Parka

This 3-in-1 winter parka features an outer jacket that is PU coated polyester with silver reflective, D-ring opening and mic tabs, mesh interior, concealed hood, and 7 pockets. The 250g/m² polyester fleece black inner jacket liner features a D-ring opening, lined sleeves, and 3 zipper pockets.



Product	Sizes	Fabric	Liner	Reflective	Hood	Closure	Pockets	ANSI Class	ANSI HVSA
GLO-B2	M-5XL, XLT-2XLT	300D Oxford Polyester	Heavy Fleece	3M™ Reflective Material	Detachable	Zipper and Snaps	8	Class 3	Type R
GLO-V1	M-5XL	150D Oxford Polyester	80g 190T Polyester	Silver	NA	Zipper	4	Class 2	Type R
GLO-P3	M-5XL	300D Oxford Polyester	Heavy Fleece	Silver	Concealed	Zipper and Snaps	10	Class 3	Type R

FrogWear® High-Visibility

FrogWear® High-Visibility Outerwear



Winter Parka

- 300D oxford PU-coated shell
- Heavy fleece lining
- Black bottom, cuffs
- Clear name tag holder



Winter Bomber

- 300D oxford PU-coated shell
- Quilted interior
- Black bottom front
- Clear name tag holder
- Available in yellow/green and orange



Sherpa-Lined Softshell Jacket

- Semi-segmented silver reflective



Softshell Jacket



Premium Windbreaker



Hooded Sweatshirt



Product	Sizes	Fabric	Liner	Black Areas	Reflective	Pockets	Closure	Hood	ANSI Class	ANSI HVSA
GLO-P1	M-5XL	300D Oxford Polyester	Polyester Fleece	Bottom, Cuffs, and Interior	3M™ Reflective Material	9	Zipper and Snaps	Concealed with Storage Pocket	Class 3	Type R
GLO-EB1	M-5XL	300D Oxford Polyester	Quilted Polyester	Front Bottom, Cuffs, and Interior	3M™ Reflective Material	8	Zipper and Snaps	Detachable with Drawstring	Class 3	Type R
GLO-EB4	M-5XL	300D Oxford Polyester	Quilted Polyester	Front Bottom, Cuffs, and Interior	3M™ Reflective Material	8	Zipper and Snaps	Yes	Class 3	Type R
EV-SJ1	S-4XL, XLT-2XL	300D Oxford Riptstop Polyester	Sherpa	Inside and Outside	Silver Segmented	6	Zipper	NA	Class 1	Type O
GLO-SJ1	M-5XL	150D Oxford Riptstop Polyester	Fleece	Front Bottom, Collar, Cuffs	Silver	6	Zipper	NA	Class 3	Type R
GLO-WB1	M-3XL, 6XL	Solid Polyester Pongee	Fleece	Bottom, Sleeve Ends, Shoulders	3M™ Reflective Material	3	Zipper	NA	Class 3	Type R
GLO-HS2	S-7XL	Solid Polyester	Anti-Pilling Fleece	Front Bottom, Cuffs	Silver	2	Zipper	Attached	Class 3	Type R

FrogWear® High-Visibility

GlobalGlove.com | 763-450-0110



FrogWear® High-Visibility Rainwear

FrogWear® Rainwear allows you to face the elements with full protection and full confidence.



GLO-8000



GLO-850

High-Visibility Rain Poncho

- PVC-coated polyester shell
- Fully taped seams
- Attached drawstring hood
- Plastic button side snaps



3-In-1 High-Visibility Rain Suit

- PVC-coated 170T polyester
- Vented cape back
- Corduroy collar
- Adjustable bibs straps
- Heavy duty bib straps buckle



GLO-1400



GLO-1450



GLO-1700



HV Self-Extinguishing Rain Jacket

- Self-extinguishing as defined by ASTM D6413*
- PU-coated to repel liquids
- Vented cape back
- Elastic wrists and inner sleeves
- Nonconductive

HV Self-Extinguishing Duster Jacket

- Self-extinguishing as defined by ASTM D6413*
- PU-coated to repel liquids
- Vented cape back
- Elastic wrists and inner sleeves
- 45-47 inches in length
- Nonconductive

HV Self-Extinguishing Rain Bibs

- Self-extinguishing as defined by ASTM D6413*
- PU-coated to repel liquids
- Elastic shoulder straps
- Hook-and-loop ankle
- Nonconductive

Product	Sizes	Fabric	Reflective	Hood	Pockets	Closure	ANSI Class	ANSI HVSA
GLO-8000	S-5XL	0.18 mm PVC-Coated 170T Polyester	3M™ Reflective Material	Detachable	2	Zipper and Snaps	Class 3	Type R
GLO-850	One Size	0.18 mm PVC-Coated 170T Polyester	Silver Reflective	Drawstring with Flexible Wire Brim	1	Button Snaps on Sides	Class 3	Type R
GLO-1400	S-5XL	150D Oxford Polyester Coated with 0.18 mm PU	3M™ Reflective Material	Concealed	1	Snaps	Class 3	Type R
GLO-1450	M-4XL	150D Oxford Polyester Coated with 0.18 mm PU	3M™ Reflective Material	Concealed	1	Zipper and Snaps	Class 3	Type R
GLO-1700	S-5XL	150D Oxford Polyester Coated with 0.18 mm PU	3M™ Reflective Material	NA	1	Snap on Fly	Class E	NA

*DISCLAIMER: Self Extinguishing garments are made from material that is not inherently flame retardant, but are chemically treated to become flame resistant. They are NOT designed for use in ARC flash or flash fire applications. When a flame source is removed from the treated material, the material will self-extinguish within a given time frame. The treated material can melt and drip and has a limited life span dependent on washings and what the garment is exposed to. Performance is established using the ASTM D6413 test method.

Rainwear



R6400



3-In-1 Premium Rain Suit

- Mesh interior
- Yellow trim
- Elastic drawstring waist
- Easy side pocket access
- 0.18 mm PVC-coated 190T nylon
- Sizes: S-5XL



R8900



3-In-1 Rain Suit

- 0.35 mm PVC/polyester
- Fits over work clothes
- Wrist, ankle snaps
- Three back vents
- Sizes: S-8XL



RYP810



RCP810



RCB89



RSP810



PVC Rain Poncho

- 0.10 mm single-ply PVC
- Available in yellow or clear

PVC Raincoat

- 0.35 mm PVC/polyester
- 49-inches long
- Clear name tag holder
- Sizes: M-8XL

3-In-1 Rain Suit

- 0.10 mm single-ply PVC
- Jacket, hood
- Elastic waist pants
- Sizes: S-3XL, 6XL

Rainwear

GlobalGlove.com | 763-450-0110

121



FrogWear® Enhanced Visibility

Whether it's style, shade, or warmth you need, we've got you covered.



Removable Hard Hat Sun Shade

- Silver reflective
- Contrasting high-visibility orange trim
- Fits cap style and full brim hard hats



HV Yellow/Green Mesh Neck Shade

- 3M™ Scotchlite™ reflective
- Elastic band fits most hard hats
- High-visibility orange trim



Evaporative Cooling Neck Shade

- Proprietary multi-layered cooling polymers
- Contrasting high-visibility orange trim
- Elastic band fits most hard hats



Lightweight High-Visibility Elastic Traffic Safety Sash

- Elastic and polyester material
- Silver reflective
- X-back design
- Adjustable waist and chest



Steering Wheel Lockout Cover

- 24-inch stretched diameter
- Elastic backside allows adjustability



Seat Belt Cover

- Solid polyester
- Silver reflective
- Adjustable hook-and-loop closure



Ranger/Safari Hat

- Wide brim
- Solid back sun shade
- Drawstring hat
- Mesh sides



Baseball Cap

- Reflective stripes
- Mesh back
- Adjustable hook-and-loop back closure



Beanie Hat

- GLO-H3 - Reflective stripe



Ranger/Safari Hat

- Reflective stripe
- Vented mesh panels
- Drawstring neck strap

FrogWear® High-Visibility



A17001

Denim Apron

- 36-inches long
- 28-inches wide
- 14 oz denim



A6VB

Disposable Bib Style Vinyl Apron

- 50-inches long
- 33-inches wide
- Blue 6-mil textured vinyl
- Die-cut pattern includes waist ties and neck loop



A10TN

Bib Style Cotton/Polyester Apron

- 36-inches long
- 28-inches wide
- 10-ounce cotton/polyester twill
- Chest pocket with divider



A44G

Industrial Aqua Green PVC Apron

- Bib style with long adjustable ties
- 18 mil thickness
- 33-inches wide
- 44-inches long
- Durable sealed grommets



A355Y

PVC/Polyester Apron

- 0.35 mm PVC/polyester material
- 50-inches long
- 35-inches wide



A48Y

Nitrile Apron

- 48-inches long
- Long yoke neck
- Snaps on neck strap

Aprons

GlobalGlove.com | 763-450-0110

123



Non-Woven Disposable Clothing



Premium Self-Extinguishing Coveralls with Collar

- Blue 65-gram self-extinguishing spunlace
- Self-extinguishing as defined by ASTM D6413*
- Zipper front with storm flap
- Meets ANSI/ISEA 101-2014 sizing standards
- Packaged: 25 pieces/case



NW-COV800FR



Premium Self-Extinguishing Coveralls with Hood

- Blue 65-gram self-extinguishing spunlace
- Self-extinguishing as defined by ASTM D6413*
- Zipper front with storm flap
- Meets ANSI/ISEA 101-2014 sizing standards
- Packaged: 25 pieces/case



NW-COV80FR



NW-COV63



Microporous PE Film Laminated Coverall with Hood

- Breathable white 55 gram microporous PE film-laminated material
- 60% polypropylene 40% polyethylene
- Outer layer: PE-coated for light splash
- Not made with natural rubber latex
- Zipper front with storm flap
- Excellent outer abrasion resistance
- Packaged: 25 pieces/case



NW-COV630



Microporous PE Film Laminated Coverall with Collar

- Breathable white 55 gram microporous PE film-laminated material
- 60% polypropylene 40% polyethylene
- Outer layer: PE-coated for light splash
- Not made with natural rubber latex
- Zipper front with storm flap
- Excellent outer abrasion resistance
- Packaged: 25 pieces/case



Disposable Non-Woven Coveralls with Collar

- White three-layer SMS material
- Zipper front with storm flap
- Excellent for dust and particulate protection
- Packaged: 25 pieces/case



NW-SMS330COV



SMS Coverall with Hood

- White three-layer SMS material
- Zipper front with storm flap
- Excellent for dust and particulate protection
- Packaged: 25 pieces/case

NW-SMS300COV

Products	Sizes	Fabric	Weight	Elastic Areas	Closure	EN 13982 Type 5	EN 13034 Type 6
NW-COV800FR	M-5XL	Self-Extinguishing Flame-Retardant Spunlace	65 Grams	Waist and Wrists	Zipper	NA	NA
NW-COV80FR	S-5XL	Self-Extinguishing Flame-Retardant Spunlace	65 Grams	Hood, Ankles, Waist, and Wrists	Zipper	NA	NA
NW-COV63	S-5XL	Microporous PE Film Laminated	55 Grams	Hood, Ankles, Waist, and Wrists	Zipper	Meets	Meets
NW-COV630	M-5XL	Microporous PE Film Laminated	55 Grams	Ankles, Waist, and Wrists	Zipper	Meets	Meets
NW-SMS330COV	M-4XL	Spunbond Melblown Spunbond (SMS)	55 Grams	Ankles, Waist, and Wrists	Zipper	Meets	Meets
NW-SMS300COV	S-5XL	Spunbond Melblown Spunbond (SMS)	55 Grams	Hood, Ankles, Waist, and Wrists	Zipper	Meets	Meets

***DISCLAIMER:** Self Extinguishing garments are made from material that is not inherently flame retardant, but are chemically treated to become flame resistant. They are NOT designed for use in ARC flash or flash fire applications. When a flame source is removed from the treated material, the material will self-extinguish within a given time frame. The treated material can melt and drip and has a limited life span dependent on washings and what the garment is exposed to. Performance is established using the ASTM D6413 test method.

Disposable Clothing



Disposable Beard Cover NW-PPBR18-W

- 10-gram polypropylene material
- 18 in x 9 in with 9 in elastic strap
- Elastic is not made with natural rubber latex
- Available in white and blue
- Packaged: 1,000 pieces/case



NW-PPCOV

Lightweight Polypropylene Coverall with Collar

- White 25 gram polypropylene material
- Optimal breathability and comfort
- Elastic on the ankles and wrists
- Serged seams
- Packaged: 25 pieces/case



Disposable Bouffant Cap NW-PPB24-B

- 10-gram polypropylene material
- 24 inches in length
- Elastic is not made with natural rubber latex
- Available in white and blue
- Packaged: 1,000 pieces/case



NW-M2

Disposable Face Mask

- Three-layer polypropylene material with enhanced filtration
- Bi-directional pleats, adjustable nose bridge, elastic ear straps
- Not for medical use
- Packaged: 50 masks/box and 40 boxes/case
- Sold by the case



White Disposable Hood NW-PPBBR-W

- 17-gram polypropylene material
- Extra-long shoulder length design
- Elastic is not made with natural rubber latex
- Packaged: 1,000 pieces/case



NW-KN95



NW-SL63

Microporous PE Film Laminated Sleeve

- 16-inches long
- Elastic at both ends
- Packaged: 300 pieces/case



NW-SC63

Disposable Filtration Face Mask

- Three-layer polypropylene material plus enhanced filtration
- Adjustable nose bridge, elastic ear loop straps
- 1,000 pieces per case
- Sold by the case



NW-PPSC

Non-Skid Shoe Cover

- Blue non-skid bottom
- Lightweight construction
- 42 cm x 16.5 cm
- Packaged: 1,000 pieces/case

Microporous PE Film Laminated Shoe Cover

- Elastic top opening
- Dimensions for the standard size: 42 cm x 17 cm
- Dimensions for the 3XL: 44.5 cm x 17 cm
- Packaged: 500 pieces/case

Products	Sizes	Fabric	Color	Style	Weight	Grade	FDA Food Contact
NW-PPBR18-W	One Size	Polypropylene	White	Non-Woven Beard Cover	10 Grams	Industrial	Compliant
NW-PPBR18-B	One Size	Polypropylene	Blue	Non-Woven Beard Cover	10 Grams	Industrial	Compliant
NW-PPB24-B	One Size	Polypropylene	Blue	Non-Woven Bouffant	10 Grams	Industrial	Compliant
NW-PPB24-W	One Size	Polypropylene	White	Non-Woven Bouffant	10 Grams	Industrial	Compliant
NW-PPBBR-W	One Size	Polypropylene	White	Non-Woven Balaclava Hood	17 Grams	Industrial	Compliant
NW-PPCOV	S-4XL	Polypropylene	White	Non-Woven Coverall	25 Grams	Economy	NA
NW-KN95	One Size	Three Layers of Polypropylene, One Layer of Filtration	White	Disposable Face Mask	NA	Industrial	NA
NW-M2	One Size	3 Layers of Polypropylene	Black, White	Disposable Face Mask	NA	Industrial	Compliant
NW-SL63	One Size	Microporous PE Film Laminated Material	White	Non-Woven Sleeve	55 Grams	Premium	NA
NW-SC63	Standard and 3XL	Microporous PE Film Laminated Material	White	Non-Woven Shoe Covers	55 Grams	Premium	NA
NW-PPSC	One Size	Polypropylene	Blue	Non-Woven Shoe Covers	32 Grams	Industrial	Compliant

Disposable Clothing

GlobalGlove.com | 763-450-0110

125



Premium Knee Pads



KP461N



KP311G



KP301J



Premium Hinged, High-Visibility, Non-Marring

- Two layers of lightweight padding
- High-visibility adjustable locking, clip-on closures with reflective striping
- Brass riveted PVC form-fitted swivel cap
- Padded hinge design



KP201G

Gel-Lined Swivel Cap, Non-Marring

- Hard PE swivel cap
- Ergonomically curved fit
- Clip-on closures with buckles



KP511L

Heavy-Duty Non-Marring Leather

- Premium-grade grain leather face
- Three-quarter inch soft felt padding
- Wide adjustable leather strap with steel buckle
- Rugged metal rivets



KP111G

Lightweight Gel-Lined Cap-Free

- Heavy-duty nylon face
- Non-slip synthetic leather surface
- Ergonomically curved fit
- Upper adjustable strap with buckle closure
- Wide adjustable lower neoprene strap

Knee Protection

Knee Pads and Kneeling Pads



KP422



High-Density Padded Cap-Free, Non-Marring

- Non-slip, non-marring synthetic leather surface
- Polyester body with high density padding
- Ergonomically curved fit
- Adjustable hook-and-loop closure



KP411



Non-Marring PVC Hard Cap

- Extra long molded PVC hard cap
- Slip resistant ridges
- Ergonomically curved fit
- Clip-on closures with buckles



KP401



High-Visibility Non-Marring Hard Cap

- PE hard, curved swivel cap
- Ergonomically curved fit
- Adjustable and stretchable high-visibility hook-and-loop closures



KP431



Non-Marring Swivel Cap

- Brass riveted PVC curved swivel cap
- Ergonomically curved fit
- Clip-on closure with buckles



KP442



Economy Low-Profile

- Foam surface with gripping ridges
- Ergonomically curved fit
- Adjustable hook-and-loop closure



KP480



KP482

High-Density NBR Foam Kneeling Pad

- Water-repellent NBR foam
- KP482 - 14 in x 21 in x 1 in with carrying handle
- KP480 - 8 in x 16 in x 1 in with carrying handle

Knee Protection

GlobalGlove.com | 763-450-0110

127



Anti-Slip Traction Cleats with Carbon Steel Studs

- Flexible TPE rubber with pull tab
- Four heat-treated carbon steel studs at the heel, six at ball of foot
- Strong and flexible in subzero temps
- Warning: Not recommended for use indoors
- Sizes: Medium - 2XL



Adjustable, Anti-Slip Traction Cleats with Carbon Steel Studs

- Flexible TPE rubber with reflective pull tab
- Five heat-treated carbon steel studs at heel and ball of foot
- Adjustable cinching cord
- Tread pattern in foot arch
- Strong and flexible in subzero temps
- Warning: Not recommended for use indoors
- Sizes: Medium - XL



Anti-Slip Traction Heel Cleats with Carbon Steel Studs

- Durable, lightweight, rigid TPE
- Heat-treated carbon steel cleats (size M - 4, size XL - 5)
- Hook-and-loop closure strap
- Warning: Not recommended for use indoors
- Sizes: Medium and XL



Anti-Slip Mid-Sole Traction Cleats with Tungsten Carbide Studs

- Seven tungsten carbide studs on cleat pad
- Adjustable, orange, elastic strap
- Strong and flexible in subzero temps
- Works great in mid-sole along with ball of foot
- Adjustable strap allows worker to transition from indoor to outdoor easily

Global Glove Product Index

30FT.....41	610R.....48	3200P.....74	CIA799XFT.....12, 61	GLO-0035.....111	HH-BC1-W.....97	KP111G.....126	S60SKD.....86
50MTC.....76	612R.....48	3200PP.....74	CIA995MFV.....12, 60	GLO-0036.....114	HH-BC1-Y.....97	KP201G.....126	S65BW.....86
51MIT.....58	612S.....48	3200PS.....74	CIA3800.....20, 25	GLO-0037.....111	HH-BG1.....94, 98	KP301J.....126	S65D2.....86
52MIT.....58	614R.....48	3200S.....74	CIA3800INT.....20, 56	GLO-0045.....111	HH-C1-B.....96	KP311G.....126	S65D2BW.....86
100MTC.....77	617.....33	3200SRF.....74	CIA4005.....20, 67	GLO-0047.....111	HH-C1-W.....96	KP401.....127	S66BB.....86
100MTG.....76	617R.....33	3200WH.....75	CIA7700.....16, 72	GLO-049.....113	HH-C1-Y.....96	KP411.....127	S70RWMT.....58
140FB.....41	618R.....48	3300DSIN.....56, 72	CIA7900.....20, 72	GLO-0055.....111	HH-C2-B.....94, 96	KP422.....127	S77RW.....58
150.....41	627R.....33	4195NB2.....83	CR18NFT.....13	GLO-058.....111	HH-C2-C.....96	KP431.....127	S90BW.....85
150F.....41	660.....32	8450.....44, 54, 55	CR18NFT-R.....13	GLO-059.....111	HH-C2-G.....94, 96	KP442.....127	S92K.....85
150FE.....41	660E.....32	8481.....46	CR100MTC.....21, 25, 76	GLO-0066.....111	HH-C2-K.....96	KP461N.....126	S98G.....85
160.....41	700R.....48	8490.....45, 55	CR100MTG.....21, 25, 76	GLO-067.....109	HH-C2-O.....96	KP480.....127	S120C.....85
180F.....41	705BPF.....38	8490MT.....45, 55	CR292.....18, 45	GLO-067B.....109	HH-C2-R.....96	KP482.....127	S314SLT.....91
190ETC.....41	705BPF.....38	8600PF.....38	CR318INT.....16, 51	GLO-067K.....109	HH-C2-W.....96	KP511L.....126	S318SL.....91
212.....45	705PF.....38	8605PF.....36, 38	CR330INT.....16, 51	GLO-077.....110	HH-C2-Y.....96	KS300LF.....19	S318SLT.....91
230F.....40	705PFE.....38	8620.....46	CR336-S10.....91	GLO-079.....108	HH-C2-YG.....96	L100.....85	S324SLT.....91
244.....41	710R.....48	8660.....46	CR336G.....26	GLO-088.....108	HH-C3-B.....96	L100PC.....85	S400.....86
282.....44	712C.....48	8690.....46	CR336G-S21C.....91	GLO-088P.....117	HH-C3-C.....96	L114.....85	S687.....82
300.....31	712R.....48	8772.....44	CR344.....26	GLO-099.....109	HH-C3-W.....96	N900.....85	S966.....32
300E.....31	714R.....48	9600.....38	CR377.....26	GLO-099P.....117	HH-C3-Y.....96	N960.....85	S966E.....32
300IN.....50	718R.....48	9900.....47	CR399.....19	GLO-127.....112	HH-CH1-CB.....94, 95	NB960.....85	SG2008.....70
300INT.....50	725PF.....38	9912.....47	CR411G.....26	GLO-0135.....112	HH-CH1-W.....95	NG-200.....101	SG2008SC.....70
300KV.....22	726R.....48	9912R.....47	CR488.....13	GLO-0145.....112	HH-CH1-Y.....95	NG-201.....101	SG3300.....70
300NB.....31	800F.....37	9913R.....47	CR492.....13, 44	GLO-147.....112	HH-CH1-YG.....95	NG-203.....101	SG5200INT.....52, 68
300NBE.....31	801.....28	9914R.....47	CR509.....19, 24	GLO-200.....116	HH-F1-B.....95	NG-204.....101	SG5308.....70
300P.....31	802.....22	9914RINT.....47	CR588MF.....19	GLO-202.....116	HH-F1-C.....95	NG-401.....101	SG6000.....70
300PT.....31	805PF.....38	9918R.....47	CR588MFY.....19	GLO-205.....116	HH-F1-W.....95	NG-402.....101	SG6600.....70
300RV.....31	870-SC.....46, 55	9918RINT.....47	CR592.....12, 44	GLO-217.....116	HH-F1-Y.....94, 95	NG-403.....101	SG7200INT.....52, 68
303RV.....31	880-SC.....46, 55	9918RMIT.....47	CR600MF.....18	GLO-225LS.....116	HH-F1-YG.....95	NW-COV63.....124	SG7300INT.....52, 68
305PF.....36, 38	880KWF.....46, 55	9932.....47	CR609.....18	GLO-270.....115	HH-H1-B.....97	NW-COV80FR.....124	SG7300MIT.....52, 68
308INT.....51	904PF.....36, 37	9932R.....47	CR611MF.....17	GLO-271.....115	HH-H1-K.....97	NW-COV630.....124	SG7700IN.....52, 68
330.....31	905PF.....37	A6V.....123	CR617.....13	GLO-315LED.....110	HH-H1-Y.....94, 97	NW-COV800FR.....124	SG9000.....69
338INT.....50	908BPF.....37	A10TN.....123	CR639.....18	GLO-850.....120	HH-LED1.....94, 98	NW-KN95.....125	SG9001.....69
348INT.....51	965BPF.....37	A18D.....92	CR677.....18	GLO-1400.....120	HH-PB1.....94, 98	NW-M2.....125	SG9001IN.....52, 69
355KV.....19	1005PF.....37	A44G.....123	CR711.....26	GLO-1450.....120	HH-PB2.....94, 98	NW-PPB24-B.....125	SG9001NF.....69
360.....30	1100GHV.....75	A48B.....123	CR788.....13	GLO-1700.....120	HH-PB3.....94, 98	NW-PPB24-W.....125	SG9003.....69
360E.....30	1200.....77	A48Y.....123	CR815D.....11	GLO-8000.....120	HH-V1.....94, 98	NW-PPB2R-W.....125	SG9944.....62
360HV.....30	1200-16.....77	A355Y.....123	CR835-RD.....11	GLO-B2.....118	HH-V2.....94, 98	NW-PPB18-B.....125	SG9954.....62, 84
378INT.....50	1200-LH.....77	A17001.....123	CR855.....16	GLO-CNS2.....102, 122	HH-V3.....94, 98	NW-PPB18-W.....125	SG9966.....62
380INT.....50	1200E.....77	AC600KV.....23	CR860.....16	GLO-CT1.....102	HH-V4.....94, 98	NW-PPCOV.....125	T800HC.....82
388INT.....50	1200GE.....77	AC2008SC.....23	CR888D.....11	GLO-CT2.....102	HH-V5.....94, 98	NW-PPSC.....125	T1250D.....82
400.....32	1200KB-LH.....77	AC3200.....23	CR898MF.....13	GLO-CT33.....102	HH-V6.....94, 98	NW-SC63.....125	T1350.....82
400FC.....32	1200KB-LH.....77	AV805.....44, 64	CR900LF.....16	GLO-CT44.....102	HH-V71AF.....94, 98	NW-SL63.....125	TAK14SLT.....90
405BPF.....37	1900.....78	AV1160.....64	CR918MF.....10	GLO-CV1.....102, 109	HH-V73AF.....94, 98	NW-SMS300COV.....124	TAK16SL.....90
405PF.....37	2000.....78	AV2000.....64	CR919.....15	GLO-EB1.....119	HH-BF1.....105	PUG-006.....17	TAK18SLT.....90
411.....40	2000DP.....78	AV3008.....64	CR921.....10	GLO-EB4.....119	HH-F1.....105	PUG-10.....34	TAK24SLGT.....90
440.....30	2100.....79	BH-LED1.....98	CR999.....12	GLO-ES1.....122	HP-F2.....105	PUG-111.....34	TAK24SLT.....90
500G.....29	2100GC.....79	C10BJINT.....58, 83	CR999MF.....13	GLO-G1.....117	HP-FDL1.....105	PUG-111.....34	TAK24SLT.....90
500G-T.....29	2120.....78	C10BJR.....83	CR1400.....26, 82	GLO-G2.....117	HP-FDL1-RF.....105	PUG-12.....34	TAK515.....26
500KV.....22	2190.....78	C10BJR-LT.....83	CR2100.....20, 79	GLO-G3.....117	HP-FDS1.....105	PUG-13.....34	TAK515-D2.....26
500MF.....29	2190DP.....78	C16Y.....84	CR3200.....21, 25, 73	GLO-H1.....122	HP-FDS1-RF.....105	PUG-14TS.....34	TG1350.....82
500MF-T.....29	2250.....79	C18BT.....83	CR3800.....21, 25	GLO-H2.....122	HP-M1.....104	PUG-17.....34	TKHV14SL.....90
500NFT.....29	2250DP.....79	C18C.....84	CR3900.....21	GLO-H3.....122	HP-M1-RK.....104	PUG-88.....22	TKHV18SLT.....90
500NFT-T.....29	2250FC.....79	C18DP.....84	CRX7.....12	GLO-H4.....122	HP-M2.....104	PUG-111.....17	TKHV19W.....90
500NFTD.....29	2300.....80	C18G.....84	EV-SJ1.....119	GLO-H5.....122	HP-M3.....94, 104	PUG-118.....15	WL120.....100
505PF.....36, 38	2300-LT.....80	C18GRC.....63, 84	GLO-001.....114	GLO-HB1.....102	HP-M4.....104	PUG-313.....15	WL220.....100
508NFT-TS.....29	2300DP.....80	C18GRCPB.....63, 84	GLO-01BA.....115	GLO-HB2.....102	HP-M4-RK.....104	PUG-417.....15	WL280FR.....100
508XFT.....28	2300GC.....80	C18OCA.....63, 84	GLO-001V.....114	GLO-HB3.....102	HP-S1.....105	PUG-511.....17	WL300-YG.....101
510MFV.....30	2300HVDP.....75	C18OPCB.....63, 84	GLO-001VE.....114	GLO-HB4.....102	HP-S2.....103, 105	PUG-517TS.....17	WL310-YG.....100
511AMB.....40	2300KW.....80	C18PCR.....84	GLO-002.....114	GLO-HB11.....102	HP-S3.....105	PUG-55TS.....17	WL320SE.....100
511NFT.....28	2350PP.....80	C19GCPB.....63, 84	GLO-002ADJ.....113	GLO-HNS1.....122	HR2800INT.....52, 67	PUG-611.....17	WL400.....99
515.....40	2360.....45	C19OPCB.....63, 84	GLO-002BA.....113	GLO-HS2.....119	HR3008.....67	PUG-617.....15	WL420.....99
515F.....40	2740D.....32	C24GC.....83	GLO-2P.....117	GLO-HS2.....122	HR3200.....66	PUG-618.....14	WL500.....99
515KEV.....22, 40	2800F.....57	C26WBT.....83	GLO-002V.....114	GLO-P1.....119	HR3200INT.....52, 66	PUG-655.....17	WL520.....99
519INT.....58	2800GDC.....57	C30BT.....83	GLO-003.....111	GLO-P3.....118	HR3222INT.....52, 66	PUG-718.....14	WL770FR.....99
520INT.....58	2800GLP.....57	C70BJ.....83	GLO-004.....111	GLO-R1.....122	HR4008.....67, 72	PUG-788.....14	WL900FR.....99
521INT.....58	2805.....53	C80.....84	GLO-4P.....117	GLO-S1.....102	HR8200.....66	PUG-918.....10	WL920FR.....99
522.....40	2950.....53	C80BJC.....83	GLO-005ADJ.....113	GLO-S2.....102	HR8200KEV.....21, 66	PUG-919.....14	Z1.....88
524.....57	2950HV.....53, 75	C80D1.....84	GLO-005B.....116	GLO-S3.....102	HR8500.....66	PUG-999.....14	Z2.....88
530MFG.....30	2950HVDC.....53, 75	C80RJ.....83	GLO-006.....114	GLO-S4.....102	HR9000.....67	PUP-27.....34	Z6.....88
530NFTD.....29	2950HKW.....53, 75	C90BJ.....83	GLO-006V.....114	GLO-SBC1.....122	HR9000VIS.....67	R6400.....121	Z7.....88
550.....29	2950KW.....53	C110.....84	GLO-007B.....116	GLO-SBC2.....122	IP3DB.....86	R8900.....121	Z8.....88
550B.....29	3100.....74	C120.....84	GLO-008BS.....116	GLO-SJ1.....119	ITR3600.....128	RCB89.....121	Z9.....88
550E.....29	3100GHV.....75	C120D1.....84	GLO-10-2IN.....115	GLO-SWCL.....122	ITR3610.....128	RPC810.....121	Z10.....88
550XFT.....28	3100SW.....74	CIA200MTG.....20, 24, 61, 76	GLO-10-G-1IN.....115	GLO-V1.....118	ITR3615.....128	RSP810.....121	Z11.....88
568XF-TS.....28	3150G.....73	CIA215MF.....44, 61	GLO-10-G-2IN.....115	GLO-W0037.....111	ITR3620.....128	RYP810.....121	ZB1.....88
590.....30	3200.....73	CIA292.....18, 45, 61	GLO-10-O.....115	GLO-WB1.....119	K10SL.....92	S13.....86	ZB2.....88
590MF.....30, 45	3200-T.....73	CIA300INT.....16, 51	GLO-10-O-1IN.....115	HH-A1.....94, 98	K10SLT.....92	S13R.....86	ZB3.....88
591F.....57	3200B.....73	CIA318INT.....16, 51, 60	GLO-10-YG.....115	HH-A2.....94, 98	K14SL.....92	S13T.....85	ZB4.....88
594MIT.....57	3200BS.....73	CIA388XT.....11, 61	GLO-011.....112	HH-A3.....94, 98	K14SLT.....92	S13WT.....85	ZB5.....88
600.....33	3200CTH.....56, 74	CIA417V.....12, 60	GLO-011BA.....115	HH-A4.....94, 98	K16SL.....92	S21TC.....92	
600FC.....33	3200D.....72	CIA501MF.....62	GLO-011FR.....112	HH-A5.....94, 98	K18FSLT.....92	S51.....86	
600INT.....28, 50	3200DST.....72	CIA520MF.....62	GLO-12LED.....110	HH-A6.....94, 98	K18SL.....92	S52NFD1.....86	
600KV.....19	3200DTH.....56, 72	CIA550NFT.....28, 62	GLO-15LED.....110	HH-A7.....94, 98	K18SLT.....92	S55.....86	
600NFT.....28	3200DTB.....56, 72	CIA609MF.....18, 60	GLO-019.....113	HH-A8.....94, 98	K24SLT.....92	S55D1.....86	
603R.....48	3200G.....73	CIA617V.....12, 60	GLO-020.....114	HH-AB1.....94, 98	K300LF.....19	S55D2.....86	
607.....33	3200GE.....73	CIA677.....18, 60	GLO-022FR.....113	HH-AB2.....94, 98	K300LF.....22	S55G.....86	
607R.....33	3200GINT.....56, 73	CIA788.....14, 61	GLO-025FR.....112	HH-BC1-B.....94, 97	K500LF.....20	S60.....86	

Head Protection

Knee Protection

Cooling

Hearing Protection



GLOBAL GLOVE AND SAFETY MANUFACTURING, INC.

763-450-0110

GlobalGlove.com

Sales@GlobalGlove.com

Ramsey, Minnesota